

# BPS 2019.1.3

## Changes to SDK & API

---

**Topic:** BPS 2019.1.3 – Changes to SDK and API

**Author:** Tomasz Batko

**Creation date:** 2019-03-29

**Modification date:** 2019-05-10

---

<b>1. Introduction .....</b>	<b>3</b>
<b>2. Changes to SDK.....</b>	<b>4</b>
<b>2.1. CustomDataSource – changed how process ID is obtained.</b>	<b>4</b>

## 1. Introduction

The following document contains a list of changes in WEBCON BPS SDK and API when compared to version 2019.1.2. These changes break code compatibility or change how existing code works.

## 2. Changes to SDK

### 2.1. CustomDataSource – changed how process ID is obtained.

In version 2019.1.3, data sources now have a new class: `DataSourceContext` which is used to reference the `Context` object in methods `TestQuery()` and `GetColumns()`.

For clients using plugins of the ‘Custom data source’ type, it will be necessary to rewrite the plugin code and upload the new versions to WEBCON BPS Designer Studio.

If plugins of that type reference the `ProcessID`, the code will need to be migrated like in the following example:

Version 2019.1.2

```
public override DataTable GetData(SearchConditions searchConditions)
{
    var processId = Context.CurrentProcessID;

    ...
}
```

Version 2019.1.3

```
public override DataTable GetData(SearchConditions searchConditions)
{
    var processId = Context.CurrentProcessID.HasValue ?
        Context.CurrentProcessID.Value : 0;

    ...
}
```