

WEBCON 2026.2.5

history of changes for version 2026.2.5.209

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Changes to existing features	5
3.1. Important information	5
3.2. Portal	5
3.3. Designer Studio.....	5
3.4. Service.....	5
4. New features	6
4.1. Portal	6
4.2. Designer Studio.....	6
4.3. Designer Desk	6
4.4. API & SDK	6
5. Bug fixes	7
5.1. General.....	7
5.2. Portal	7
5.3. Form	7
5.4. Designer Studio.....	7
5.5. Actions	8
5.6. Service.....	8

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following components have been updated:
 - Microsoft.AspNetCore.OData to version 9.5.0,
 - Microsoft.OData.Core to version 8.4.0,
 - Microsoft.OData.Edm to version 8.4.0,
 - Microsoft.Spatial to version 8.4.0,
 - Microsoft.OData.ModelBuilder to version 2.0.0.due to the vulnerability patches:
 - CVE-2026-47303, CWE-302 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREAUTHENTICATIONNEGOTIATE-17979620>,
 - CVE-2026-47300, CWE-863 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREAUTHENTICATIONNEGOTIATE-17979629>,
 - CVE-2026-50506, CWE-770 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREODATA-19666383>.
- The following component has been updated:
 - Microsoft.AspNetCore.OData to version 9.5.0,due to the vulnerability patch:
 - CVE-2026-50506, CWE-770 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREODATA-19666383>.
- The following package has been removed:
 - OpenTelemetry.AutoInstrumentation, andthe following package has been updated:
 - OpenTelemetry to version 1.18 in Portal,due to the vulnerability patch:
 - CVE-2026-81192, CWE-426 - <https://security.snyk.io/vuln/SNYK-DOTNET-OPENTELEMETRYRESOURCESSHOT-19651704>.
- The following components have been updated:
 - MimeKit to version 4.18.1,
 - MailKit to version 4.18.1,
 - BouncyCastle.Cryptography to version 2.7.0,due to the vulnerability patches, i.a.:
 - CVE-2026-63574, CWE-789 - <https://security.snyk.io/vuln/SNYK-DOTNET-BOUNCYCASTLECRYPTOGRAPHY-20537000>,
 - CVE-2026-63566, CWE-789 - <https://security.snyk.io/vuln/SNYK-DOTNET-BOUNCYCASTLECRYPTOGRAPHY-20537001>,
 - CVE-2026-103603, CWE-789 - <https://security.snyk.io/vuln/SNYK-DOTNET-BOUNCYCASTLECRYPTOGRAPHY-20537002>,
 - CVE-2026-63575, CWE-835 - <https://security.snyk.io/vuln/SNYK-DOTNET-BOUNCYCASTLECRYPTOGRAPHY-20537005>.

3. Changes to existing features

3.1. Important information

- Optimized the mechanism for assigning permissions to workflow instances. Read-only permissions are no longer automatically added for the Service account when it is the author or modifier of an instance. This reduces the number of unnecessary permission entries, including for operations executed by **Timers**.

3.2. Portal

- Optimized the number of logs written at the **Warning** level. The log concerning a database context mismatch is now written at the **Information** level.

3.3. Designer Studio

- Optimized the procedure for administrative instance removal.

3.4. Service

- Optimized the number of TRACE telemetry spans generated by the WEBCON WorkFlow Service. Spans related to processing threads that did not pick up any task are no longer recorded, reducing the amount of telemetry data sent.

4. New features

4.1. Portal

- Extended the **AI Concierge** functionality with new capabilities for searching and retrieving information and maintaining conversations. The assistant now takes previous messages within the same session into account, allowing users to continue conversations and refer to earlier requests. (Conversation history is lost when the page is refreshed or the browser window is closed.)

Added the ability to retrieve the logged-in user's profile information and assigned tasks, with filtering and sorting options. AI Concierge can also search for workflow instances in Portal using keywords, display related instances, and retrieve detailed information about selected instances, including their current step, form field values, and attachment lists. (Archived, technical, and dynamic form fields are excluded.) Search results respect the user's permissions and can be sorted by relevance, creation date, or modification date. The assistant can also provide links to found instances, allowing users to open them in Portal without ending the current conversation.

Additionally, AI Concierge can now populate the system **Comment** field and use attachments stored in other workflow instances after they have been added to the chat at the user's request.

4.2. Designer Studio

- Added the **Disable SOLR indexing for this process** option to the process configuration. It allows indexing of instances and activities for a given process in SOLR to be disabled. When enabled, indexing tasks for that process are not added to the queue.

4.3. Designer Desk

- The **AI Assistant** functionality has been expanded with the ability to configure the **Field matrix**. AI Assistant can now define the visibility, editability, and requiredness of form fields at individual process steps, reducing the need to configure these settings manually in Designer Desk.

4.4. API & SDK

- Added a new JS API function, `InvokeBusinessRule(ruleId, params)`, which allows a business rule to be executed from the form's JavaScript code and returns its result. Rule parameters can be passed as an object in which they are identified by their IDs.

5. Bug fixes

5.1. General

- Fixed an issue that could cause SOLR data reindexing to fail after an update when the index contained documents with the obsolete `*_BPSFormat` field. A migration was added to remove such documents from the index and queue them for reindexing.

5.2. Portal

- Removed unnecessary warning entries generated in the Portal logs when using the **Public access** feature.
- Fixed an error in reports where a **Calculated column** formula referenced an **Item list** column, but none of the columns in that list were set as visible. The issue affected both standard reports and chart reports and could, for example, cause the invalid column name message to be displayed when entering chart details.

5.3. Form

- Fixed an issue with previewing actions executed on a path in the instance **History**. The action list can once again be opened and closed by clicking and remains visible after closing the action log window.
- Fixed an issue that prevented users from selecting text in a **Choice field** configured as **Read-only (cannot be modified by JavaScript)** while editing a form.

5.4. Designer Studio

- Fixed an issue that caused the **AI Proxy Self-Hosted** configuration to be cleared when upgrading WEBCON to a newer version. The configuration stored in an encrypted format is now correctly preserved.
- Fixed an Installer issue that prevented a direct WEBCON update from version 2023 to 2026. The problem was caused by a missing reference to the `System.ValueTuple.dll` library required when backing up user activities.
- Fixed an issue that caused the `WFD_ID` in the `AdminFileProcessingLogs` table to be set to 0 for instances started by the Service used by the **HotMailBox** functionality. The logs now contain the correct identifier of the newly started instance.
- Fixed an issue that prevented sending a test email (from **Configuration of sending notifications**) when using an SMTP server without authentication. Testing notification delivery no longer requires a username or password when SMTP authentication is disabled.

- Fixed an issue with the **Select all** and **Deselect all** options in the application export wizard that could cause an incorrect **Navigation menu** state to be saved in the export package, resulting in validation errors during import.
- Fixed a database migration error in environments where the accounts used to run the Portal and Service had a default database schema other than `dbo`. The issue could cause already completed migrations to be executed again and prevent the Portal or Service from starting.
- Fixed an error that prevented an instance from moving from a **Wait for sub-workflows** step to the next step when the subworkflows it was waiting for reached their final steps at the same time.
- Also changed the execution context of the business rule defined in the advanced settings of this step. The rule is now always executed in the context of the parent instance. Previously, it was sometimes executed in the context of child instances. Its execution history and any errors are visible only in the parent instance.
- Fixed an issue that, in environments containing a large number of instances in other processes, prevented a **Choice field** or **Data table** form field from being configured in a process with no registered instances.

5.5. Actions

- Fixed an issue where the Title property of the generated PDF document was changed after the **Convert Word to PDF** action had been executed. The property defined in the source Word file is now preserved.
- Fixed an issue with the **Generate/Update a Word file** action when dynamically selecting a template from the document templates process.

5.6. Service

- Fixed an error in module health checks performed by the mechanism managing **Service** components (Orchestrator) that caused HTTP 503 responses even when the service was operating correctly. Also eliminated unnecessary process restarts triggered by a single failed health check.

WEBCON 2026.2.4

history of changes for version 2026.2.4.193

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Bug fixes	4
2.1. Actions	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Bug fixes

2.1. Actions

- Fixed a bug that caused a timeout when executing an automation in which an instance of another workflow, e.g. a subworkflow, transitioned along a path. The error occurred if the same instance had previously been updated by another action on the same path.

WEBCON 2026.2.4

history of changes for version 2026.2.4.188

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Information	6
3.1. API & SDK	6
4. Changes to existing features	7
4.1. Important information	7
4.2. Portal	7
4.3. Form	7
4.4. Designer Studio.....	7
5. New features	8
5.1. Portal	8
5.2. Form	8
5.3. Designer Studio.....	8
5.4. Actions	8
6. Bug fixes	10
6.1. General.....	10
6.2. Portal	10
6.3. Form	10
6.4. Designer Studio.....	11
6.5. Actions	12
6.6. Rules.....	12
6.7. Mobile app.....	12
6.8. Service.....	12
6.9. Designer Desk	12
6.10. API & SDK	12

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following package has been removed:
 - SharpCompress, and
 the following component has been updated:
 - Clowd.Squirrel to version 2.1.1.
 due to the vulnerability patch:
 - CVE-2026-44788, CWE-22 - <https://security.snyk.io/vuln/SNYK-DOTNET-SHARPCOMPRESS-16624501>.
- The following component has been updated:
 - fast-uri to version 3.1.6,
 due to the vulnerability patches:
 - CVE-2026-75931, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19256867>,
 - CVE-2026-76172, CWE-177 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19256869>,
 - CVE-2026-75975, CWE-1286 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19256871>,
 - CVE-2026-75899, CWE-174 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19256873>.
- The following components have been updated:
 - moment to version 2.31.0,
 - fast-uri to version 3.1.8,
 due to the vulnerability patch:
 - CVE-2026-17495, CWE-27 - <https://security.snyk.io/vuln/SNYK-JS-MOMENT-19821607>,
 - CVE-2026-86472, CWE-178 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19846649>.
- The following components have been updated:
 - Microsoft.AspNetCore.OData to version 9.5.0,
 - Microsoft.OData.Core to version 8.4.0,
 - Microsoft.OData.Edm to version 8.4.0,
 - Microsoft.Spatial to version 8.4.0,
 - Microsoft.OData.ModelBuilder to version 2.0.0.
 due to the vulnerability patches:
 - CVE-2026-47303, CWE-302 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREAUTHENTICATIONNEGOTIATE-17979620> CVE-2026-47300,
 - CWE-863 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREAUTHENTICATIONNEGOTIATE-17979629> CVE-2026-50506,

- CWE-770 - <https://snyk.io/vuln/SNYK-DOTNET-MICROSOFTASPNETCOREODATA-19666383>.

3. Information

3.1. API & SDK

- Improved the handling of SDK control initialization errors on the form. Previously, such an error prevented the entire form from loading correctly – now a message reading "External custom control initialization error. Contact your administrator." is displayed in place of the control, and the error details are logged and available in diagnostic session.

4. Changes to existing features

4.1. Important information

- Optimized the mechanism for assigning permissions to workflow instances. Read-only permissions are no longer automatically added for the Service account when it is the author or modifier of an instance. This reduces the number of unnecessary permission entries, including for operations executed by timers.

4.2. Portal

- Improved search result ranking in Portal to provide more relevant matches for the search phrase. When two identical instances are found, their order in the search results is now determined by their last modification dates. In addition, the **All words** checkbox displayed next to the search box in the search window is now cleared by default.

4.3. Form

- Improved the form locking mechanism during concurrent editing. The change increases stability when working with a large number of instances, reduces the risk of database deadlocks, and prevents actions from being executed again after a path transition is rolled back.

4.4. Designer Studio

- Improved the performance of saving action execution logs to the database, particularly in environments where large numbers of such entries are generated.
- Improved the performance of the OLAP analytics procedures. The changes significantly reduce analytics recalculation time and the risk of timeouts, particularly in environments with extensive instance histories.
- Optimized the retrieval of the **HotMailBox** folder structure. Subfolders are now loaded only after expanding a given node, reducing loading time and improving the handling of mailboxes containing a large number of folders.

5. New features

5.1. Portal

- Added information about the number of tokens used by an AI Agent, available in the **AI Agent reasoning** (in the instance **History**) data after its execution. In online AI Proxy mode, the number of WEBCON tokens used is displayed, while in Self-Hosted mode, the number of tokens consumed directly by the selected model is shown.

5.2. Form

- Added the ability to review tasks performed by AI Agents in the instance **History**. For each task, its date and information indicating whether it was completed successfully or ended with an error are displayed. If an Agent performed more than one task at a given step, each task is displayed separately.
- In administration mode, additional details are also available, including the Agent's step-by-step reasoning, the model used, the full log, and the duration of AI requests.

5.3. Designer Studio

- Added the ability to extend the **AI Agent** context with additional attachments returned by a business rule. In the AI Agent configuration, an optional **Attachments** rule can be selected to return identifiers of files added to the context in addition to the attachments of the current instance. Attachments are included without duplicates and only if their format is supported. If no rule is selected, the AI Agent works as before, using only the instance attachments.
- The **Row limit** field has been added to the **Data source** tab of the **API Definitions** functionality. The field allows the maximum number of rows returned by the data source to be configured separately for each API Definition. The default limit remains unchanged at 1,000 rows.

5.4. Actions

- Extended the **Timer** configuration with the ability to set a priority from 1 to 10. The priority determines the execution order of Timers that are due to run when more than one Timer is waiting to be executed at the same time. Timers with priority 1 are processed first, followed by those with higher priority values in ascending order. When the **Only nighttime** option is selected, the priority is automatically set to 11 and the Timer is processed only during the nighttime hours configured under **Schedules** in the Service configuration.
- Added the **Retry request after connection loss** checkbox to the **Invoke REST Web service** action configuration. When selected, the request is automatically retried once. The retry is performed only when an `HttpIOException` error

occurs, for example, due to a connection being closed prematurely by a proxy server.

The checkbox should only be selected when the external system can handle repeated requests without duplicating their effects.

6. Bug fixes

6.1. General

- Improved handling of digitally signed email sending via SMTP, including scenarios requiring STARTTLS, by replacing the previous mechanism with handling provided by the MimeKit component.

6.2. Portal

- Fixed an issue where tab names in the **Tab panel** were not visible while editing a form in **Process design** (Portal).
- Fixed an issue that occurred when using the **Search everywhere** option in a table report containing archived instances.
- Fixed an issue in reports using a **SearchIndex** source where, after selecting a subordinate, the report continued to display data from the superior's perspective.
- Fixed an issue where the avatar of a custom application supervisor was not displayed on the **Application home** dashboard.
- Fixed an issue that could prevent the form from loading for users with a very large number of subordinates. The issue occurred in processes with subordinate tasks and instances sharing enabled.
- Improved the display of the loading animation when switching between reports and report views in Portal. The loading indicator is now shown immediately after a view is selected, so the user can see that data is being loaded.

6.3. Form

- Fixed an issue that prevented a workflow instance from being saved again when the attachment database was selected based on a form field value.
- Improved the form checkout mechanism, eliminating the risk of operations blocking each other during parallel instance processing. The issue could occur, among others, in scenarios involving multiple subworkflows completed at the same time.
- Fixed an issue with the **Merge attachments into a Word/PDF file** action where the merged document included properties only from the first attachment. The issue occurred when the merged documents used different properties.
- Fixed an issue where a handwritten signature added to a form using the dark theme was not visible in the generated Word file. The signature is now displayed in black, regardless of the form theme.
- Fixed an issue that prevented a form from loading after a system update when the **Group** form field configuration was incomplete.

- Fixed an issue that prevented a form from loading after a system update when the configuration of a **Rating scale** or **Choice list** form field was incomplete.

6.4. Designer Studio

- Fixed an issue that caused single-user synchronization to fail after an account with an assigned superior was deleted from Active Directory.
- Fixed an issue in the installer where an incorrect SOLR username was specified during a new installation (**WEBCON** instead of **WEBCON_BPS**). As a result, the default credentials could not be used to establish a connection to SOLR.
- Fixed an issue that caused the values of collection variables from the parent **For each** operator to be lost after a nested **For each** operator was executed in an action.
- Fixed an issue that prevented an SQL query configured for a **Choice field** from being executed if it contained content enclosed in curly braces that was not a WEBCON tag. When the **Query the data source if variables return empty values** option is selected, such queries are now correctly passed to the database.
- Fixed an issue that prevented logs from being found using the identifier returned after a failed UDA call. The response now returns the `CorrelationId`, which can be used to find the related logs both under the **Logs** tab of an API Definition and using **Tasks › Administrative tools › Search for logs**.
- Fixed an issue with handling the **Proxy** server's **Exceptions list** when using a SAML authentication provider.
- Fixed an issue affecting the **Set workflow status** action executed during a path transition. After the subworkflow instance status is set to finished, the system now correctly verifies all subworkflows and, when the conditions of the **Wait for sub-workflows** step are met, moves the parent workflow instance to the next step.
- Fixed an issue where the archiving queue did not use all available threads, which limited archiving performance.
- Fixed 404 errors occurring in Designer Studio after changing the Portal address and switching the content database.
- Fixed an error that redirected users to the application's home page after changing the selected company at the **Start** step. The issue only occurred in applications embedded in the application hub (under **Alternative application address**).
- Fixed an issue with setting fields dependent on **Choice fields** when starting or updating workflow instances using automatic mechanisms, including HotMailBox, HotFolder, API/SDK, cyclic actions, and AI Agents. A text value passed to a Choice field is now searched for in all data source columns with the **Searching** option enabled, and the target fields are automatically populated after a matching value is found.

6.5. Actions

- Fixed an issue where the `{ATT_Name}` and `{ATT_Description}` variables were not substituted correctly in the name of a Word file generated using the **Generate/Update Word file** action. The `{ATT_Name}` variable now returns the attachment name instead of its GUID, while the `{ATT_Description}` variable returns the attachment description.

6.6. Rules

- Fixed error handling for AI operations executed by Portal and Service. If a request to AI Proxy fails, AI operations are no longer blocked with the “The circuit is now open and is not allowing calls.” message, and the error message and logs now include the response code, error details from AI Proxy, and the correlation ID.

6.7. Mobile app

- Fixed an issue that prevented PUSH notifications about new tasks from being sent to the mobile app.

6.8. Service

- Fixed an issue that could prevent the WEBCON Search Service from starting in isolated environments or environments with restricted Internet access. Digital signature validation could extend the service startup time beyond the default 30-second limit.
- Fixed an issue that caused the `OpenTelemetry:Logs:Enabled` setting in the telemetry configuration to be interpreted inversely. As a result, logs were not sent when the value was set to `TRUE`, while setting it to `FALSE` caused them to be sent.
- Fixed an issue that slowed down attachment indexing in `SearchIndex`. Previously, processing a file without a text layer increased the time required to retrieve the text layer from the next attachment.

6.9. Designer Desk

- Fixed an issue where a workflow generated by **AI Assistant** could contain a step without an assigned form. The resulting configuration inconsistency prevented the project from being deleted in Designer Desk and blocked the export of any application in the environment to Designer Studio.
- Fixed an issue in the recalculation of the visibility of form fields nested in grouping form fields. Because of the bug, some of the form fields placed in a **Group** or on a **Tab panel** were not displayed on the form.

6.10. API & SDK

- Fixed issues in the OpenAPI specification of the WEBCON public API related to enum definitions and authentication configuration. The specification has also been

optimized to include only models referenced by endpoints. As a result, the document is smaller, complies with the OpenAPI standard, and can be correctly validated and imported into external tools.

WEBCON 2026.2.3

history of changes for version 2026.2.3.179

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following components have been updated:
 - Microsoft.Bcl.Cryptography do wersji 10.0.11,
 - System.Security.Cryptography.Xml do wersji 10.0.11,
 - System.Security.Cryptography.Pkcs do wersji 10.0.11,
 due to the vulnerability patches:
 - CVE-2026-26171, CWE-611 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-16065994>,
 - CVE-2026-33116, CWE-835 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-16066064>,
 - CVE-2026-50648, CWE-770 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-17980677>,
 - CVE-2026-47304, CWE-345, CWE-347 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-18134058>,
 - CVE-2022-34716, CWE-611 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-2977914>.
- The following component has been updated:
 - fast-uri to version 3.1.7,
 due to the vulnerability patch:
 - CVE-2026-84292, CWE-116 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19502739>,
 - CVE-2026-84394, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-19502854>.

WEBCON 2026.2.3

history of changes for version 2026.2.3.160

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Bug fixes	4
2.1. Actions	4
2.2. Mobile app.....	4
2.3. Service.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Bug fixes

2.1. Actions

- Fixed an issue that could prevent a database upgrade if the configuration of the **Start workflow (SQL)** or **Move workflow (SQL)** action was invalid.
- Fixed an issue with value substitution in SQL queries for **Start Workflow (SQL)** and **Move Workflow (SQL)** actions. Previously, the `##column\_name##` tag within queries would use the value from the first row of the data source in every subsequent row. The system now accurately substitutes the value for every row.

2.2. Mobile app

- Corrected barcode recognition on Android mobile devices.

2.3. Service

- Fixed an issue with creating Service temporary folders for databases whose acronym contained invalid characters or matched a name reserved by Windows. The issue could prevent **HotMailBox** from downloading and processing messages.

WEBCON 2026.2.3

history of changes for version 2026.2.3.145

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Changes to existing features	5
3.1. General.....	5
3.2. Form	5
3.3. Designer Studio.....	5
3.4. Data sources.....	5
3.5. Service.....	5
4. New features	7
4.1. General.....	7
4.2. Designer Studio.....	7
5. Bug fixes	8
5.1. General.....	8
5.2. Portal	8
5.3. Form	8
5.4. Designer Studio.....	9
5.5. Actions	9
5.6. Service.....	9

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following component has been updated:
 - System.Security.Cryptography.Xml to version 10.0.10, due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-17980677>.
- The following components have been updated:
 - react-router to version 7.18.2 (applies to version 2026 R2),
 - react-router-dom to version 7.18.2 (applies to version 2025 R2),due to the vulnerability patches:
 - CVE-2026-53669, CWE-601 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-18313144>,
 - CVE-2026-53666, CWE-470 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-18313130>.
- The following component has been updated:
 - fast-uri to version 3.1.5,due to the vulnerability patch:
 - CVE-2026-18446, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-18506908>.

3. Changes to existing features

3.1. General

- Extended the data recorded in telemetry. The **webcon.section.guid** tag has been added to the **webcon.action.execute**, **webcon.elements_management.workflow.execute**, and **webcon.service.thread.task.processing** spans. Additionally, the **webcon.element.id** and **webcon.timer.id** tags have been added to the **webcon.service.thread.task.processing** span recorded when processing a **Timer** queue item.

3.2. Form

- Increased the maximum length of values in **Single line of text** columns in **Item lists** from 1,000 to 4,000 characters. As a result, values exceeding the previous limit and populated through the **Run an SDK action** or API no longer prevent saving the instance or following a path.

3.3. Designer Studio

- Optimized the license verification mechanism by reducing the number of database queries performed when opening Designer Studio and Portal, moving an instance through a path, and opening the **Administration panel**.

3.4. Data sources

- Added a mechanism for reusing OAuth2 tokens in REST connections. This reduces the number of requests to the identity provider and improves the performance of automations executing multiple REST actions.

3.5. Service

- Added automatic restart of the WEBCON Workflow Service after license activation using the installer. As a result, a service previously running in **Safe mode** can start working without requiring a manual restart.
- Enhanced the Kestrel port configuration during new installation and environment upgrade. A Kestrel node with a randomly selected port is now added to the Portal appsettings file, preventing conflicts with other services using the same port.
- Added a mechanism for checking the availability of the **License service** to the Service module, which is responsible for, among other things, triggering **Timers** and synchronizing users and currency exchange rates. As a result, if the License service does not respond, the module will be restarted using the standard restart mechanism and will not attempt to activate its roles.
- Extended the HealthCheck logging mechanism in Service. Error information is now recorded at the "Information" level even when the checked module has not yet

reached the “Running” status. Additional information about individual checks is available at the “Debug” logging level, making it easier to diagnose module startup issues.

4. New features

4.1. General

- Added the **webcon.service.pipe.execute**, **webcon.service.pipe.read**, **webcon.service.pipe.write**, and **webcon.infrastructure.pipe.handle** telemetry spans to enable tracing of communication between Service processes. The spans include the **webcon.pipe.event.id** and **webcon.pipe.event.type** tags, which identify the event and its type.
- Added the ability to select a claim, that is, a value provided by the identity provider in SAML2, that identifies the WEBCON user (BPS_ID). This allows the user login to be mapped to a value other than the email address. Changing the claim requires restarting Portal.

4.2. Designer Studio

- Added the ability to select the AI model used by the **Process Builder** feature (AI-assisted process design) available in Designer Desk. The model can be selected using the **AI Process Builder Model** list (**System settings › Global parameters › AI Models Configuration**). The options for selecting the model used by **AI Concierge (AI Concierge Model)** and the model used for interface translations (**AI Translation Model**) have also been moved to the AI Models Configuration window.

5. Bug fixes

5.1. General

- Fixed an issue in the **webcon.elements_management.path.transitions** telemetry span where the **webcon.element.id** tag was not recorded during a path transition that registered a new workflow instance.

5.2. Portal

- Fixed a display issue affecting reports embedded on dashboards. Users without report editing permissions could see the button for deleting the current view, and the browser tab title displayed “null” instead of the report name.
- Fixed an issue where **Performance indicators** displayed “No data” instead of the current value when the **Expected value** was set to 0 or left undefined. The current value is now displayed regardless of the Expected value configuration, and if no expected value is specified, the indicator scale is adjusted automatically.
- Fixed an issue with loading the application **Navigation menu**. As a result, the Navigation menu was not visible after the Portal page was loaded. The issue occurred in a specific scenario when the application configuration did not include the required **My tasks** or **Analysis** items. The missing items are now added automatically.
- Fixed an issue with displaying the value of the **Handwritten signature** attribute in Portal themes. After switching the theme to Light, Dark, or WEBCON Contrast Black Yellow, the signature could be invisible or displayed in an incorrect color. The signature is now displayed in a color matching the current theme in both view and edit mode.
- Fixed a bug that occurred when adding user privileges in Portal’s administration mode. The problem could occur when **Business rules** referring to form field values were configured, for example rules restricting access to a transition path on a form.
- Fixed an issue that could cause users to be unexpectedly logged out in environments with multiple Portal instances after Portal had been running continuously for an extended period without being restarted.

5.3. Form

- Fixed an issue where, after closing the window containing the list of problems detected during form validation when moving through a path, focus was not set on the first form field with a validation error.
- Fixed an issue that caused Polish characters to be displayed incorrectly in the preview of XML attachments encoded in UTF-8.

5.4. Designer Studio

- Fixed a bug in the process import mechanism that caused associated authentication configurations to be imported even when overwriting the connection configuration was disabled.
- Fixed an error that occurred when importing a dictionary process with data. As a result, form fields were incorrectly validated as required even though no requiredness rules had been configured for them.

5.5. Actions

- Fixed an issue with executing the **Invoke REST Web service** action triggered by **Timers** when processing a large number of concurrent requests. The issue could cause some requests not to be sent.

5.6. Service

- Fixed an issue where the Service account was not recognized correctly when its login was stored in the “.\login” format. As a result, the Service account could fail to immediately take over the editing lock on the parent instance.

WEBCON 2026.2.2

history of changes for version 2026.2.2.121

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following component has been updated:
 - fast-uri do wersji 3.1.4,
due to the vulnerability patch:
 - CVE-2026-16221, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-18021349>.
- The following component has been updated:
 - i18next-http-backend to version 4.0.0.,
due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-JS-I18NEXTHTTPBACKEND-16414786>.
- The following component has been updated:
 - System.Security.Cryptography.Xml to version 10.0.10,
due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-17980677>.

WEBCON 2026.2.2

history of changes for version 2026.2.2.106

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Information	6
3.1. General	6
4. Changes to existing features	7
4.1. Form	7
4.2. Data sources	7
5. Bug fixes	8
5.1. General	8
5.2. Portal	8
5.3. Form	9
5.4. Designer Studio	10
5.5. Actions	10
5.6. Mobile app.....	10
5.7. Service.....	11
5.8. API & SDK	11

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The fast-uri component has been updated to version 3.1.2 due to the vulnerability patches:
CVE-2026-6322, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-16642394>,
CVE-2026-6321, CWE-22 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-16642399>.
- The following package has been added:
- Microsoft.Kiota.Http.HttpClientLibrary version 1.22.2.,

due to the vulnerability patch:
- <https://security.snyk.io/vuln/SNYK-DOTNET-MICROSOFTKIOTAHTTPHTTPCCLIENTLIBRARY-16699701>
v25.2.
- The following package has been removed:
OpenTelemetry.Instrumentation.Wcf due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-DOTNET-OPENTELEMETRYAPI-16189068>.
- The react-router-dom component has been updated to version 6.30.4 (for 2024.1.1 and 2025.2.1 versions of the WEBCON platform) and to version 7.17.0 (for 2026 R2 version of the WEBCON platform) due to the vulnerability patch: CVE-2026-40181, CWE-601-
<https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-17138887>.
- The following component has been updated:
- dompurify to version 3.4.12,
due to the vulnerability patches:
- CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17342528>,
- CWE-79, CVE-2026-49978 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344504>,
- CWE-501 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344516>,
- CVE-2026-49458, CWE-501 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344526>,
- CVE-2026-49459, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344538>,
- CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344549>,
- CWE-693 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17344552>,
- CWE-471, CWE-665 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-17375136>.
- The immutable component has been updated to version 4.3.9 due to the vulnerability patches:
- CVE-2026-59880, CWE-407 - <https://security.snyk.io/vuln/SNYK-JS->

IMMUTABLE-17900558

- CVE-2026-59879, CWE-190 - <https://security.snyk.io/vuln/SNYK-JS->

IMMUTABLE-17900573

- The following components have been updated:
 - ajv to version 8.20.0,
 - fast-uri to version 3.1.3,due to the vulnerability patch:
 - CVE-2026-13676, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-17675102>.

3. Information

3.1. General

- The workflow instance history in administrator mode has been extended with a separate node that displays action execution conditions along with their execution time. Additionally, the process automation execution log now includes information about its execution time.

4. Changes to existing features

4.1. Form

- Fixed an issue where values were not displayed in a **Data table** form field without configured columns.

4.2. Data sources

- Extended the permissions of the database user with limited privileges to include read access to the tables used by the AI agents functionality: AgentExecutions, Agents, and AgentJobs.

5. Bug fixes

5.1. General

- Fixed an issue with the MCP **SearchInNavigation** tool that could cause navigation search to fail when combined filters, such as element type and application, were used.
- Removed the mechanism for automatically sending administrative logs from the user's browser. Instead, it is now possible to copy error details and provide them for analysis.

5.2. Portal

- Fixed an issue related to retrieving too many action execution logs, which could cause the application to crash. As a result, the number of entries currently displayed in the instance **History** has been limited to a maximum of 300.
- Improved error handling when saving a dashboard. If saving fails, the system now displays a message informing the user that the changes could not be saved.
- Fixed a form loading issue that occurred when the **Tab panel** form field was set as archival. As a result of the issue, attempting to open a form containing such a field could cause a form error to be displayed.
- Fixed an issue that prevented a **Vacation schedule** report from loading when it contained a column referring to a **Vacation summary** form field.
- Fixed an issue with the initialization of hidden form fields. Due to the issue, fields that should remain hidden according to the configuration could be displayed and available for editing, e.g. when previewing an instance or opening it from a report.
- Fixed an issue that prevented users from signing in to Portal using any available authentication method. The issue occurred when Windows Authentication was disabled for the Portal site in the IIS server configuration..
- Fixed the display of the absence bar in the **Vacation schedule** widget operating in the **Simplified presentation** mode. The bar color is now taken from the active theme, ensuring that it remains readable in light, dark, and high contrast themes.
- Fixed handling of instance checkout when an error occurs during cyclic automation. Checkout is now properly released even if a path transition fails due to a validation error.
- Portal views have been updated (except for the unsupported application view and global error views, including the 404 error page) to use the logo from the default theme and the Portal name specified in the system configuration instead of a hardcoded WEBCON logo and Portal name. As a result, these views are now consistent with the branding configured by the customer.

- Fixed the behavior of the **Form type** filter in reports using an **SQL** data source. The error occurred in a scenario where the initial process configuration, which included all Form types, was changed for one process by selecting a specific Form type. As a result, after applying this filter, the report displayed extra instances from the remaining processes.
- Fixed an issue with loading forms that occurred for form fields placed in **Groups** with the **Archival field** option enabled. As a result of the error, attempting to open a form containing form fields in such a Group could cause an error and prevent the entire form from loading.
- Fixed an issue in the **My tasks** panel that caused the search engine to omit tasks created as part of a substitution. As a result of the issue, tasks assigned through substitution were not displayed when searching in this panel.
- Fixed an issue that prevented changes made to a **Report tile** on a dashboard from being saved. The issue occurred when the tile contained a name translation in a language that was not available (was removed) in the given environment anymore.
- Fixed an issue that could cause deadlocks when processing instance checkouts in parallel in high-load environments. The SQL procedures responsible for creating, taking over, and deleting checkouts have been optimized.
- Fixed an issue that prevented JavaScript code defined in links from being executed in **Data row** and **Data table** form fields, as well as **Data row** column when the **Encode dangerous HTML tags** option was disabled in their configuration.

5.3. Form

- Fixed an issue related to changing focus after deleting all rows from an **Item list** using a rule triggered through JS API. In this case, focus is currently not set.
- Fixed the display of text fragments marked with the HTML `<code>` tag in Portal, including Rich text fields. Code fragments are now clearly highlighted in edit and read mode, also after being copied from external tools.
- Fixed an issue with text display in selection fields on the **Item List**, which caused text to be cut off for longer values in the **Autocomplete** and **Choice field (picker)** fields. The fields now correctly adjust their height to the content, ensuring data readability.
- Fixed an issue where the system could ignore the default **Activity mode** of a form field group configured for a specific step. As a result, the group could remain expanded even when set to “Collapsed by default”. The Activity mode configured for the group on the step is now correctly applied.
- Fixed an issue where values set by form rules in the Item List form field might not be saved when the user saved the form or followed a process path immediately after changing data. The system now waits until item list cell updates are complete before saving the form or moving to the next process step.

- Fixed an issue that prevented uploading multiple attachments from the local attachments column on an **Item list** with a custom category configured.
- Fixed an issue where the process element signature/header in the form banner could be displayed with an incorrect, reduced font size.

5.4. Designer Studio

- Corrected a bug preventing process documentation generation. The problem occurred when a process included the **Invoke REST Web service** action utilizing a **REST Web Service** connection with the authentication type set to **SDK**.
- Fixed an issue that occurred when email messages were processed by the **HotMailBox** functionality. The issue occurred if, in the HotMailBox configuration window, in the **Additional fields settings** field (**Starting workflows settings** tab), form fields associated with the selected form type were selected, but those fields belonged to a **Group** or **Tab panel** that was not associated with that form type or was marked as archived.
- Fixed an issue that occurred during application import. The issue was caused by incorrect behavior of the mechanism responsible for deleting elements related to existing workflow instances during application import.
- Fixed a bug that prevented users from signing in to the Portal from the WEBCON web part on the SharePoint Online platform.

5.5. Actions

- Fixed the handling of cycles with no assigned automation. An attempt to run such a cycle is now correctly treated as a failed execution, and after the configured number of consecutive failed executions is reached, the cycle is disabled.
- Fixed an issue that caused the **Convert Word to PDF** action to fail if the action was added and saved without opening its configuration. As a result of the issue, the “Object reference not set to an instance of an object” message could be displayed when executing the action.
- Fixed an issue affecting the **Start workflow (SQL)** and **Move workflow (SQL)** actions configured as cyclic actions. The issue occurred when using an **MSSQL database** data source and could cause cycle execution to fail and an error to be displayed in the cyclic actions report.
- Fixed an issue where telemetry for REST actions executed by the Service was incomplete. The actual REST calls are now also logged, not only token requests.

5.6. Mobile app

- Improved barcode scanning in the mobile app. The change increases scanning reliability on Android devices, especially for longer barcodes.

5.7. Service

- Fixed an issue where a local Service account configured in the **.\user** format was not recognized as the Service account when the login was provided in the **[Machine name]\user** format. Both formats are now handled correctly.
- Fixed the import and saving of large **OCR AI** projects by introducing package uploads in chunks (chunk upload).
- Fixed an issue that caused increased CPU usage during data import. Also fixed how logs are retrieved from the service when cloning a workflow in Studio, and increased the value range of the **LastLogId** parameter.

5.8. API & SDK

- Fixed an issue that caused redundant entries to be saved in system logs in selected API endpoint error-handling scenarios.

WEBCON 2026.2.1

history of changes for version 2026.2.1.62

Table of Contents

1. Before upgrading WEBCON	4
1.1. Important information	4
2. Security fixes	5
2.1. General	5
2.2. Add-In	5
2.3. Mobile app	5
2.4. API & SDK	5
2.5. Updated components	5
3. Information	11
3.1. Important information	11
3.2. General	11
3.3. Portal	12
3.4. Form	12
3.5. Designer Studio	12
3.6. Mobile app	12
3.7. Service	12
3.8. API & SDK	12
4. Changes to existing features	13
4.1. Important information	13
4.2. General	13
4.3. Portal	14
4.4. Form	14
4.5. Designer Studio	14
4.6. Actions	15
4.7. Data sources	15
4.8. Mobile app	16
4.9. Service	16
4.10. API & SDK	17
5. New features	18
5.1. Telemetry	18
5.2. Choice of LLM model in individual AI features	18
5.3. Extended configuration of the application Navigation menu	18
5.4. Authentication provider SAML2	19
5.5. LDAP Directory	20
5.6. Migration of the “Start workflow (SQL)” and “Move workflow (SQL)” action configuration	21
5.7. General	22
5.8. Portal	23
5.9. Designer Studio	24
5.10. Rules	26
5.11. Service	26
5.12. API & SDK	26

6. Bug fixes	27
6.1. General.....	27
6.2. Portal	28
6.3. Form	32
6.4. Designer Studio.....	34
6.5. Actions	37
6.6. Rules.....	39
6.7. Data sources.....	40
6.8. Mobile app.....	40
6.9. Service.....	41
6.10. Designer Desk	42
6.11. API & SDK	42

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R2**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.2** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- Version **2026.1.4** introduces support for the new licensing model. After upgrading the environment, **it is necessary to download the license package again**.
- Depending on the environment configuration and the licensing model used so far, different system behavior scenarios may occur after the upgrade. **In particular, in environments that previously used legacy user licenses (User CAL), a 14-day transition period will be activated**. During this period, both old and new licenses can operate in parallel, allowing administrators to switch users to the new license types.

A detailed description of the possible scenarios and the required administrative actions is available in the article:

<https://community.webcon.com/posts/post/licenses-2026/598/3>

Before upgrading, it is recommended to review the article, identify the scenario applicable to a given environment, and plan any necessary administrative activities in advance. Special attention should be paid to the change in license management in the **Perpetual** model – starting from version 2026.1.4, user licenses are **assigned by name** rather than automatically.

- Activating the license package will trigger a 14-day transition period for the implementation of updated licenses.

A detailed description of the possible scenarios and the required administrative actions is available in the article:

<https://community.webcon.com/posts/post/licenses-2026/598/3>

- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. General

- Added a warning displayed in the internet browser developer tools console when the application is run in a production environment. The message informs users that pasting code or commands they do not understand into the console may be a scam intended to gain access to their data.

2.2. Add-In

- Updated the following components for the Word add-in:
 - **node-forge** to version **1.3.2**,
 - **min-document** to version **2.19.1**
 due to vulnerability patches:
 - <https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-14114940>,
 - <https://security.snyk.io/vuln/SNYK-JS-MINDOCUMENT-13045385>.

2.3. Mobile app

- The following component has been updated:
 - **@react-native-community/cli-server-api** to version **18.0.1**,
 due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-JS-REACTNATIVECOMMUNITYCLISERVERAPI-13836141>.

2.4. API & SDK

- Implemented additional security for the business rules API endpoint - improved control of user privileges to different applications.

2.5. Updated components

- Due to the identification of a Cross-Site Scripting (XSS) security vulnerability (CVSS 6.1; CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:F/RC:C), security fixes have been implemented to prevent the potential injection of malicious JavaScript code.
- The following component has been updated:
 - **expr-eval-fork** do wersji **3.0.1**,
 due to the vulnerability patch:
 - CVE-2025-12735 - <https://github.com/advisories/GHSA-jc85-fpwf-qm7x>.
- The following component has been updated:
 - **lodash** do wersji **4.17.23**,
 due to the vulnerability patch:

- CVE-2025-13465, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>.
- The following component has been updated:
 - react-router-dom to version 7.13.0,
due to the vulnerability patch:
 - CVE-2025-68470, CWE-601- <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908286>,
 - CVE-2025-59057, CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908289>,
 - CVE-2026-21884 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908293>,
 - CVE-2026-22030, CWE-346, CWE-352 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908429>,
 - CVE-2026-22029 - <https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908531>.
- The following component has been updated:
 - react-router to version 7.13.0,
due to the vulnerability patches:
 - CVE-2025-68470, CWE-601,
 - CVE-2025-59057, CWE-79,
 - CVE-2026-21884, CWE-79,
 - CVE-2026-22030, CWE-346, CWE-352,
 - CVE-2026-22029, CWE-79,
 - CVE-2025-68470, CWE-601,
 - CVE-2025-68470, CWE-601,
 - CVE-2026-22029, CWE-79.
- The following component has been updated:
 - patch-package do wersji: 8.0.1,
due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-JS-TMP-11501554> in tmp@0.0.33,
 - <https://security.snyk.io/vuln/SNYK-JS-INFLIGHT-6095116> in inflight@1.0.6.
- The following components have been updated:
 - lodash to version: 4.17.23,
 - react-router-dom to version: 6.30.2,
 - @remix-run/router to version: 1.23.2,
due to the vulnerability patch:
 - [<https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>] in lodash@4.17.21 (Prototype Pollution, medium),
 - [<https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-14908286>] in react-router@6.22.0 (Open Redirect, high),
 - [<https://security.snyk.io/vuln/SNYK-JS-REMIXRUNROUTER-14908287>] in @remix-run/router@1.15.0 (Open Redirect, high),
 - [<https://security.snyk.io/vuln/SNYK-JS-REMIXRUNROUTER-14908530>] in @remix-run/router@1.15.0 (XSS, high).

- The component expr-eval has been replaced with the expr-eval-fork component due to the vulnerability patch:
- CVE-2025-12735, CWE-1321, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-EXPREVAL-13833679>.
- The following component has been updated:
- mdast-util-to-hast to 13.2.1,
due to the vulnerability patch:
- CVE-2025-66400, CWE-915 - <https://security.snyk.io/vuln/SNYK-JS-MDASTUTILTOHAST-14157221>.
- The following components have been updated:
- glob to 10.5.0,
- js-yaml to 3.14.2,
due to the vulnerability patches:
- <https://security.snyk.io/vuln/SNYK-JS-GLOB-14040952>,
- <https://security.snyk.io/vuln/SNYK-JS-JSYAML-13961110>.
- The following component has been updated:
- node-forge" 1.3.2,
due to the vulnerability patch:
- <https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-14114940>.
- Fixed a security vulnerability (**HTML Injection**) that allowed the injection of HTML code in the report coloring definitions and other report configuration areas.
- The following components have been updated
- OpenTelemetry.Instrumentation.Wcf to version 1.15.1-beta.2;
- OpenTelemetry.Exporter.OpenTelemetryProtocol to version 1.15.3;
- OpenTelemetry.AutoInstrumentation to version 1.15.0.
due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-DOTNET-OPENTELEMETRYAPI-16189068>.
- The MimeKit component has been updated to version 4.16.0 due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-DOTNET-MIMEKIT-15468175>.
- The uuid component has been updated to version 14.0.0 due to the vulnerability patch:
CVE-2026-41907, CWE-1285 - <https://security.snyk.io/vuln/SNYK-JS-UUID-16133035>.
- The dompurify component has been updated to version 3.4.1 due to the vulnerability patch: CVE-2026-41240, CWE-783 -
<https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-16078387>.
- The component System.Security.Cryptography.Xml has been updated to version 10.0.7 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-2977914>.

- The following components have been updated:
 - @webcon/ui-controls to version 4.23.0;
 - @webcon/workflow-designer to version 0.0.5;
 - @trivago/prettier-plugin-sort-imports to version 6.0.2;
 due to the vulnerability patches:
 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>;
 - <https://security.snyk.io/vuln/SNYK-JS-LODASHES-15053836>;
 - <https://security.snyk.io/vuln/SNYK-JS-MARKDOWNIT-10666750>.
- Changed the approach to logging messages in the browser console.. As a result, information, warnings, and errors related to application operation are no longer logged there. The change is intended to improve security.
- Fixed the security of the business rule execution mechanism. As a result, it now only allows global and process business rules to be executed.
- The following component in the MS Word add-in has been updated:
 - node-forge: 1.4.0, due to the vulnerability patches:
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789767>] in node-forge@1.3.2,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789769>] in node-forge@1.3.2,
 - [Critical Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789771>] in node-forge@1.3.2,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789773>] in node-forge@1.3.2.
- The yaml component has been updated to version 1.10.3 due to the vulnerability patch:
 - CVE-2026-33532, CWE-674 - <https://security.snyk.io/vuln/SNYK-JS-YAML-15765520>.
- The lodash component has been updated to version 4.18.1 due to the vulnerability patches:
 - CVE-2026-2950, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15869619>,
 - CVE-2026-4800, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15869625>.
- The lodash-es component has been updated to version 4.18.1 due to the vulnerability patches:
 - CVE-2026-2950, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASHES-15869621>,
 - CVE-2026-4800, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-LODASHES-15869627>.
- The System.Net.Http component has been updated to version 4.3.4 due to the vulnerability patch:

CVE-2018-8292, CWE-200 - <https://snyk.io/vuln/SNYK-DOTNET-SYSTEMNETHTTP-72439>.

- The ajv component has been updated to version 8.18.0 due to the vulnerability patch:
CVE-2025-69873, CWE-1333 - <https://security.snyk.io/vuln/SNYK-JS-AJV-15274295>.
- The lodash component has been updated to version 4.17.23 in the WEBCON add-in for Word due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>.
- Updated the OpenTelemetry.Instrumentation.AWS component to version 1.15.0, along with its dependencies:
 - Microsoft.Extensions.DependencyInjection.Abstractions to version 10.0.3,
 - System.Memory to version 4.6.3,
 - System.Numerics.Vectors to version 4.6.1,
 - System.Threading.Tasks.Extensions to version 4.6.3,
 - System.ValueTuple to version 4.6.2,
 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-AWSSDKCORE-14908870>.
- Removed source map files from the production version of the web application. As a result, code published to production environments no longer includes additional maps that could facilitate implementation analysis, improving application security and aligning with audit recommendations.
- The immutable component has been updated to version 4.3.8 due to the vulnerability patches:
CVE-2026-29063, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-IMMUTABLE-15423650>.
- The dompurify component has been updated to version 3.3.3 due to the vulnerability patches:
CVE-2026-0540, CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371376> CVE-2025-15599,
CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371386>.
- The MimeKit component has been updated to version 4.15.1 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-MIMEKIT-15468175>.
- The following components have been updated:
 protobufjs to version 7.5.8,
 @protobufjs/codegen to version 2.0.5,
 @protobufjs/utf8 to version 1.1.1,
 fast-xml-builder to version 1.1.7,
 postcss to version 8.5.10,

due to the vulnerabilities identified in:

protobufjs in version 7.5.5,
 @protobufjs/codegen in version 2.0.4,
 @protobufjs/utf8 in version 1.1.0,
 fast-xml-builder in version 1.1.5,
 postcss in version 8.4.49.

- The fast-uri component has been updated to version 3.1.2 due to the vulnerability patches:
 CVE-2026-6322, CWE-436 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-16642394>,
 CVE-2026-6321, CWE-22 - <https://security.snyk.io/vuln/SNYK-JS-FASTURI-16642399>.

- The following package has been added:
 - Microsoft.Kiota.Http.HttpClientLibrary version 1.22.2.,

due to the vulnerability patch:

- <https://security.snyk.io/vuln/SNYK-DOTNET-MICROSOFTKIOTAHTTPHTTPCCLIENTLIBRARY-16699701>
 v25.2.

- The following package has been removed:
 OpenTelemetry.Instrumentation.Wcf due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-DOTNET-OPENTELEMETRYAPI-16189068>.
- The react-router-dom component has been updated to version 6.30.4 (for 2024.1.1 and 2025.2.1 versions of the WEBCON platform) and to version 7.17.0 (for 2026 R2 version of the WEBCON platform) due to the vulnerability patch: CVE-2026-40181, CWE-601-
<https://security.snyk.io/vuln/SNYK-JS-REACTROUTER-17138887>.

3. Information

3.1. Important information

- Changes introduced in this version will break the compatibility of the Export-Import mechanism. Exported process packages created in versions **2026.1.6.209** and older cannot be imported to the newest system version. In order for an import to be possible, update the environment to the newest version and export the processes again.
- Our platform is gaining a fresher and more consistent identity. We are removing the **BPS** element, making the name simpler, clearer, and easier to remember. From now on, the platform will operate under one recognizable name: **WEBCON**. This change has been applied, among others, to the installer, Designer Studio, Portal, Designer Desk, and MS Office Add-ins. As a result, selected names of data sources, user and group lists, actions, options, welcome texts, descriptions, and default names created during installation have been updated. To maintain compatibility, some technical names remain unchanged, including service names, installation directories, the admin@system.bps account, and the BPS_ID identifier.

3.2. General

- Updated the .NET platform used in Portal from version 9 to .NET 10. Following the update, the WEBCON installer now verifies whether the newest version of the .NET runtime is installed on the user's machine. If it is missing, the installation or update of the WEBCON platform will not be possible. The purpose of this change is to ensure continuous access to security patches and improve performance.
- In the **Perpetual** licensing model (timeless licenses with annual Software Assurance payment), added support for new license types, mainly to allow perpetual users to use AI functionalities.

For details, please see the pricing page: <https://webcon.com/pricing/>

- The **Temporary implementation access** license has been enabled in the cloud installation (WEBCON SaaS).
- Implemented a mechanism ensuring proper license update in the **Perpetual** licensing model.
- A detailed description of the possible scenarios and the required administrative actions is available in the article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

3.3. Portal

- Improved messages for **User management** in the **Admin panel**.
- Changed the name of the Portal launching process. The previous name, **WebCon.BPSCloud.Portal.exe**, has been replaced with **WebCon.WorkFlow.Bootstrapper.exe**. As a result, the process is now displayed under the new name in the Windows Task Manager.

3.4. Form

- Standardized the display of attachment names in the Portal preview and during download.

3.5. Designer Studio

- The content of the LDAP synchronization error log message has been expanded. Currently, if user data retrieval fails, the message in the **Synchronization history** tab (**System settings** › **Global Parameters** › **Users and groups synchronization**) is supplemented with the exception content and stack trace.

3.6. Mobile app

- The mobile application was updated to meet the requirements of Google Play and Android 15+ regarding support for 16 KB memory pages. As a result of this change, the application now supports only the 64-bit architecture, ensuring compliance with the current Google Play publishing requirements.

3.7. Service

- After upgrading **OpenTelemetry.Explorter.OpenTelemetryProtocol** to version **1.15.3**, the **grpc** is no longer supported as a telemetry export protocol. Any configuration entries using **Protocol = "grpc"** must be removed or updated to **Protocol = "http"**. Leaving the old configuration in place may prevent the service from starting correctly.

3.8. API & SDK

- Updated npm package dependencies and the FormField Extension JS template in Visual Studio.

4. Changes to existing features

4.1. Important information

- The search functionality of **synchronized users** has been changed. From now on, the query to **Active Directory** for NetBIOS login to UPN conversion is bypassed if the Windows Active Directory authentication provider is not enabled in **Portal** or **Designer Studio**.

4.2. General

- Reduced the number of logs related to discrepancies in the database identifier between the value configured in the application and the identifier provided in the URL.
- Updated event categorization in the **EventLog** tool. Errors related to transferring emails between **HotMailBox** folders and checkout errors are now registered as warnings.
- Introduced UI changes in the **License Activation Service (LAS)** to reflect pricing updates for version 2026 R1. Added a new **AI Tokens** packages tile in LAS (analogous to license packages), along with a refreshed view for previewing and managing tokens.
- Changed the way Oracle connections are opened in non-legacy mode — connections are now initiated with the **KeepAlive** flag enabled, improving the stability of connections maintained through network infrastructure.
- Updated **SearchIndex (SOLR)** to the 9.10.1 version across all supported versions (2024 and later), ensuring compatibility with newer JDK versions.
- Changed how the **Single-Use** license works. The license now unlocks an element for a **30-day** period from the moment of the operation, instead of for the current calendar month.
Furthermore, carrying out 20 operations no longer makes subsequent operations free. For such scenarios, the Lite CAL license is now recommended.

These Single-Use license modifications apply to all agreement types, irrespective of prior or revised terms (pre-2026 or 2026+).

- Extended **Diagnostic Tool** logging with additional data-type details to simplify identifying inconsistencies affecting SQL report performance on large datasets.
- The use of **AI Concierge** and **MCP Server** features now requires that the user has either **Core CAL** or **Premium CAL licenses** allocated and that the license package contains the **AI Agentic Framework** component license. This also means that being on the new licensing model implemented in version 2026.1.4 is also a prerequisite for these functionalities.

4.3. Portal

- Added logging of information about an attempt to access an application by a user without the required permissions.
- Adapted the **AI Tokens settlement** report, accessible for perpetual license environments. Changed the name of the previous **Number of licenses used in the billing cycle** report tile to **Number of licenses used in the selected period**. Additionally, a new **Package details** tab has been included, presenting information on all purchased AI token packages, their start and expiry dates, along with both utilized and remaining tokens.
- Unified the shade of cyan used in the Portal's high-contrast color theme.
- Fixed the display of text on filter buttons in **SOLR** search – filter labels now wrap instead of being truncated with an ellipsis, making it easier to identify the filter contents.
- Updated the content presented in the report's **Grouping** panel for **Link**-type calculated columns and for columns representing the **Single line of text** form field where the **Hyperlink field** checkbox has been selected. The names of the items displayed in this panel now correspond to the values contained in the relevant columns.
- Optimized data retrieval for the **Vacation schedule**. The change reduces the number of redundant queries and improves view loading times, especially in environments with a large or deeply nested organizational structure. The behavior of the Vacation schedule remains unchanged.

4.4. Form

- Fixed an issue where values were not displayed in a **Data table** form field without configured columns.
- Added support for values containing a semicolon in **Choice fields (Popup search window and Autocomplete;** the issue did not affect the **Dropdown** field) when configured for single selection. In this mode, the semicolon is ignored, allowing the value to be entered correctly.

4.5. Designer Studio

- Standardized functionality of **Calculated column** of the **Link** type. From now on, formatting that encompasses "on click" will function solely for **Report** form fields. For instance: `link:www.google.com;displayname:GOOGLE;onclick:javascript:action` This type of formatting does not function for **Data table** form fields and instead "JavaScript" formatting should be utilized, which is applicable across every available form field. For example: `link:javascript:action;displayname:GOOGLE;`
- Disabled unused filtering option in the API tab in the advanced configuration of the **Custom control (External)** form field. Clicking the filter icon caused an error.

- Improved matching of the configured mailbox in **MailApproval** when multiple results are possible (a single unambiguous match by UPN or SAMAccountName is preferred; if the match remains ambiguous, an error is raised with the list of candidate addresses).
- Modified behavior in the application export mechanism. The system now indicates invalid child elements of the system dashboard (**Application home**) with a red "X" icon displayed directly at the application node level.
- Separated the required scopes for **General MCP Servers** and **Application-specific MCP Servers**:
 - **General:** Mcp.Tools, openid, profile, email, User.Elements.Read.All
 - **Application-specific:** Mcp.Tools, openid, profile, email, User.UserDefAPI.ReadWrite.All
- The behavior of the **{CURRENT_PATH}** and **{N:CURRENT_PATH}** variables has been changed. These variables now return the current workflow path name with its translation applied.
-
- **NOTE:** this change may require updates to existing configurations if the current workflow path was verified based on the name returned by the variables above. In such cases, they should be replaced with the **{I:CURRENT_PATH}** variable, which verifies workflow paths based on their identifier (ID).

4.6. Actions

- Changed the execution mode of the **Update privileges for a OneDrive file** action to **Pending in transaction**. The action is now moved to the end of the transaction and is executed after all actions configured within the same automation have been completed. As a result, permissions granted within the same automation are now correctly taken into account, including those resulting from task creation.
- The **Archive workflow instances** action has been enabled in the cloud installation (WEBCON SaaS).
- Added support for new license types within the **Manage WEBCON user licenses** action.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

4.7. Data sources

- Added **SELECT** permissions for the **BPS_User** account with regard to cyclical actions. As a result, this user can now use SQL queries to read from the database information about the configuration, statistics, and logs of those actions.

- Extended the permissions of the database user with limited privileges to include read access to the tables used by the AI agents functionality: AgentExecutions, Agents, and AgentJobs.
- Extended the scope of application data available for read-only access to a database user with limited privileges. Currently, this access includes the following tables: **AppDashboardFilters**, **AppDashboards**, **AppReports**, **AppReportViews**, **AppStarts**, and **AppSuggestions**. This makes it possible to reference report, dashboard, and application element data using GUIDs, which facilitates moving configurations between environments.

4.8. Mobile app

- Added a mechanism that blocks logging into Portal after a user enters an incorrect PIN five times in a row. This change applies to the Portal connection edition in mobile device browsers.

4.9. Service

- Optimized text layer extraction from files during SOLR indexing, reducing processing time and system load.
- Separated OCR project field configuration into a dedicated database table to optimize memory usage. Existing projects were migrated while preserving their current functionality.
- Restored the previous behavior of **HotMailBoxes** on path transition errors (e.g., authorization, validation); these e-mails will remain in the source folder. The Error folder is used only for file processing errors.
- Added the option to queue reindexing of header data without attachment content in the SOLR search database. As a result, the **Index only header data of process or entire database** option is now available in the **SOLR indexer queue** report (the **Add** button).
- Increased the validity period of **Temporary deployment access** from 30 to 90 days.
- Fixed an issue with determining the language when executing business rules and generating Word documents by the service. The language forced in the application is now correctly taken into account in these scenarios.
- Improved handling of **CustomField** in custom **OCR AI** projects by preventing their editing in Studio so that saving changes no longer overwrites the XML configuration. Adjusted the order of learning steps shown in logs without affecting functionality.

4.10. API & SDK

- Updated the mapping of exception types to HTTP status codes and error messages in the Public API and UDA.

API:

- in the Public API, **InsufficientPermissionsException** now returns 403 Forbidden instead of 409 Conflict, and the message has been changed from "Insufficient permissions for selected operation" to the format "User {XXX} does not have {YYY} permissions for resource {ZZZ}" (e.g., "User publicapitests@webcon.pl does not have admin permissions for resource WFAApplication."),
- for **DocumentNotExistsException**, the message has been refined from "Element does not exist" to "Element (ID:{id}) does not exist" (e.g., "Element (ID:43411533) does not exist").

UDA:

- the internal **DoesNotExistException** now returns 404 Not Found instead of 400 Bad Request,
- the internal **InsufficientPermissionsException** now returns 403 Forbidden instead of 500 Internal Server Error.

5. New features

5.1. Telemetry

Telemetry and diagnostic mechanisms have been extended to make environment monitoring and the configuration of reports and alerts in tools such as Grafana easier. New metrics were added for queues used by the system, including information about the number of successful and failed executions. The scope of metrics related to process execution was also expanded, including instance registration, history entries, path transitions, OCR usage, and user activity. The range of data recorded in traces generated by the Portal, Designer Studio, and Workflow Service has also been extended. In addition, traces now include execution environment information, which makes it easier to analyze the operation of individual components.


As part of the changes, the naming of metrics, traces, spans, and their attributes was also standardized by introducing a consistent model aligned with the OpenTelemetry standard. Names are now written using lowercase letters, dots to separate namespaces, and underscores in multi-word names, which makes it easier to filter data and build queries in telemetry tools such as Grafana and Tempo. System-specific elements were additionally grouped under the common **webcon** namespace, which improves data consistency and simplifies analysis. Metric descriptions visible in diagnostic endpoints were also supplemented, making their meaning easier to identify during monitoring configuration.

5.2. Choice of LLM model in individual AI features

Enabled independent selection of the LLM model in individual AI features, including AI Transcribe, AI Agent configuration, AI Concierge, and process and application translations. The list of available models is retrieved from AI Proxy and made available locally within a given feature, taking into account applicable restrictions, so that only supported options are presented in a specific context. This makes it possible to use smaller models for simpler and faster tasks, and larger ones for working with broader context and more complex content generation.

5.3. Extended configuration of the application Navigation menu

The configuration options of the application **Navigation menu** in Portal have been extended. A new **Link** element has been added, allowing users to place a reference to a specified URL directly in the menu or inside a given **Folder**. After enabling Portal edit mode, a Link can be embedded directly in the Navigation menu (**Add new** → **Link**) or indirectly inside an existing Folder (**Add new in folder** → **Link**).



The configuration window for Folders in the Navigation menu has also been extended. By selecting the **Link** toggle, the user can now assign to a Folder either an internal link, redirecting to an element of the given application, or an external link. In such a case, clicking the Folder name or icon redirects the user to the specified location, while the Folder contents can be expanded using the expand button.

Additionally, users can embed Folders, together with all their contents, inside other Folders available in the Navigation menu, thus creating subfolders. This provides an additional hierarchy level that makes it easier to organize application elements.


NOTE: a folder can contain a maximum of one level of subfolders. A folder that already contains subfolders cannot be embedded in another folder.

Visibility handling for menu elements has also been extended. For dashboards, Links, Folders, and subfolders, users can define whether they should be visible to end users using the **Hide in menu** checkbox. Hidden elements can still be used as internal link targets. Additionally, for Folders, users can configure their default display mode by selecting or clearing the **Expanded by default** option.

5.4. Authentication provider SAML2

Added support for user authentication using the **SAML 2.0** standard in the **System settings > Authentication providers** node, enabling integration of WEBCON with external identity providers (e.g. Microsoft Entra ID) using the Single Sign-On mechanism. The configuration includes the ability to define the **Reply URL (ACS URL)**.

It is also possible to provide a **certificate** manually; when specified, it is used to validate the response instead of the certificate retrieved from metadata, ensuring proper operation in environments with restricted network access. Additionally, the configuration can be loaded from the *modulesettings.AuthenticationProviders.Production.json* file, which should be created manually based on the *modulesettings.AuthenticationProviders.json* file available in the Portal installation directory.



5.5. LDAP Directory

It is now possible to create a new connection type and data source – **LDAP Directory**. It enables retrieving filtered employee data directly from an LDAP directory, allowing the system to use this data without storing sensitive information in the WEBCON database.

The **Search base** of the data source is the same as the Base DN in the selected **LDAP Directory** connection.

Available **Scopes** are: Object, One level and Subtree.

New Save Delete Clone

General Association and security Usages

ID: -32

Name: New data source

Parent source: <None>

Business entity: <None>

Data source type: LDAP Directory

Connection: My LDAP Connection

Description:

Template: Standard

Search base: ou=devdepartment,ou=system

Scope: Subtree / One level / Object

Search filter: (&(cn=d*)(objectClass=person))

Columns returned from LDAP:

	Value	Description
☐	cn	Display name
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description
☒	displayname	Display name
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description

Record 1 of 20

Test

5.6. Migration of the “Start workflow (SQL)” and “Move workflow (SQL)” action configuration

A standard connection and data source selection control has been introduced in the configuration of the **Start workflow (SQL)** and **Move workflow (SQL)** actions. This change aims to unify the configuration approach with other areas of the system where similar values are defined. As a result, queries in these actions will now use the selected data source directly (including its query definition), instead of relying solely on the connection as before.

To maintain backward compatibility, additional data sources may be automatically created during the update. Newly created sources will have the **_Clone** suffix.

Configuration - Start workflow (SQL)

Basic Advanced **Data**

Value source for initiated instances:

Data source: <Choose>

SQL query:

Data source determining instance initiation:

Data source: <Choose>

SQL query:

Configuration - Move workflow (SQL)

Parameters **Data**

Value source for transited instances:

Data source: <Choose>

SQL query:

Data source determining instance transition:

Data source: <Choose>

SQL query:

5.7. General

- Implemented a feature that makes it possible to bypass Microsoft Entra ID groups during user synchronization. A new checkbox was added to the advanced configuration that can be disabled as necessary. This option is selected by default, and makes it so that Entra ID groups are synchronized (as in previous versions).
- Implemented LDAP synchronization configuration enhancement featuring the **ManagerMappedTo** property. This ensures alignment of the designated property's value for a manager with the **manager** property value of their subordinates during synchronization.

- An additional mechanism for performing database updates has been implemented, which is launched during application startup without the need to use an external installer application.
- Because AI tokens are now available in the Perpetual licensing model (for Core and Premium CALs with the Agentic AI Framework purchased), the **AI Tokens settlement** report is now available in the **Admin Panel**.
- In **API Definitions** (User Defined API), added an option for choosing which API definitions should be mapped onto MCP tools for use in **MCP Servers**.
- Added logging and expanded statistics on MCP server performance in the Content database.
- The **Get my tasks** tool in the MCP server will also return results from the compact view.
- Implemented verification of **Lite CAL** licenses through a mechanism that counts and limits user operations within a billing period.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

- Updated the integration with the License Activation Service when retrieving a token from AIProxy to use a new POST endpoint, and added sending information about the current token usage.
- Added a notification window about the MCP server needing to be restarted when API Definitions are changed while the MCP Server is already running.

5.8. Portal

- Added the new **Lite CAL settlements** report enabling tracking of operation usage within the **Lite CAL** license for individual users. The report displays the number of utilized and remaining operations in the current settlement period. Users with a low number of available operations (< 10%) are additionally distinguished. Additionally, it is possible to configure **email notifications** informing about a low operation status and the complete depletion of the limit (it is possible to set up a percentage-based threshold for notification sending).
- Updated the **AI Concierge** conversation interface – two buttons were added next to user prompts: **Copy** (saves the prompt to the clipboard) and **Edit** (reloads the previous prompt into the input field). Messages not sent with the current prompt are grayed out and separated by a line, indicating that the user issues individual commands rather than engaging in an ongoing conversation.
- In the **Admin Panel**, added support for new license types in the **Subscription** model.


For details, please see the pricing page: <https://webcon.com/pricing/>

- New license types can now be assigned via the **Admin panel**, both via the Report and Excel.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

5.9. Designer Studio


- Added a separate **Navigation menu** option in the **Presentation** group in the **export and import wizards**, allowing application configuration (e.g., privileges) to be moved without transferring Portal navigation. Control over exporting/importing the navigation menu has been moved from the application-level checkbox to a dedicated node under Presentation. A tri-state checkbox was also introduced for Presentation and its subnodes (Navigation menu, Starts, Reports, and Dashboards) to clearly indicate partial selection of exported instances. Selecting Navigation menu now covers adding/removing menu folders and changes to the visibility of elements such as My tasks and Analytics. The same selection rules also apply to API-based export.



- Improved the display of the **Reasoning** column in the **AI Agent jobs** report in Designer Studio to make it easier to review the work of configured AI Agents.
- Added the ability to allocate new license types through **System settings - Licenses allocation**.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

- Added the ability to create groups for **Performance indicators**, **Action templates**, **Automation**, and **API definitions** in the Process configuration, unifying the behavior of these groups with other groups in the Process configuration.



- Added support for Unicode characters in group and user names, as well as in user job titles and email addresses for Unicode installations. Unicode characters are not supported in non-Unicode installations.
- In the **Synchronization configuration** of users from an **LDAP Server**, added a checkbox for trusting the server certificate - this is analogous to an identical checkbox in the configuration for **LDAP Directory** type connections.

☒ Use SSL/TLS encryption (LDAPS)

☐ Trust server certificate

- Added new tools for the **General MCP Server**:
 - **GetApplications** – Returns a list of user-available applications.
 - **GetAppMenu** – Provides an Application's Navigation Menu structure (start buttons, reports, views, dashboards).
 - **GetFavorites** – Returns links to user-marked favorite items.
 - **GetFrequentlyUsed** – Returns automatically sorted links to the user's most frequently visited Portal locations.

- **GetSearchInNavigation** – Returns navigation elements based on keywords.

5.10. Rules

- Aligned the supported file formats for AI business rules (**AI PROMPT**, **AI SENTIMENT ANALYSIS**, **AI TEXT SUMMARY**) with [those](#) supported by AI Agents and AI Concierge.

5.11. Service

- Added support for handling the 429 (TooManyRequests) error for requests sent to Google generative models by automatically retrying the request after 1 second until successful or until the timeout is reached.

5.12. API & SDK

- Expanded the **OAuth2 Connection** configuration to include the scope "Mcp.Tools". Added "well-known" endpoints for the OAuth configuration. Also expanded TokenValidation functionality with "RFC 8707 Resource Indicators for OAuth 2.0" support.
- Added support for creating, retrieving, and updating SharePoint connections using **OAuth 2.0** authentication in the public API. Connections of this type are also displayed in the list of connections retrieved via API. Additionally, the ability to configure SharePoint connections using a local account or as a current user has been removed.
- Extended the **WebCon.WorkFlow.SDK.Tools.Data.Model.SharePointConnection** model with properties required to configure **OAuth 2.0** authentication for **SharePoint Online** connections. Added support for the tenant identifier (**Tenant ID**), client identifier (**Client ID**), certificate, and certificate password.
- Added support for new license types to the public API.
- Improved how statistics for the public API are presented, including the number of calls for each endpoint.

6. Bug fixes

6.1. General

- Fixed a script bug that caused the WEBCON platform update to stop. The issue occurred when none of the languages in the **TranslateLanguages** table was assigned to the default supported language codes (EN, DE, ES, FR, IT, PL, RO, RU).
- Fixed an issue related to the **Wait for sub-workflows** step, which could cause the parent workflow to fail if the subworkflow was still active when the instance entered that step. The issue did not occur when the subworkflow had already finished earlier.
- Fixed an issue where additional search filters for LDAP synchronization were not applied during single user synchronization.
- Fixed an issue that occurred when switching Designer Studio to a connection with an older Portal version; a proper message is now displayed when a version mismatch is detected.
- Fixed a memory leak in inter-module service communication using the PIPE mechanism, which caused increased memory usage during long-running cyclic operations.
- Fixed XML configuration saving to prevent removal of valid Unicode characters represented as surrogate pairs, both in Studio and in the Portal.
- Fixed license validation so that WEBCON Studio works for **Premium CAL** users even when the license bundle doesn't include a Studio license.
- Fixed an issue with updating the system **V_PROCESS** view where, after saving a change to a form field type in the process definition, it did not always reflect the current state of form fields. As a result, the view is now refreshed correctly after creating, deleting, or changing the type of a form field.
- Fixed the handling of technically invalid URLs in the Portal, such as URLs containing an extra character at the end. Instead of the default React Router error page, users will now see a clear message and an option to return to the home page. In development mode, error details are still available, but are presented in a way that is consistent with the application interface.
- In cloud installations (WEBCON SaaS), a fix was implemented for large table updates, specifically WFHistoryElements.
- Fixed incorrect attachment names in diagnostic data tables, related to form attachment retrieval.

- Fixed an issue where activating a license package removed Single-use Access licenses previously assigned to users.
- Fixed an issue where a Windows Authentication window appeared when opening shared forms (Public Link) in the absence of authentication cookies, triggered by the logging of errors or warnings.
- Updated **OpenTelemetry** libraries to fix critical bugs and ensure proper telemetry functionality.

6.2. Portal

- Fixed the handling of a rule error in the Portal caused by using the **in** operator on a text value.
- Fixed an issue in the stacked percentage chart on the dashboard that caused incorrect rendering for categories that had no values in a given chart column.
- Fixed an issue that occurred when sending a message to **AI Concierge** after a prolonged period of inactivity and changing the visibility configuration of form fields.
- Fixed a **report** coloring issue that prevented setting text color for a column based on a calculated column of type **lamp**.
- Improved the handling of system fields in default values of dashboard filters. Newly added values are now always exported correctly. A mechanism for correcting existing configurations has also been introduced. If a default filter value refers to a single system column (from one or multiple datasets) and no other columns are selected, the configuration will be corrected automatically. For configurations in which more than one column is selected, it is not possible to determine which column the value refers to; therefore, such configurations will work correctly only after removing and re-adding the default value.
- Improved the mechanism for loading the organizational structure in the substitution mode **Work on behalf of another user**. The issue occurred in the **Absence chart** for users with a custom structure whose logins contained uppercase letters.
- Restored the ability to display days on the **Absence chart** as floating-point values.
- Fixed a bug due to which after expanding the **Value filter** node the system presented only the filters that had been already selected for a given column. The bug occurred for the **[System] Step** and **[System] Form type** columns.
- Added error handling on the **Substitutions** definition screen in the Portal. Introduced the logging and displaying messages for unexpected API errors during user validation in Substitutions.
- Fixed an issue where the applied filter name on the Portal (**Analysis > Suggested**) was not displayed correctly after an URL change or page reload.

- Changed the background blurring behind pop-up windows that appear during **Dashboards** configuration to reduce resource consumption.
- Fixed a bug that resulted in the first path transition date in the **History** of an instance being set for both the first and second transition. The bug occurred after archiving the instance and resulted in shifting the path transition dates throughout the History, making the actual last path transition date completely invisible.
- Fixed value-range search on the **Report** in the Portal when triggered from the search panel using the Enter key. Previously, correct results were returned only when using the **Search** button.
- Added a migration for dashboard widgets that changes the **panelId** type to GUID and automatically replaces duplicated identifiers from older versions. Introduced validation that blocks saving the dashboard if it contains widgets with duplicated panelId.
- Fixed an issue where quick path columns on reports didn't work correctly when embedded on a **Dashboard**.
- Fixed the display of Designer Desk privileges in the Portal **Admin panel** when unchecking the Premium CAL license in the sidebar, eliminating cases where inactive items remained visually selected.
- Fixed an issue occurring when displaying the **Performance indicators** widget in **on behalf** (substitution) mode. The widget is now correctly displayed, provided that the substituted user has the required data permissions.
- Fixed an issue where the system dashboard was not imported during Portal batch import when using the option to import only selected application instances.
- Fixed a bug that deactivated the **Filter** widget. The issue occurred when switching between two different dashboards, one of which contained the aforementioned widget.
- Improved the Enter key behavior in the **Replaced person** field when using the user outside the source mode while creating a substitution — Enter now confirms the entered login instead of triggering a source lookup, enabling substitutions to be set also for accounts deactivated in Active Directory.
- Improved a scenario where it was unintentionally possible to call the Public API or User-defined API in the context of the substituted person. Requests are now executed exclusively in the context of the user derived from the cookie (the actually signed-in user).
- Fixed a bug that caused the overdue tasks to be calculated incorrectly. As a result, the value shown in the **Overdue tasks** counter (available in the Portal home page and in mass notifications) was incorrect.

- Fixed a bug where the visibility of the **Administration** button (**Settings** menu) did not update after granting or revoking **WEBCON group admin** privileges. The button is now correctly shown or hidden when these privileges are granted or revoked, respectively.
- Fixed date formatting discrepancies on the form, that occurred when switching between applications with differing language settings.
- Fixed a bug preventing data from loading in **Chart**-type reports embedded on a dashboard. The issue occurred when the dashboard also included a **Filter panel** with a defined filter that restricted the displayed data by form type.
- Fixed an issue with **Text** widget translation mapping on dashboards after configuration import between environments. When language identifiers differed between environments, translations could be incorrectly displayed in the widget edit mode. The system now uses language codes to correctly map translations after import.
- Fixed the behavior of the **Form type** filter in reports using an **SQL** data source. The error occurred in a scenario where the initial process configuration, which included all Form types, was changed for one process by selecting a specific Form type. As a result, after applying this filter, the report displayed extra instances from the remaining processes.
- Fixed server-side required-field validation for Yes/No choice form field. An empty value for this type of field is now stored in the database as **NULL** instead of **FALSE**. As a result, required-field validation works correctly when the field does not yet have a stored value, for example because it was not visible in previous workflow steps.
- Fixed an issue where a folder expanded in the collapsed navigation menu could remain open after switching windows, even after clicking outside the menu in the Portal.
- Fixed an issue that occurred when filtering by a **Date and time**-type column in grouped reports when SQL Server used a **day-month-year** date format, e. g. with a German database language setting. In this scenario, the report could return a data type conversion error instead of displaying the filtered results.
- Fixed an issue where variables used in report calculated columns were not substituted when retrieving grouping data.
- Fixed an issue with loading forms that occurred for form fields placed in **Groups** with the **Archival field** option enabled. As a result of the error, attempting to open a form containing form fields in such a Group could cause an error and prevent the entire form from loading.

- Fixed an issue causing the ellipsis character to be displayed unintentionally next to names in the **Report tile**, **Description panel**, and **Navigation grid** widgets embedded in a Dashboard.
- Fixed an issue with the display of dialog windows. Due to this bug, the dialog windows were stretched to the full width of the screen and the last word was wrapped onto a new line.
- Fixed the display of an error message when configuring the **Vacation schedule** in a situation where duplicate values were present in the company structure source. Previously, the message did not indicate which column contained duplicates. Now, the system clearly identifies the column where the error occurred, making it easier to identify and resolve the problem.
- Fixed the display of the **PUSH notification** sending error message for a task assigned on the transition path. As a result, information about a failed operation is now displayed correctly in the logs.
- Fixed an issue affecting the **Searching structures** report based on the SOLR source after upgrading to version 2026 R1. After adding the **[System] Last comment** system column, the report was not displayed correctly.
- Fixed an issue that occurred when WEBCON group administrators and WEBCON group owners holding the **WEBCON Core CAL** license opened the Portal **Admin panel**.
- Fixed a bug in handling standard e-mail **Notifications** sent on path transition, which could cause Portal to display a false message indicating that an instance had been created. Currently, if an error occurs while sending the notification and interrupts the transaction, the path transition is correctly cancelled and the instance creation message is not displayed.
- Extended the scope of information stored in the **infrastructure.logs** table for errors originating from forms. As a result, the logs now include additional details that make diagnosing issues easier.
- Fixed **mass notification** delivery so that users without a Portal profile (never logged in) also receive mass notifications unless they have explicitly opted out.
- Fixed absence display on the **Absence chart** for the history source so that ongoing absences (covering the current date) are also visible, not only fully completed ones.
- Fixed a bug that caused HTML tags to be displayed in the body of the error message informing about a missing active **AI Token** license.
- Fixed the display of values in the **Date** calculated column on reports based on an SQL source. After selecting the **Date and time** option (**Views › Display options**), the column shows the full value instead of only the date.

- Fixed an issue where newly created or modified dashboards were not included in Portal search results. After saving changes, the dashboard is now automatically added to the navigation reindexing queue, so it can be found without the need to run reindexing manually.
- Fixed a bug in the **Search everywhere** field in SOLR-based reports. Entering a query with a wildcard character, such as "*" or "?", caused the query to be transformed incorrectly, which resulted in different search results than in the main search engine and prevented SOLR syntax from being used correctly.
- Fixed an issue affecting SOLR report filtering for **Choice fields**. In some cases, after adding an attachment to an instance, its values were no longer visible in report filters until the form was saved again. Now, Choice field values are correctly included in filters also after attachments are added.

NOTE: after deploying this change, a full SOLR reindex is required for the processes where the issue occurred.

- Fixed an issue with the initialization of hidden form fields. Due to the issue, fields that should remain hidden according to the configuration could be displayed and available for editing, e.g. when previewing an instance or opening it from a report.
- Fixed an issue where filters could remain inactive after opening a dashboard or application page in Portal.
- Fixed an issue that prevented a **Vacation schedule** report from loading when it contained a column referring to a **Vacation summary** form field.
- Fixed a form loading issue that occurred when the **Tab panel** form field was set as archival. As a result of the issue, attempting to open a form containing such a field could cause a form error to be displayed.
- Portal views have been updated (except for the unsupported application view and global error views, including the 404 error page) to use the logo from the default theme and the Portal name specified in the system configuration instead of a hardcoded WEBCON logo and Portal name. As a result, these views are now consistent with the branding configured by the customer.
- Added the option to select the **Less than** and **Greater than** operators in standard filters for the **ID** system column in reports and WEBCON internal view data sources.
- Fixed an issue that prevented users from signing in to Portal using any available authentication method. The issue occurred when Windows Authentication was disabled for the Portal site in the IIS server configuration..

6.3. Form

- Fixed an issue where the system could ignore the default **Activity mode** of a form field group configured for a specific step. As a result, the group could remain

expanded even when set to “Collapsed by default”. The Activity mode configured for the group on the step is now correctly applied.

- Fixed an issue where values set by form rules in the Item List form field might not be saved when the user saved the form or followed a process path immediately after changing data. The system now waits until item list cell updates are complete before saving the form or moving to the next process step.
- Fixed an issue with text display in selection fields on the **Item List**, which caused text to be cut off for longer values in the **Autocomplete** and **Choice field (picker)** fields. The fields now correctly adjust their height to the content, ensuring data readability.
- Fixed an issue where, after deleting a row from an **Item list**, a validation message about exceeding the maximum number of characters in a **Single line of text** column could still be displayed and block saving the form or following a path. Validation messages are no longer displayed below the Item list, but directly below the invalid cells and in a window when attempting to save the form or follow a path.
- Fixed a bug that caused **Date and time** form field values to shift by several hours, and by one day for fields without a time component. The issue affected historical dates from periods when the time zone of the end user’s geographic location differed from the current Windows system time zone.
- Removed the unnecessary “0” shown in place of the action column in the **Item list** when the action column and editing are disabled and the maximum number of editable rows is set to 0.
- Fixed an issue where form field styles were applied twice to **Groups of form fields** on forms. As a result, some CSS properties, such as background color or border, were duplicated, which could cause the group header to be displayed incorrectly.
- Fixed a rare issue that occurred when cloning rows in an **Item list**. The problem could manifest itself through the “Cannot read properties of undefined (reading 'id')” and “An item with the same key has already been added” messages, especially when the clone option was used repeatedly in quick succession.
- Fixed a bug that prevented users authenticated via Microsoft Entra ID from editing Word attachments. As a result, the system now correctly supports opening and editing files also in scenarios involving shared instances and on-behalf operations.
- Fixed an issue on the **Item list** attribute where action buttons (e.g. delete, edit, clone) hidden by form rules would reappear during automatic list refresh. The state restoration mechanism has been corrected, ensuring the list maintains consistent settings (including button states) also after entering invalid data and triggering a refresh.
- Fixed an issue with the **Choice field** operating in the **Popup search window** mode. Due to the error, after entering a value and starting the search, the user

received immediately a message that no results were found before they were loaded from the data source.

- Restored the ability to change the size of the **Multiple lines of text** form field in read-only mode.
- Fixed a bug that occurred when attempting to set 2:00 AM on October 26, 2026 (during the transition from daylight saving time to standard time) in the **Date and time** form field.
- Fixed a bug that occurred when attempting to change the value of a **Choice field** operating in **Dropdown** mode within an instance belonging to a parent workflow using the **Change value of single field** action. The bug occurred only when the action was triggered by a **Timer**.
- Fixed an incorrect icon display that appeared when the public link to an instance was blocked. Due to this bug, the icon partially obscured the email address.
- Improved the filtering of attachment categories dependent on the **admin mode**. The issue caused the system to always interpret the admin mode flag as FALSE, which prevented the filters from being applied correctly.
- Fixed a bug that prevented additional configured form-field styles from being applied. The issue occurred only when the form was displayed in **OCR Verification** mode.
- Improved error handling when downloading all attachments on a form. If the number of files or their total size is too large, an error message is displayed and the download is not initiated.
- Fixed an issue that made it impossible to search date columns in **Choice field** type form fields.
- Fixed a bug that caused incorrect information about a missing license to appear in the message informing about the installation/environment type (DEV/TEST) displayed in the form. The issue occurred only for installations operating on a perpetual license.

6.4. Designer Studio

- Improved the handling of re-login in **Designer Studio** – if the token expires or the connection attempt fails, a message is displayed informing that the application will close, and the error is logged.
- Fixed the user import issue in Portal and Studio that caused an **Object reference** exception due to an uninitialized user template object.
- Fixed a bug that prevented authentication to the Designer Studio tool when the Portal address used the HTTP scheme. As a result, attempting to log in to Designer Studio in **Admin access** mode displayed an error message.

- Fixed loading of the **Absence chart** view configuration in Designer Studio by ensuring that absence-related data is retrieved in the context of the current environment instead of the **Common** connection.
- Fixed the display of tooltips for checkboxes in the **Advanced configuration of Group of form fields** in Designer Studio when the screen scaling is set to a value other than 100%.
- Fixed a bug that occurred when attempting to import instances belonging to the **Document template** process or the **Dictionary** process. The issue was caused by a conflict of instance numbers that lacked a GUID identifier in their definition.
- Restored the ability to navigate from the **ToDo list** to the configuration of an action saved on that list, which is part of the automation of the selected process in WEBCON Designer Studio.
- Fixed an issue where the compact form could not be previewed.
- Fixed a bug that caused incorrect value mapping when exporting process translations for **Data row**, **Data table**, and **Chart** form fields. As a result, after importing the translation package, the **Column** name was used instead of the **Display name**.
- Fixed a bug that caused the **Business entity**, **Process**, **Form type**, and **Workflow** fields to be disabled in the **Start** button configuration window. The issue occurred only when configuring the Start button from the **Advanced configuration** window of a Report-type form field (**Views** tab).
- Fixed a bug that occurred when synchronizing a single user from Entra ID in DEBUG mode.
- Fixed issues with the **Remove WEBCON group owners** action. Previously, an error occurred during attempts to remove a group owner with an inactive user account. Currently, these scenarios are properly handled, employing the user's BPSID for owner identification.
- Fixed an issue with character encoding in editors such as the URL editor, which support the tag encoding feature. Due to the bug, for values originating from **Rule editor** variables, all characters other than "{" were encoded. After the fix, this character is also encoded.
- Additionally, in URL mode, variables that were not correctly recognized and replaced are now also encoded.
- Fixed a bug that allowed a negative value to be configured in the **Offset** field for a **Timer** triggered based on the **Step entry date**. Negative values can now be entered in this field only when the Timer is triggered based on a date specified in a **Date and time** form field.

- Fixed an error that caused an incorrect first execution time of a **Timer** to be displayed in its configuration testing window.
- Fixed an issue with displaying the **Connect as** option in the configuration of a **REST Web Service** connection when the **Custom** authentication type is selected. The option is now grayed out and inactive in this context.
- Fixed a bug that prevented users from signing in to the Portal from the WEBCON web part on the SharePoint Online platform.
- Fixed a **Proxy** server (**System settings** › **Global parameters**) configuration issue where Portal analyzed the **Exceptions list** even when the proxy server was disabled. Entries saved on such a list no longer block Portal from starting if the proxy server is disabled.
- Fixed a bug that prevented configuring the attachment **Dynamic category** in the **Get attachments** window (the **For each** operator). The bug occurred only when Designer Studio was operating in German.
- Fixed an issue that caused incorrect character encoding in **LDAP** source synchronization logs. As a result, attribute values are now presented in a readable form also for fields containing byte data.
- Fixed a rare issue blocking process export and import in WEBCON Designer Studio when the configuration contained references to images embedded in dashboard widgets.
- Fixed an issue in Designer Studio reports: **Workflow users** and **System Usage Analysis**, so that they correctly display data for the last quarter (90 days), even in environments with less than 90 days of data.
- Improved validation and messaging when sending a test email in **MailApproval**, so that an invalid or incomplete configuration now shows a clear error instead of an exception.
- Fixed an issue where links to document template elements without the **processGuid** parameter were not working. This parameter is no longer required.
- Fixed an issue with special character encoding in queries sent to REST data sources. The problem occurred when using **Picker** field filter tags, which could cause special characters in passed values to be interpreted incorrectly.
- Fixed an issue that occurred when changing the order of form fields in the **Global form template** tab. The problem appeared when, in the database, the order value of one form field group was lower than the order value of the last form field belonging to the preceding group.
- Fixed the import history logging mechanism. In specific scenarios, after importing a package, the **HistoryImportEntities** table stored the source table number instead

of its name. Now, the import history shows the correct table name, making completed operations easier to analyze.

- Fixed the display of the attachment modification date in the **Document templates** report for environments using the UTC format in the database. Due to this issue, the date could be shown with an incorrect offset relative to the user's time zone.
- Fixed process documentation generation for workflows that did not contain any transition paths. Due to this issue, documentation generation could not be completed.
- Fixed the Portal address change mechanism in Designer Studio. Due to an issue, the database context was not always refreshed after switching Portal, which in some cases could cause errors when saving changes or deleting elements used in the system.
- Fixed an issue that occurred when importing an application into the target environment and prevented the application from being imported. The issue was caused by a report included in the application package that was not associated with any navigation menu item or dashboard.
- Fixed an issue that occurred during application import. The issue was caused by incorrect behavior of the mechanism responsible for deleting elements related to existing workflow instances during application import.
- Fixed an issue that occurred when email messages were processed by the **HotMailBox** functionality. The issue occurred if, in the HotMailBox configuration window, in the **Additional fields settings** field (**Starting workflows settings** tab), form fields associated with the selected form type were selected, but those fields belonged to a **Group** or **Tab panel** that was not associated with that form type or was marked as archived.

6.5. Actions

- Fixed an issue affecting the **Start workflow (SQL)** and **Move workflow (SQL)** actions configured as cyclic actions. The issue occurred when using an **MSSQL database** data source and could cause cycle execution to fail and an error to be displayed in the cyclic actions report.
- Fixed an issue occurring during path transition when executing the **Add privileges** action if person selection was configured in a mode other than **Always to**.
- Fixed an issue that caused the **Convert Word to PDF** action to fail if the action was added and saved without opening its configuration. As a result of the issue, the "Object reference not set to an instance of an object" message could be displayed when executing the action.
- Fixed an issue related to incorrect encoding of special characters in attachment names downloaded from SharePoint lists by the **Download an attachment from a**

list. As a result, file names were saved on the form in an incorrect format, e.g., with spaces replaced by "%20".

- Fixed error logging for OneDrive-related actions. If an action or connection test fails, the logs now include more detailed information, making it easier to diagnose connection configuration issues.
- Fixed an issue where the **OCR AI recognition** action did not populate form fields mapped to recognized data if those fields were hidden at a given step. Recognized OCR AI data is now correctly saved for such fields as well.
- Fixed a bug that caused cyclic actions without a defined execution limit to be disabled when an error occurred while retrieving their configuration.
- Fixed the behavior of the **Invoke SOAP Web service** action. For one-way operations triggered from a form, the issue occurred when the Service returned an invalid response with the "Transfer-Encoding: chunked" header and non-empty response content "0\r\n\r\n". As a result, the call ended with an error. Such a response is now treated as a successful completion of the operation.
- Fixed an issue occurring when executing the **Invoke REST Web Service** action from a **Service** process to retrieve binary data into an attachment. The issue affected scenarios where the Service account was not synchronized and lacked the required permissions. Additionally, corrected the error message displayed when the target attachment name was not provided.
- Fixed a bug that occurred when a date returned in ISO 8601 format from a **REST Web Service** data source column was mapped to a **Date and time** form field using the **Start workflow** action. The issue was caused by a mismatch between the date format supported by the Date and time form field and the format in which the value was saved by the **Business rule** (triggered by the Start workflow action for this purpose).
- Fixed a translation issue in the **Timer** action configuration. For the **Week** interval, weekday names in the **Launch day** dropdown list are now correctly displayed according to the language selected in Designer Studio.
- Optimized the waiting time for barcode reading when the **Number of starting pages to look for barcode** parameter (in the **Read a barcode** action) was set to a value greater than 1.
- Fixed the **Disable timer actions** option in Designer Studio process settings — after changes related to the local timer, the query didn't take this checkbox into account, causing timers to run despite being enabled.
- Fixed an issue preventing the transfer of values from particular **Data rows** to a MS Word file generated by the **Generate/Update a Word file** action based on an attached **Word template** (created via **Admin actions**). The problem occurred when a Data row column name contained Polish diacritical characters.

- Improved the handling of EXIF data responsible for image orientation in attachment thumbnails on the form and in the **Generate/Update a Word file** action. Additionally, enhanced the conditions for displaying graphic attachment thumbnails in the archive view.
- Removed incorrect encoding of additional request header values in the **Invoke REST Web service** action, ensuring headers are sent unchanged. Added logging of content headers in the administrative execution logs of the action.

6.6. Rules

- Fixed an issue with the evaluation of a business rule caused by the transmission of an incorrect Correlation ID (a unique request identifier) in rule invocations triggered from HTML elements.
- Fixed the handling of nested business rules with multiple parameter mappings. In scenarios executed outside the form (e.g., via Timer), the rules engine could not resolve the value of a parameter originating from the outermost rule. The issue was caused by the use of an incorrect rules engine factory (**BusinessRulesEngineFactoryProxy**). The proxy factory has been removed and all calls have been switched to the proper rules engine factory, restoring correct parameter handling in nested rules.
- Fixed an issue that prevented the execution of a business rule defined in a process related to a different application. The issue occurred only when the rule was executed in the context of the application to which the process was related.
- Fixed substitution of the **{PickerVal}** and **{PickerCol}** variables in business rule parameters used in REST data sources and REST actions (including custom suffix configuration), restoring correct dynamic data filtering based on the Choice field's ID and display name.
- Resolved issue with **Form rules** on shared items, to which the user had no direct access.
- Fixed an issue with business rule validation that prevented a global business rule with parameters from being saved. The issue occurred when the identifier of a used variable matched the identifier of another business rule with parameters, even though the variable did not refer to that rule.
- Fixed the behavior of the form rule **SET CELL FONT DECORATION (BOLD)** triggered on value change in the **Item list** form field.
- Fixed incorrect behavior in **Form rules** containing the **ROUND** function. Due to a bug, the function incorrectly rounded down certain numeric values. Form rules now behave consistently with **Business rules** that also use the aforementioned function.
- Fixed an issue that prevented generating process documentation for business rules using the **TEXT** function with large inputs. The issue was caused by the

mechanism used to scan the contents of such rules, which could exceed the operation time limit for large text values.

6.7. Data sources

- Fixed a bug that occurred when using the **ANY TRUE** or **ALL TRUE** logic operations in a filter defined on a data source. The issue appeared when these functions were used in combination with other functions or operators.
- Fixed filtering for REST data sources so that narrowed results preserve the original order returned by the source.
- Fixed handling of edge cases related to invalid date values read from the database. The service logs now include an exception with information about the incorrect date, making the issue easier to diagnose.
- Fixed an issue that occurred when attempting to add and save a new data source owner. As a result, selecting a user and saving the configuration of such a data source now work correctly.
- Fixed calling data sources via **API Definitions** (UDA) when a filter compared a source column with a text-type UDA parameter whose value was numeric. Eliminated the integer conversion error and the resulting failures.
- Fixed the display of tag names in the tree within the **SQL filter** editor for Data sources of reports embedded on the dashboard.

6.8. Mobile app

- Corrected a visual bug causing the truncation of switch-type buttons in the application interface on iOS devices.
- Resolved an issue with infinite loading of reports in the Portal's mobile application, which occurred, for instance, after accessing a specific report immediately following login. Users were shown a loader instead of the expected data.
- Fixed translation export in the mobile iOS app – downloaded Excel files now have the correct .xlsx extension.
- Fixed a bug that prevented elements on Portal pages from responding to user taps. The issue occurred on devices using the iOS operating system.
- Improved PUSH notification handling on **iOS** — after a prolonged period of inactivity with the app running in the background, users are now redirected to the login screen.
- Fixed an issue in the mobile app where changing the app icon before logging in caused AD/AAD authentication to fail and returned the user to the connection selection screen.

- Fixed the recipient filtering mechanism for **PUSH notifications**. As a result, the filter of the system **<Users and Groups>** data source is now taken into account when sending such notifications, so users excluded by this filter no longer receive them.
- Fixed an issue that caused the “SSL error: The certificate authority is not trusted” message to be displayed and prevented users from logging in to the WEBCON mobile app. The issue occurred when Portal was accessed via VPN.
- Fixed the ability to enable and save biometrics for a connection from the Portal in the mobile app.

6.9. Service

- Fixed the **OCR** verification view when selecting multiple blocks with the CTRL key for OCR AI training. Updated the preview and the red frame to cover the entire selected range instead of only the first block.
- Fixed how the service user is set in the ServiceModuleRunner workflow, eliminating cases where a checkout created by service modules blocked further document processing in OCR/HotFolder.
- Fixed an issue preventing HotMailBox configuration from saving in the German version of Designer Studio. Previously, the Attachments to be processed field defaulted to an empty value, which could not be saved.
- Fixed certificate-based Portal-Service communication (TCP/IP), which in some cases required permissions to access the user's Windows certificate store. The issue occurred when the user did not have a Windows profile, which could prevent proper communication with Workflow Service.
- Fixed token retrieval from AI Proxy during a Service call when downloading a license package from LAS. This issue could cause an error when downloading the license package.
- The message displayed after saving changes in **Service** schedules has been updated. It now informs users that restarting the WEBCON Workflow Service is required for the changes to take effect.
- Fixed an issue that caused excessive memory consumption when generating barcodes in documents. The optimized barcode insertion functionality reduces server load and improves platform performance.
- Fixed an issue in the **[AdminServiceLogs]** service logs where the **[SL_Role]** column was populated exclusively with NULL values. The column now contains the correct values.
- Fixed a bug where the parameters defined in the **Kestrel:Limits:MaxRequestBodySize** section of the **appsettings.production.json** file were not applied to the

WebCon.WorkFlow.Bootstrapper.exe process. As a result, it was not possible to load projects larger than 300 MB (e.g., OCR AI) in Designer Studio.

- Fixed an issue that occurred when adding custom fields in **OCR AI** projects, caused by duplicate identifiers differing only in letter case. Identifiers are now always normalized to uppercase. Also improved OCR AI project import in WEBCON Designer Studio so that it includes only the selected dedicated networks instead of importing all of them.
- Fixed a bug that caused increased CPU usage for TCP/IP connections between the Portal and the Service. The issue occurred during Portal status checks (when sending requests to the **/health** endpoint).
- Fixed an issue with searching and matching user logins, which impacted the service's ability to handle attachments. The fault was caused by an attempt to match a user's UPN format login based on a NetBIOS login. The fix allows the service to correctly process e-mail attachments within the HotMailBox feature.
- Fixed the import and saving of large **OCR AI** projects by introducing package uploads in chunks (chunk upload).
- Fixed an OCR verification error on the form, where users could click form field suggestions before the image was fully loaded. A safeguard was introduced to block interaction until loading is complete.
- Fixed an issue preventing proper SOLR update. This addresses a bug that, during update, caused the installation of a new Windows Defender version to block the **WEBCON Search Service**.

6.10. Designer Desk

- Changed the names of text form fields in Designer Desk. As a result, they are now displayed as: **Single line of text** (previously **Text field**), **Multiple lines of text** (previously **Text field with formatting**), and **Multiple lines of formatted text** (previously **Rich text editor**).

6.11. API & SDK

- Fixed the document check-out release mechanism when no matching transition path was found in the **API Definitions** feature. The update also fixes matching of the transition path **URL suffix**.
- Fixed the behavior of automations executed from **API Definitions**. Database transaction handling has been restored for this type of execution, the release mechanism for the document check-out modified by the **Move workflow (SQL)** action has been fixed in the event of an error, and the configuration form for this action in Designer Studio has also been corrected. Additionally, fixed an issue where a failure to move a single workflow using this action when run as part of API Definitions did not interrupt the entire automation execution.

- Fixed a license verification bug that occurred when initiating a workflow instance through an **API Definition**.
- Fixed a bug that occurred when attempting to change the **Instance number** of an existing workflow instance using **Run an SDK action**.
- Improved application import package validation. The mechanism now displays an error message when the package lacks an SDK add-on required by a REST-type connection.
- Removed the unused email field from the public API methods used to create and update WEBCON groups.
- Corrected the generation of connection strings for Oracle data sources in the SDK by using the **OracleConnectionStringProvider** instead of the generic SQL Server logic, which removed the passing of the unsupported Integrated Security parameter to Oracle.
- Improved handling of large SDK package uploads up to 300 MB to Designer Studio.

WEBCON 2026.1.6

history of changes for version 2026.1.6.209

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Changes to existing features	5
3.1. General.....	5
4. Bug fixes	6
4.1. Portal	6
4.2. Designer Studio.....	6

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The dompurify component has been updated to version 3.4.1 due to the vulnerability patch: CVE-2026-41240, CWE-783 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-16078387>.
- The component System.Security.Cryptography.Xml has been updated to version 10.0.7 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-SYSTEMSECURITYCRYPTOGRAPHYXML-2977914>.
- The uuid component has been updated to version 14.0.0 due to the vulnerability patch:
CVE-2026-41907, CWE-1285 - <https://security.snyk.io/vuln/SNYK-JS-UUID-16133035>.
- The System.Net.Http component has been updated to version 4.3.4 due to the vulnerability patch:
CVE-2018-8292, CWE-200 - <https://snyk.io/vuln/SNYK-DOTNET-SYSTEMNETHTTP-72439>.
- The iTextSharp component has been removed due to the vulnerability patches:
CWE-611 <https://security.snyk.io/vuln/SNYK-DOTNET-ITEXTSHARP-540928>,
CWE-189 <https://security.snyk.io/vuln/SNYK-DOTNET-ITEXTSHARP-541280>,
CWE-347 <https://security.snyk.io/vuln/SNYK-DOTNET-ITEXTSHARP-541283>.

3. Changes to existing features

3.1. General

- The use of **AI Concierge** and **MCP Server** features now requires that the user has either **Core CAL** or **Premium CAL licenses** allocated and that the license package contains the **AI Agentic Framework** component license. This also means that being on the new licensing model implemented in version 2016.1.4 is also a prerequisite for these functionalities.

4. Bug fixes

4.1. Portal

- Improved a scenario where it was unintentionally possible to call the Public API or User-defined API in the context of the substituted person. Requests are now executed exclusively in the context of the user derived from the cookie (the actually signed-in user).

4.2. Designer Studio

- Fixed an issue with special character encoding in queries sent to REST data sources. The problem occurred when using **Picker** field filter tags, which could cause special characters in passed values to be interpreted incorrectly.

WEBCON 2026.1.6

history of changes for version 2026.1.6.198

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Information	6
3.1. Important information	6
3.2. General	6
4. Changes to existing features	7
4.1. Designer Studio	7
4.2. Actions	7
4.3. Data sources	7
5. New features	8
5.1. AI Concierge - Portal navigation.....	8
5.2. General	9
5.3. Designer Studio	10
5.4. API & SDK	10
6. Bug fixes	11
6.1. General	11
6.2. Portal	11
6.3. Form	12
6.4. Designer Studio	12
6.5. Actions	13
6.6. Rules.....	13
6.7. Data sources	14
6.8. Mobile app.....	14
6.9. Service.....	14
6.10. API & SDK	14

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- Updated the OpenTelemetry.Instrumentation.AWS component to version 1.15.0, along with its dependencies:
 - Microsoft.Extensions.DependencyInjection.Abstractions to version 10.0.3,
 - System.Memory to version 4.6.3,
 - System.Numerics.Vectors to version 4.6.1,
 - System.Threading.Tasks.Extensions to version 4.6.3,
 - System.ValueTuple to version 4.6.2,
 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-AWSSDKCORE-14908870>.
- The ajv component has been updated to version 8.18.0 due to the vulnerability patch: CVE-2025-69873, CWE-1333 - <https://security.snyk.io/vuln/SNYK-JS-AJV-15274295>.
- The lodash component has been updated to version 4.17.23 in the WEBCON add-in for Word due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>.
- Removed source map files from the production version of the web application. As a result, code published to production environments no longer includes additional maps that could facilitate implementation analysis, improving application security and aligning with audit recommendations.
- The immutable component has been updated to version 4.3.8 due to the vulnerability patches: CVE-2026-29063, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-IMMUTABLE-15423650>.
- The dompurify component has been updated to version 3.3.3 due to the vulnerability patches: CVE-2026-0540, CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371376> CVE-2025-15599, CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371386>.
- The MimeKit component has been updated to version 4.15.1 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-DOTNET-MIMEKIT-15468175>.
- The following component in the MS Word add-in has been updated: node-forge: 1.4.0, due to the vulnerability patches:
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789767>] in node-forge@1.3.2,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789769>]

in node-forge@1.3.2,
 – [Critical Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789771>] in node-forge@1.3.2,
 – [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789773>] in node-forge@1.3.2.

- The yaml component has been updated to version 1.10.3 due to the vulnerability patch:
 CVE-2026-33532, CWE-674 - <https://security.snyk.io/vuln/SNYK-JS-YAML-15765520>.
- The lodash component has been updated to version 4.18.1 due to the vulnerability patches:
 CVE-2026-2950, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15869619>,
 CVE-2026-4800, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15869625>.
- The lodash-es component has been updated to version 4.18.1 due to the vulnerability patches:
 CVE-2026-2950, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASHES-15869621>,
 CVE-2026-4800, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-LODASHES-15869627>.
- The protobufjs component has been updated to version 7.5.5 due to the vulnerability patch: <https://security.snyk.io/vuln/SNYK-JS-PROTOBUFJS-16094665> in protobufjs: 7.5.4.

3. Information

3.1. Important information

- Changes introduced in this version will break the compatibility of the Export-Import mechanism. Exported process packages created in versions 2026.1.6 and older cannot be imported to the newest system version. In order for an import to be possible, update the environment to the newest version and export the processes again.

3.2. General

- Added new functionality in the silent installer, enabling simultaneous activation and download of the current license package.

4. Changes to existing features

4.1. Designer Studio

- Improved matching of the configured mailbox in **MailApproval** when multiple results are possible (a single unambiguous match by UPN or SAMAccountName is preferred; if the match remains ambiguous, an error is raised with the list of candidate addresses).

4.2. Actions

- Changed the execution mode of the **Update privileges for a OneDrive file** action to **Pending in transaction**. The action is now moved to the end of the transaction and is executed after all actions configured within the same automation have been completed. As a result, permissions granted within the same automation are now correctly taken into account, including those resulting from task creation.

4.3. Data sources


- Added **SELECT** permissions for the **BPS_User** account with regard to cyclical actions. As a result, this user can now use SQL queries to read from the database information about the configuration, statistics, and logs of those actions.

5. New features

5.1. AI Concierge - Portal navigation

Extended **AI Concierge** to the entire Portal, allowing AI assistance to be used and actions to be automated from any location.

Added the ability to navigate to selected applications, reports, dashboards, start buttons with a defined process, workflow and form type, as well as favorite instances. Based on the content of the query, AI Concierge can suggest redirecting the user in the form of an action button, as shown in the screenshot below.



When redirecting the user, AI Concierge takes into account both the user's privileges and the settings of the selected instance. Navigation takes place without reloading the page and with the conversation history remaining visible. The actual transition occurs only after the button in the chat is clicked. If the command also includes filling in a form, AI Concierge starts completing it immediately after the redirection.

Added the `/goto` command, which allows navigation mode to be triggered immediately.

5.2. General

- Implemented verification of **Lite CAL** licenses through a mechanism that counts and limits user operations within a billing period.


NOTE: After updating to version 2026.1.5, it will be necessary to download the licence package.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

- Implemented a feature that makes it possible to bypass Microsoft Entra ID groups during user synchronization. A new checkbox was added to the advanced configuration that can be disabled as necessary. This option is selected by default, and makes it so that Entra ID groups are synchronized (as in previous versions).
- In the **Application** configuration, it is now possible to run **MCP Servers** (Model Context Protocol) in two modes: **General** and **Application-specific**.

Applications (Complaint Management)

PRODUCTION 



Through the general server, a set of **seven** pre-defined tools allows, among others, retrieving user tasks, reading workflow element data, or accessing attachments. For the Application-specific server, tools are based directly on configured **API definitions** within a given process.

Through this, existing business logic can be used as operations available for external AI clients without the need to create additional endpoints. Generated automatically based on active API definitions, MCP tools map their input and output schema. The functionality supports OAuth2 authentication, and all operations are performed in the context of the current user, maintaining their permissions.

Each MCP server provides documentation in OpenAPI format, facilitating easy integration with external tools through the creation of connectors. As a result, the solution forms an additional integration layer, extending the possibilities of using

configured API definitions in AI scenarios. The functionality is available as a configuration option and requires activation by the administrator.

5.3. Designer Studio

- Added the ability to configure a **SharePoint Online** connection in the **SharePoint Site Collection** settings window using **OAuth 2.0** authentication (the **Credentials** field). Configuring this authentication method requires specifying the tenant identifier (the **Tenant ID** field) and client identifier (the **Client ID** field), uploading a certificate from disk (the **Certificate** field), and then providing its password (the **Certificate password** field).
-
- **NOTE:** adding the new authentication method makes it possible to preserve connectivity with the **SharePoint** platform after Microsoft retires legacy client authentication for SharePoint Online on May 1, 2026.

5.4. API & SDK

- Extended the **WebCon.WorkFlow.SDK.Tools.Data.Model.SharePointConnection** model with properties required to configure **OAuth 2.0** authentication for **SharePoint Online** connections. Added support for the tenant identifier (**Tenant ID**), client identifier (**Client ID**), certificate, and certificate password.
- Added support for new license types to the public API.
- Improved how statistics for the public API are presented, including the number of calls for each endpoint.

6. Bug fixes

6.1. General

- Fixed a memory leak in inter-module service communication using the PIPE mechanism, which caused increased memory usage during long-running cyclic operations.
- Fixed an issue with updating the system **V_PROCESS** view where, after saving a change to a form field type in the process definition, it did not always reflect the current state of form fields. As a result, the view is now refreshed correctly after creating, deleting, or changing the type of a form field.
- Fixed a script bug that caused the WEBCON platform update to stop. The issue occurred when none of the languages in the **TranslateLanguages** table was assigned to the default supported language codes (EN, DE, ES, FR, IT, PL, RO, RU).
- Fixed an issue related to the **Wait for sub-workflows** step, which could cause the parent workflow to fail if the subworkflow was still active when the instance entered that step. The issue did not occur when the subworkflow had already finished earlier.

6.2. Portal

- Fixed an issue that occurred when BPS group administrators and BPS group owners holding the **WEBCON Core CAL** license opened the Portal **Admin panel**.
- Fixed the display of values in the **Date** calculated column on reports based on an SQL source. After selecting the **Date and time** option (**Views** › **Display options**), the column shows the full value instead of only the date.
- Fixed a bug in the **Search everywhere** field in SOLR-based reports. Entering a query with a wildcard character, such as "*" or "?", caused the query to be transformed incorrectly, which resulted in different search results than in the main search engine and prevented SOLR syntax from being used correctly.
- Fixed a bug in handling standard e-mail **Notifications** sent on path transition, which could cause Portal to display a false message indicating that an instance had been created. Currently, if an error occurs while sending the notification and interrupts the transaction, the path transition is correctly cancelled and the instance creation message is not displayed.
- Fixed **mass notification** delivery so that users without a Portal profile (never logged in) also receive mass notifications unless they have explicitly opted out.
- Fixed an issue where quick path columns on reports didn't work correctly when embedded on a **Dashboard**.

- Fixed absence display on the **Absence chart** for the history source so that ongoing absences (covering the current date) are also visible, not only fully completed ones.

6.3. Form

- Removed the unnecessary “0” shown in place of the action column in the **Item list** when the action column and editing are disabled and the maximum number of editable rows is set to 0.
- Fixed a bug that prevented users authenticated via Microsoft Entra ID from editing Word attachments. As a result, the system now correctly supports opening and editing files also in scenarios involving shared instances and on-behalf operations.
- Fixed a bug that caused **Date and time** form field values to shift by several hours, and by one day for fields without a time component. The issue affected historical dates from periods when the time zone of the end user’s geographic location differed from the current Windows system time zone.
- Fixed an issue where, after deleting a row from an **Item list**, a validation message about exceeding the maximum number of characters in a **Single line of text** column could still be displayed and block saving the form or following a path. Validation messages are no longer displayed below the Item list, but directly below the invalid cells and in a window when attempting to save the form or follow a path.

6.4. Designer Studio

- Fixed an issue where links to document template elements without the **processGuid** parameter were not working. This parameter is no longer required.
- Improved validation and messaging when sending a test email in **MailApproval**, so that an invalid or incomplete configuration now shows a clear error instead of an exception.
- Fixed an issue in Designer Studio reports: **Workflow users** and **System Usage Analysis**, so that they correctly display data for the last quarter (90 days), even in environments with less than 90 days of data.
- Fixed the Portal address change mechanism in Designer Studio. Due to an issue, the database context was not always refreshed after switching Portal, which in some cases could cause errors when saving changes or deleting elements used in the system.
- Fixed an issue that occurred when changing the order of form fields in the **Global form template** tab. The problem appeared when, in the database, the order value of one form field group was lower than the order value of the last form field belonging to the preceding group.
- Fixed the import history logging mechanism. In specific scenarios, after importing a package, the **HistoryImportEntities** table stored the source table number instead

of its name. Now, the import history shows the correct table name, making completed operations easier to analyze.

- Fixed an issue that occurred when importing an application into the target environment and prevented the application from being imported. The issue was caused by a report included in the application package that was not associated with any navigation menu item or dashboard.
- Fixed the display of the attachment modification date in the **Document templates** report for environments using the UTC format in the database. Due to this issue, the date could be shown with an incorrect offset relative to the user's time zone.
- Fixed process documentation generation for workflows that did not contain any transition paths. Due to this issue, documentation generation could not be completed.

6.5. Actions

- Fixed a bug that occurred when a date returned in ISO 8601 format from a **REST Web Service** data source column was mapped to a **Date and time** form field using the **Start workflow** action. The issue was caused by a mismatch between the date format supported by the Date and time form field and the format in which the value was saved by the **Business rule** (triggered by the Start workflow action for this purpose).
- Fixed the behavior of the **Invoke SOAP Web service** action. For one-way operations triggered from a form, the issue occurred when the Service returned an invalid response with the "Transfer-Encoding: chunked" header and non-empty response content "0\r\n\r\n". As a result, the call ended with an error. Such a response is now treated as a successful completion of the operation.
- Fixed an issue related to incorrect encoding of special characters in attachment names downloaded from SharePoint lists by the **Download an attachment from a list**. As a result, file names were saved on the form in an incorrect format, e.g., with spaces replaced by "%20".
- Fixed an issue where the **OCR AI recognition** action did not populate form fields mapped to recognized data if those fields were hidden at a given step. Recognized OCR AI data is now correctly saved for such fields as well.

6.6. Rules

- Fixed an issue with business rule validation that prevented a global business rule with parameters from being saved. The issue occurred when the identifier of a used variable matched the identifier of another business rule with parameters, even though the variable did not refer to that rule.
- Fixed the behavior of the form rule **SET CELL FONT DECORATION (BOLD)** triggered on value change in the **Item list** form field.

- Fixed incorrect behavior in **Form rules** containing the **ROUND** function. Due to a bug, the function incorrectly rounded down certain numeric values. Form rules now behave consistently with **Business rules** that also use the aforementioned function.
- Fixed an issue that prevented generating process documentation for business rules using the **TEXT** function with large inputs. The issue was caused by the mechanism used to scan the contents of such rules, which could exceed the operation time limit for large text values.

6.7. Data sources

- Fixed a bug that occurred when using the **ANY TRUE** or **ALL TRUE** logic operations in a filter defined on a data source. The issue appeared when these functions were used in combination with other functions or operators.
- Fixed an issue that occurred when attempting to add and save a new data source owner. As a result, selecting a user and saving the configuration of such a data source now work correctly.

6.8. Mobile app

- Resolved an issue with infinite loading of reports in the Portal's mobile application, which occurred, for instance, after accessing a specific report immediately following login. Users were shown a loader instead of the expected data.

6.9. Service

- Fixed the import and saving of large **OCR AI** projects in the cloud environment by introducing package uploads in chunks (chunk upload).
- Fixed token retrieval from AI Proxy during a Service call when downloading a license package from LAS. This issue could cause an error when downloading the license package.

6.10. API & SDK

- Fixed the document check-out release mechanism when no matching transition path was found in the **API Definitions** feature. The update also fixes matching of the transition path **URL suffix**.
- Fixed the behavior of automations executed from **API Definitions**. Database transaction handling has been restored for this type of execution, the release mechanism for the document check-out modified by the **Move workflow (SQL)** action has been fixed in the event of an error, and the configuration form for this action in Designer Studio has also been corrected. Additionally, fixed an issue where a failure to move a single workflow using this action when run as part of API Definitions did not interrupt the entire automation execution.
- Fixed a license verification bug that occurred when initiating a workflow instance through an **API Definition**.

WEBCON 2026.1.5

history of changes for version 2026.1.5.176

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following component in the MS Word add-in has been updated:
node-forge: 1.4.0, due to the vulnerability patches:
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789767>] in node-forge@1.3.2,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789769>] in node-forge@1.3.2,
 - [Critical Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789771>] in node-forge@1.3.2,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-15789773>] in node-forge@1.3.2.

WEBCON 2026.1.5

history of changes for version 2026.1.5.165

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The immutable component has been updated to version 4.3.8 due to the vulnerability patches:
CVE-2026-29063, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-IMMUTABLE-15423650>.
- The dompurify component has been updated to version 3.3.3 due to the vulnerability patches:
CVE-2026-0540, CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371376> CVE-2025-15599,
CWE-79 - <https://security.snyk.io/vuln/SNYK-JS-DOMPURIFY-15371386>.

WEBCON 2026.1.5

history of changes for version 2026.1.5.164

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. Information	5
3.1. Designer Studio.....	5
4. Changes to existing features	6
4.1. General.....	6
4.2. Portal	6
5. New features	7
5.1. General.....	7
5.2. Portal	7
5.3. Designer Studio.....	7
5.4. Rules.....	8
6. Bug fixes	9
6.1. General.....	9
6.2. Portal	9
6.3. Designer Studio.....	9
6.4. Actions	10
6.5. Rules.....	10
6.6. Data sources.....	10
6.7. Mobile app.....	10
6.8. Service.....	10
6.9. API & SDK	10

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following components have been updated:
 - fast-xml-parser to version 5.3.4, and
 - qs to version 6.14.2due to vulnerability patches:
 - [<https://security.snyk.io/vuln/SNYK-JS-FASTXMLPARSER-3329887>] in fast-xml-parser@<5.3.4,
 - [<https://security.snyk.io/vuln/SNYK-JS-QS-3153490>] in qs@<6.14.2.
- The ajv component has been updated to version 8.18.0 due to the vulnerability patch:
CVE-2025-69873, CWE-1333 - <https://security.snyk.io/vuln/SNYK-JS-AJV-15274295>.
- The lodash component has been updated to version 4.17.23 in the WEBCON add-in for Word due to the vulnerability patch:
<https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>.

3. Information

3.1. Designer Studio

- The content of the LDAP synchronization error log message has been expanded. Currently, if user data retrieval fails, the message in the **Synchronization history** tab (**System settings** › **Global Parameters** › **Users and groups synchronization**) is supplemented with the exception content and stack trace.

4. Changes to existing features

4.1. General

- Updated **SearchIndex (SOLR)** to the 9.10.1 version across all supported versions (2024 and later), ensuring compatibility with newer JDK versions.
- Removed support for the `ForceHttpsOnProxy` flag in the version 2026. Environments that previously used this mechanism require updating the reverse proxy configuration and `forwarded headers` handling after the upgrade, as described in the following article: [Configuring WEBCON behind a reverse proxy \(Nginx + IIS\)](#).

4.2. Portal

- Adapted the **AI Tokens settlement** report, accessible for perpetual license environments. Changed the name of the previous **Number of licenses used in the billing cycle** report tile to **Number of licenses used in the selected period**. Additionally, a new **Package details** tab has been included, presenting information on all purchased AI token packages, their start and expiry dates, along with both utilized and remaining tokens.

5. New features

5.1. General

- Implemented a feature that makes it possible to bypass Microsoft Entra ID groups during user synchronization. A new checkbox was added to the advanced configuration that can be disabled as necessary. This option is selected by default, and makes it so that Entra ID groups are synchronized (as in previous versions).
- Implemented verification of **Lite CAL** licenses through a mechanism that counts and limits user operations within a billing period.

NOTE: After updating to version 2026.1.5, it will be necessary to download the licence package.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

5.2. Portal

- Added the new **Lite CAL settlements** report enabling tracking of operation usage within the **Lite CAL** license for individual users. The report displays the number of utilized and remaining operations in the current settlement period. Users with a low number of available operations (< 10%) are additionally distinguished. Additionally, it is possible to configure **email notifications** informing about a low operation status and the complete depletion of the limit (it is possible to set up a percentage-based threshold for notification sending).

5.3. Designer Studio

- In the **Synchronization configuration** of users from an **LDAP Server**, added a checkbox for trusting the server certificate - this is analogous to an identical checkbox in the configuration for **LDAP Directory** type connections.

☒ Use SSL/TLS encryption (LDAPS)

☐ Trust server certificate

- Added the capability to configure a connection to **AI Proxy Self-Hosted**. It is now possible to add a **.pem** (containing a private key) or **.pfx** certificate (in the latter case, a password must be provided), enabling the use of the AI Proxy Self-Hosted functionality.
- Added support for Unicode characters in group and user names, as well as in user job titles and email addresses for Unicode installations. Unicode characters are not supported in non-Unicode installations.

5.4. Rules

- Aligned the supported file formats for AI business rules (**AI PROMPT, AI SENTIMENT ANALYSIS, AI TEXT SUMMARY**) with [those](#) supported by AI Agents and AI Concierge.

6. Bug fixes

6.1. General

- Fixed an issue where activating a license package removed Single-use Access licenses previously assigned to users.
- In cloud installations (WEBCONAPPS-SaaS), a fix was implemented for large table updates, specifically WFHistoryElements.
- Fixed incorrect attachment names in diagnostic data tables, related to form attachment retrieval.
- Fixed an issue where additional search filters for LDAP synchronization were not applied during single user synchronization.
- Fixed an issue that occurred when switching Designer Studio to a connection with an older Portal version; a proper message is now displayed when a version mismatch is detected.
- Fixed license validation so that WEBCON Studio works for **Premium CAL** users even when the license bundle doesn't include a Studio license.
- Fixed application import to preserve custom folder visibility privileges so they are not removed during application transfer.

6.2. Portal

- Fixed the display of Designer Desk privileges in the Portal **Admin panel** when unchecking the Premium CAL license in the sidebar, eliminating cases where inactive items remained visually selected.
- Fixed an issue occurring when displaying the **Performance indicators** widget in **on behalf** (substitution) mode. The widget is now correctly displayed, provided that the substituted user has the required data permissions.
- Improved a scenario where it was unintentionally possible to call the Public API or User-defined API in the context of the substituted person. Requests are now executed exclusively in the context of the user derived from the cookie (the actually signed-in user).

6.3. Designer Studio

- Fixed a bug that occurred when synchronizing a single user from Entra ID in DEBUG mode.
- Fixed an issue in Designer Studio reports: **Workflow users** and **System Usage Analysis**, so that they correctly display data for the last quarter (90 days), even in environments with less than 90 days of data.

- Fixed a rare issue blocking process export and import in WEBCON Designer Studio when the configuration contained references to images embedded in dashboard widgets.

6.4. Actions

- Fixed an issue occurring when executing the **Invoke REST Web Service** action from a **Service** process to retrieve binary data into an attachment. The issue affected scenarios where the Service account was not synchronized and lacked the required permissions. Additionally, corrected the error message displayed when the target attachment name was not provided.
- Optimized the waiting time for barcode reading when the **Number of starting pages to look for barcode** parameter (in the **Read a barcode** action) was set to a value greater than 1.

6.5. Rules

- Resolved issue with **Form rules** on shared items, to which the user had no direct access.

6.6. Data sources

- Fixed calling data sources via **API Definitions** (UDA) when a filter compared a source column with a text-type UDA parameter whose value was numeric. Eliminated the integer conversion error and the resulting failures.
- Fixed filtering for REST data sources so that narrowed results preserve the original order returned by the source.

6.7. Mobile app

- Fixed the ability to enable and save biometrics for a connection from the Portal in the mobile app.
- Fixed a navigation error in the mobile application. The application would be unresponsive when attempting to navigate to reports and certain navigation elements. Following the update, the navigation will function correctly again.

6.8. Service

- Fixed how the service user is set in the ServiceModuleRunner workflow, eliminating cases where a checkout created by service modules blocked further document processing in OCR/HotFolder.

6.9. API & SDK

- Fixed a license verification bug that occurred when initiating a workflow instance through an **API Definition**.

WEBCON 2026.1.4

history of changes for version 2026.1.4.131

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4
3. New features	5
3.1. Designer Studio.....	5
4. Bug fixes	6
4.1. Rules.....	6

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- The following component has been updated:
 - patch-package do wersji: 8.0.1,
due to the vulnerability patch:
 - [<https://security.snyk.io/vuln/SNYK-JS-TMP-11501554>] in tmp@0.0.33,
 - [<https://security.snyk.io/vuln/SNYK-JS-INFLIGHT-6095116>] in inflight@1.0.6.

3. New features

3.1. Designer Studio

- In the **Synchronization configuration** of users from an **LDAP Server**, added a checkbox for trusting the server certificate - this is analogous to an identical checkbox in the configuration for **LDAP Directory** type connections.

☒ Use SSL/TLS encryption (LDAPS)

☐ Trust server certificate

- Added the capability to configure a connection to **AI Proxy Self-Hosted**. It is now possible to add a **.pem** (containing a private key) or **.pfx** certificate (in the latter case, a password must be provided), enabling the use of the AI Proxy Self-Hosted functionality.

4. Bug fixes

4.1. Rules

- Resolved issue with **Form rules** on shared items, to which the user had no direct access.

WEBCON 2026.1.4

history of changes for version 2026.1.4.125

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. API & SDK	4
2.2. Updated components.....	4
3. Information	5
3.1. General.....	5
4. Changes to existing features	6
4.1. Important information	6
4.2. General.....	6
4.3. Designer Studio.....	6
4.4. Actions	6
5. New features	7
5.1. General.....	7
5.2. Portal	7
5.3. Designer Studio.....	7
6. Bug fixes	8
6.1. Portal	8
6.2. Form	8
6.3. Designer Studio.....	8
6.4. Actions	8
6.5. Rules.....	8
6.6. Mobile app.....	9
6.7. Service.....	9
6.8. API & SDK	9

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- Version **2026.1.4** introduces support for the new licensing model. After upgrading the environment, **it is necessary to download the license package again**.
- Depending on the environment configuration and the licensing model used so far, different system behavior scenarios may occur after the upgrade. **In particular, in environments that previously used legacy user licenses (User CAL), a 14-day transition period will be activated**. During this period, both old and new licenses can operate in parallel, allowing administrators to switch users to the new license types.
-
- A detailed description of the possible scenarios and the required administrative actions is available in the article:
<https://community.webcon.com/posts/post/licenses-2026/598/3>
-
- Before upgrading, it is recommended to review the article, identify the scenario applicable to a given environment, and plan any necessary administrative activities in advance. Special attention should be paid to the change in license management in the **Perpetual** model — starting from version 2026.1.4, user licenses are **assigned by name** rather than automatically.
- Activating the license package will trigger a 14-day transition period for the implementation of updated licenses.
- A detailed description of the possible scenarios and the required administrative actions is available in the article:
<https://community.webcon.com/posts/post/licenses-2026/598/3>
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. API & SDK

- Implemented security for the business rules API endpoint. Resolved the issue allowing unauthorized rule execution and data access.

2.2. Updated components

- Due to the identification of a Cross-Site Scripting (XSS) security vulnerability (CVSS 6.1; CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:F/RC:C), security fixes have been implemented to prevent the potential injection of malicious JavaScript code.
- The following component has been updated:
 - expr-eval-fork do wersji (3.0.1),
due to the vulnerability patch:
- CVE-2025-12735 - <https://github.com/advisories/GHSA-jc85-fpwf-qm7x>.
- The following component has been updated:
 - lodash do wersji (4.17.23),
due to the vulnerability patch:
- CVE-2025-13465, CWE-1321 - <https://security.snyk.io/vuln/SNYK-JS-LODASH-15053838>.
- The react-router component has been updated to version (7.13.0) in order to deal with the following vulnerabilities:
 - CVE-2025-68470, CWE-601,
 - CVE-2025-59057, CWE-79,
 - CVE-2026-21884, CWE-79,
 - CVE-2026-22030, CWE-346, CWE-352,
 - CVE-2026-22029, CWE-79,
 - CVE-2025-68470, CWE-601
 - CVE-2025-68470, CWE-601
 - CVE-2026-22029, CWE-79

3. Information

3.1. General

- In the **Perpetual** licensing model (timeless licenses with annual Software Assurance payment), added support for new license types, mainly to allow perpetual users to use AI Tokens.

For details, please see the pricing page: <https://webcon.com/pricing/>

- The **Temporary implementation access** license has been enabled in the cloud installation (WEBCONAPPS-SaaS).
- Implemented a mechanism ensuring proper license update in the **Perpetual** licensing model.
- A detailed description of the possible scenarios and the required administrative actions is available in the article:
<https://community.webcon.com/posts/post/licenses-2026/598/3>

4. Changes to existing features

4.1. Important information

- The search functionality of **synchronized users** has been changed. From now on, the query to **Active Directory** for NetBIOS login to UPN conversion is bypassed if the Windows Active Directory authentication provider is not enabled in **Portal** or **Designer Studio**.

4.2. General

- Changed the way Oracle connections are opened in non-legacy mode — connections are now initiated with the **KeepAlive** flag enabled, improving the stability of connections maintained through network infrastructure.

4.3. Designer Studio

- Standardized functionality of **Calculated column** of the **Link** type. From now on, formatting that encompasses "on click" will function solely for **Report** form fields. For instance: link:www.google.com;displayname:GOOGLE;onclick:javascript:action This type of formatting does not function for **Data table** form fields and instead "JavaScript" formatting should be utilized, which is applicable across every available form field. For example: link:javascript:action;displayname:GOOGLE;
- Disabled unused filtering option in the API tab in the advanced configuration of the **Custom control (External)** form field. Clicking the filter icon caused an error.

4.4. Actions

- The **Archive workflow instances** action has been enabled in the cloud installation (WEBCONAPPS-SaaS).
- Added support for new license types within the **Manage BPS user licenses** action.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

5. New features

5.1. General

- Implemented LDAP synchronization configuration enhancement featuring the **ManagerMappedTo** property. This ensures alignment of the designated property's value for a manager with the **manager** property value of their subordinates during synchronization.

5.2. Portal

- In the **Admin Panel**, added support for new license types in the **Subscription** model.

For details, please see the pricing page: <https://webcon.com/pricing/>

- New license types can now be assigned via the **Admin panel**, both via the Report and Excel.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

5.3. Designer Studio

- Added the ability to allocate new license types through **System settings - Licenses allocation**.

Further information regarding changes to licensing can be found in the following article: <https://community.webcon.com/posts/post/licenses-2026/598/3>

- Improved the display of the **Reasoning** column in the **AI Agent jobs** report in Designer Studio to make it easier to review the work of configured AI Agents.

6. Bug fixes

6.1. Portal

- Fixed date formatting discrepancies on the form, that occurred when switching between applications with differing language settings.
- Fixed a bug that caused the overdue tasks to be calculated incorrectly. As a result, the value shown in the **Overdue tasks** counter (available in the Portal home page and in mass notifications) was incorrect.
- Improved the Enter key behavior in the **Replaced person** field when using the user outside the source mode while creating a substitution — Enter now confirms the entered login instead of triggering a source lookup, enabling substitutions to be set also for accounts deactivated in Active Directory.
- Fixed an issue where the system dashboard was not imported during Portal batch import when using the option to import only selected application instances.
- Fixed a bug preventing data from loading in **Chart**-type reports embedded on a dashboard. The issue occurred when the dashboard also included a **Filter panel** with a defined filter that restricted the displayed data by form type.

6.2. Form

- Improved the filtering of attachment categories dependent on the **admin mode**. The issue caused the system to always interpret the admin mode flag as FALSE, which prevented the filters from being applied correctly.

6.3. Designer Studio

- Fixed a bug that prevented authentication to the Designer Studio tool when the Portal address used the HTTP scheme. As a result, attempting to log in to Designer Studio in **Admin access** mode displayed an error message.
- Fixed an issue where the compact form could not be previewed.

6.4. Actions

- Fixed the **Disable timer actions** option in Designer Studio process settings — after changes related to the local timer, the query didn't take this checkbox into account, causing timers to run despite being enabled.

6.5. Rules

- Fixed an issue that prevented the execution of a business rule defined in a process related to a different application. The issue occurred only when the rule was executed in the context of the application to which the process was related.

- Fixed substitution of the **{PickerVal}** and **{PickerCol}** variables in business rule parameters used in REST data sources and REST actions (including custom suffix configuration), restoring correct dynamic data filtering based on the Choice field's ID and display name.

6.6. Mobile app

- Fixed a navigation error in the mobile application. The application would be unresponsive when attempting to navigate to reports and certain navigation elements. Following the update, the navigation will function correctly again.

6.7. Service

- Fixed an issue with searching and matching user logins, which impacted the service's ability to handle attachments. The fault was caused by an attempt to match a user's UPN format login based on a NetBIOS login. The fix allows the service to correctly process e-mail attachments within the HotMailBox feature.
- Fixed a bug that caused increased CPU usage for TCP/IP connections between the Portal and the Service. The issue occurred during Portal status checks (when sending requests to the **/health** endpoint).
- Fixed a bug where the parameters defined in the **Kestrel:Limits:MaxRequestBodySize** section of the **appsettings.production.json** file were not applied to the **WebCon.WorkFlow.Bootstrapper.exe** process. As a result, it was not possible to load projects larger than 300 MB (e.g., OCR AI) in Designer Studio.

6.8. API & SDK

- Corrected the generation of connection strings for Oracle data sources in the SDK by using the **OracleConnectionStringProvider** instead of the generic SQL Server logic, which removed the passing of the unsupported Integrated Security parameter to Oracle.

WEBCON 2026.1.3

history of changes for version 2026.1.3.109

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. Updated components.....	4

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Updated components

- Due to the identification of a Cross-Site Scripting (XSS) security vulnerability (CVSS 6.1; CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:F/RC:C), security fixes have been implemented to prevent the potential injection of malicious JavaScript code.

WEBCON 2026.1.3

history of changes for version 2026.1.3.107

Table of Contents

1. Before upgrading WEBCON	3
1.1. Important information	3
2. Security fixes	4
2.1. API & SDK	4
2.2. Updated components.....	4
3. Information	5
3.1. General.....	5
3.2. Portal	5
4. Changes to existing features	6
4.1. Important information	6
4.2. Portal	6
5. New features	7
5.1. LDAP Directory.....	7
5.2. LDAP synchronization	8
6. Bug fixes	9
6.1. General.....	9
6.2. Portal	9
6.3. Form	9
6.4. Designer Studio.....	9
6.5. Service.....	10
6.6. API & SDK	10

1. Before upgrading WEBCON

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON licenses have been updated – check the availability of **WEBCON Server 2026.1** licenses in the license report available in **WEBCON Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. API & SDK

- Implemented security for the business rules API endpoint. Resolved the issue allowing unauthorized rule execution and data access.

2.2. Updated components

- The following components have been updated:
 - expo@55.0.12,
 - react-native@0.83.3,
 - react-native-blob-util@0.19.6,
 at the same time, the dependencies were updated to secure versions:
 - brace-expansion@2.0.3,
 - minimatch: 9.0.9,

due to the vulnerability patches:

 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-BRACEEXPANSION-15789759>] in brace-expansion@1.1.12,
 - [High Severity][<https://security.snyk.io/vuln/SNYK-JS-MINIMATCH-15353387>] in minimatch@9.0.3.
- The following component has been updated:
 - lodash: 4.18.1,
 due to the vulnerability patch:
 - SNYK-JS-LODASH-15869625,
 - SNYK-JS-LODASH-15869619.
- The following component has been updated:
 - mdast-util-to-hast to 13.2.1,
 due to the vulnerability patch:
 - CVE-2025-66400, CWE-915 - <https://security.snyk.io/vuln/SNYK-JS-MDASTUTILTOHAST-14157221>.

3. Information

3.1. General

- Standardized license operation in both standard and cloud (WEBCONAPPS-SaaS) installations.

3.2. Portal

- Changed the name of the Portal launching process. The previous name, **WebCon.BPSCloud.Portal.exe**, has been replaced with **WebCon.WorkFlow.Bootstrapper.exe**. As a result, the process is now displayed under the new name in the Windows Task Manager.

4. Changes to existing features

4.1. Important information

- The search functionality of **synchronized users** has been changed. From now on, the query to **Active Directory** for NetBIOS login to UPN conversion is bypassed if the Windows Active Directory authentication provider is not enabled in **Portal** or **Designer Studio**.

4.2. Portal

- Fixed the display of text on filter buttons in **SOLR** search – filter labels now wrap instead of being truncated with an ellipsis, making it easier to identify the filter contents.

5. New features

5.1. LDAP Directory

It is now possible to create a new connection type and data source – **LDAP Directory**. It enables retrieving filtered employee data directly from an LDAP directory, allowing the system to use this data without storing sensitive information in the WEBCON database.

Common DEV TEST PROD

LDAP Server: dev42.webcon.pl ⓘ

Port: 10389

Authentication: Anonymous / Basic

User (DN): uid=admin,ou=system

Password: *****

Base DN: ou=devdepartment,ou=system
Example: OU=Poland,DC=company,DC=com

Protocol version: LDAPv3 ☒ Use SSL/TLS encryption (LDAPS)

Timeout (s): 30 ☒ Trust server certificate

Test

The **Search base** of the data source is the same as the Base DN in the selected **LDAP Directory** connection.

Available **Scopes** are: Object, One level and Subtree.

New Save Delete Clone

General Association and security Usages

ID: -32 ⓘ

Name: New data source

Parent source: <None>

Business entity: <None>

Data source type: LDAP Directory

Connection: My LDAP Connection

Description:

Template: Standard

Search base: ou=devdepartment,ou=system

Scope: Subtree / One level / Object ⓘ

Search filter: (&(cn=d*)(objectClass=person))

Columns returned from LDAP:

	Value	Description
☐	cn	Display name
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description
☒	displayname	Display name
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description
☐	co	Country
☐	company	Business entity
☐	department	Department
☐	description	Description

Record 1 of 20

Test

5.2. LDAP synchronization

Basic support for single-user synchronization has been added for the **LDAP** source. The additional search filter defined for LDAP is now consistently applied to all data retrieval operations, both during full and single-user synchronization.

The LDAP synchronization configuration has been extended with support for the **managerMappedTo** property, which allows specifying the LDAP user attribute that should be used to match the value of the **manager** attribute when building manager–subordinate relationships. Support for the **memberOfMappedTo** property has also been added, enabling mapping of user group memberships based on the **memberOf** attribute in LDAP. Additionally, the ability to configure prefixes in LDAP mappings has been removed from **Designer Studio**.

BPS users list synchronization configuration

Synchronization source: Synchronize with LDAP server ⓘ

Settings Mappings Schedule Advanced

Basic user attributes:

Cache property	LDAP property
useruniqueidentifier	
userdisplayname	
manager	
managermappedto	
memberof	
memberofmappedto	

Basic group attributes:

Cache property	LDAP property
groupuniqueidentifier	
groupdisplayname	

Other attributes:

Cache property	LDAP property
objectclass	
accountexpires	
adspath	
cn	
company	
comment	
countrycode	

Save Cancel

6. Bug fixes

6.1. General

- Fixed an issue where a Windows Authentication window appeared when opening shared forms (Public Link) in the absence of authentication cookies, triggered by the logging of errors or warnings.

6.2. Portal

- Fixed an issue that occurred when sending a message to **AI Concierge** after a prolonged period of inactivity and changing the visibility configuration of form fields.
- Fixed a **report** coloring issue that prevented setting text color for a column based on a calculated column of type **lamp**.
- Fixed a bug where the visibility of the **Administration** button (**Settings** menu) did not update after granting or revoking **BPS group admin** privileges. The button is now correctly shown or hidden when these privileges are granted or revoked, respectively.

6.3. Form

- Improved error handling when downloading all attachments on a form. If the number of files or their total size is too large, an error message is displayed and the download is not initiated.
- Improved the filtering of attachment categories dependent on the **admin mode**. The issue caused the system to always interpret the admin mode flag as FALSE, which prevented the filters from being applied correctly.
- Fixed a bug that prevented additional configured form-field styles from being applied. The issue occurred only when the form was displayed in **OCR Verification** mode.
- Fixed an incorrect icon display that appeared when the public link to an instance was blocked. Due to this bug, the icon partially obscured the email address.

6.4. Designer Studio

- Fixed a bug that prevented authentication to the Designer Studio tool when the Portal address used the HTTP scheme. As a result, attempting to log in to Designer Studio in **Admin access** mode displayed an error message.
- Fixed loading of the **Absence chart** view configuration in Designer Studio by ensuring that absence-related data is retrieved in the context of the current environment instead of the **Common** connection.

- Fixed a bug that caused incorrect value mapping when exporting process translations for **Data row**, **Data table**, and **Chart** form fields. As a result, after importing the translation package, the **Column** name was used instead of the **Display name**.
- Fixed an issue where the compact form could not be previewed.

6.5. Service

- Fixed an issue with searching and matching user logins, which impacted the service's ability to handle attachments. The fault was caused by an attempt to match a user's UPN format login based on a NetBIOS login. The fix allows the service to correctly process e-mail attachments within the HotMailBox feature.
- Fixed a bug that caused increased CPU usage for TCP/IP connections between the Portal and the Service. The issue occurred during Portal status checks (when sending requests to the **/health** endpoint).
- Fixed an issue associated with the **Service** operation on **Freemium**-type environments. The bug occurred when the Service attempted to verify the license type and made the platform usage impossible.
- Fixed an OCR verification error on the form, where users could click form field suggestions before the image was fully loaded. A safeguard was introduced to block interaction until loading is complete.

6.6. API & SDK

- Corrected the generation of connection strings for Oracle data sources in the SDK by using the **OracleConnectionStringProvider** instead of the generic SQL Server logic, which removed the passing of the unsupported Integrated Security parameter to Oracle.

WEBCON **BPS 2026.1.2**

history of changes for version 2026.1.2.91

Table of Contents

1. Before upgrading WEBCON BPS.....	3
1.1. Important information.....	3
2. Changes to existing features	4
2.1. Portal	4

1. Before upgrading WEBCON BPS

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON BPS licenses have been updated – check the availability of **WEBCON BPS Server 2026.1** licenses in the license report available in **WEBCON BPS Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Changes to existing features

2.1. Portal

- Fixed the display of text on filter buttons in **SOLR** search – filter labels now wrap instead of being truncated with an ellipsis, making it easier to identify the filter contents.

WEBCON **BPS 2026.1.2**

history of changes for version 2026.1.2.88

Table of Contents

1. Before upgrading WEBCON BPS.....	3
1.1. Important information.....	3
2. Security fixes	4
2.1. Add-In.....	4
2.2. Updated components.....	4
3. Changes to existing features	5
3.1. Portal	5
3.2. Designer Studio.....	5
4. New features	6
4.1. Service.....	6
5. Bug fixes	7
5.1. Portal	7
5.2. Form	7
5.3. Designer Studio.....	8
5.4. Actions	8
5.5. Rules.....	8
5.6. Mobile app.....	9
5.7. Service.....	9
5.8. API & SDK	9

1. Before upgrading WEBCON BPS

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON BPS licenses have been updated – check the availability of **WEBCON BPS Server 2026.1** licenses in the license report available in **WEBCON BPS Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Add-In

- Updated the **node-forge: 1.3.2** and **min-document: 2.19.1** components used by the Word plugin due to vulnerability patches:

<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-14114940>

and

<https://security.snyk.io/vuln/SNYK-JS-MINDOCUMENT-13045385>

2.2. Updated components

- The component `expr-eval` has been replaced with the `expr-eval-fork` component due to the vulnerability patch:

CVE-2025-12735, CWE-1321, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-EXPREVAL-13833679>.

3. Changes to existing features

3.1. Portal

- Fixed the display of text on filter buttons in **SOLR** search – filter labels now wrap instead of being truncated with an ellipsis, making it easier to identify the filter contents.
- Unified the shade of cyan used in the Portal's high-contrast color theme.
- Updated the content presented in the report's **Grouping** panel for **Link**-type calculated columns and for columns representing the **Single line of text** form field where the **Hyperlink field** checkbox has been selected. The names of the items displayed in this panel now correspond to the values contained in the relevant columns.

3.2. Designer Studio

- Modified behavior in the application export mechanism. The system now indicates invalid child elements of the system dashboard (**Application home**) with a red "X" icon displayed directly at the application node level.

4. New features

4.1. Service

- Added support for handling the 429 (TooManyRequests) error for requests sent to Google generative models by automatically retrying the request after 1 second until successful or until the timeout is reached.

5. Bug fixes

5.1. Portal

- Restored the ability to display days on the **Absence chart** as floating-point values.
- Fixed a bug due to which after expanding the **Value filter** node the system presented only the filters that had been already selected for a given column. The bug occurred for the **[System] Step** and **[System] Form type** columns.
- Added error handling on the **Substitutions** definition screen in the Portal. Introduced the logging and displaying messages for unexpected API errors during user validation in Substitutions.
- Improved the handling of system fields in default values of dashboard filters. Newly added values are now always exported correctly. A mechanism for correcting existing configurations has also been introduced. If a default filter value refers to a single system column (from one or multiple datasets) and no other columns are selected, the configuration will be corrected automatically. For configurations in which more than one column is selected, it is not possible to determine which column the value refers to; therefore, such configurations will work correctly only after removing and re-adding the default value.
- Changed the background blurring behind pop-up windows that appear during **Dashboards** configuration to reduce resource consumption.
- Fixed the handling of a rule error in the Portal caused by using the **in** operator on a text value.
- Added a migration for dashboard widgets that changes the **panelId** type to GUID and automatically replaces duplicated identifiers from older versions. Introduced validation that blocks saving the dashboard if it contains widgets with duplicated **panelId**.
- Improved the mechanism for loading the organizational structure in the substitution mode **Work on behalf of another user**. The issue occurred in the **Absence chart** for users with a custom structure whose logins contained uppercase letters.

5.2. Form

- Improved the filtering of attachment categories dependent on the **admin mode**. The issue caused the system to always interpret the admin mode flag as FALSE, which prevented the filters from being applied correctly.
- Fixed an issue that made it impossible to search date columns in **Choice field** type form fields.
- Fixed a bug that caused incorrect information about a missing license to appear in the message informing about the installation/environment type (DEV/TEST)

displayed in the form. The issue occurred only for installations operating on a perpetual license.

- Fixed a bug that occurred when attempting to change the value of a **Choice field** operating in **Dropdown** mode within an instance belonging to a parent workflow using the **Change value of single field** action. The bug occurred only when the action was triggered by a **Timer**.
- Restored the ability to change the size of the **Multiple lines of text** form field in read-only mode.

5.3. Designer Studio

- Fixed a bug concerning incorrect value substitution for a variable in a **Single line of text** form field within a Word template. This bug occurred when the form field's name translation exceeded 234 characters.
- Fixed a bug that occurred when attempting to import instances belonging to the **Document template** process or the **Dictionary** process. The issue was caused by a conflict of instance numbers that lacked a GUID identifier in their definition.
- Fixed the user import issue in Portal and Studio that caused an **Object reference** exception due to an uninitialized user template object.

5.4. Actions

- Removed incorrect encoding of additional request header values in the **Invoke REST Web service** action, ensuring headers are sent unchanged. Added logging of content headers in the administrative execution logs of the action.
- Fixed an issue preventing the transfer of values from particular **Data rows** to a MS Word file generated by the **Generate/Update a Word file** action based on an attached **Word template** (created via **Admin actions**). The problem occurred when a Data row column name contained Polish diacritical characters.
- Improved the handling of EXIF data responsible for image orientation in attachment thumbnails on the form and in the **Generate/Update a Word file** action. Additionally, enhanced the conditions for displaying graphic attachment thumbnails in the archive view.

5.5. Rules

- Fixed the handling of nested business rules with multiple parameter mappings. In scenarios executed outside the form (e.g., via Timer), the rules engine could not resolve the value of a parameter originating from the outermost rule. The issue was caused by the use of an incorrect rules engine factory (**BusinessRulesEngineFactoryProxy**). The proxy factory has been removed and all calls have been switched to the proper rules engine factory, restoring correct parameter handling in nested rules.

5.6. Mobile app

- Fixed a bug that prevented elements on Portal pages from responding to user taps. The issue occurred on devices using the iOS operating system.

5.7. Service

- Fixed an issue preventing proper SOLR update. This addresses a bug that, during update, caused the installation of a new Windows Defender version to block the **WEBCON BPS Search Service**.

5.8. API & SDK

- Fixed a bug that occurred when attempting to change the **Instance number** of an existing workflow instance using **Run an SDK action**.
- Improved application import package validation. The mechanism now displays an error message when the package lacks an SDK add-on required by a REST-type connection.

WEBCON **BPS 2026.1.1**

history of changes for version 2026.1.1.47

Table of Contents

1. Before upgrading WEBCON BPS.....	3
1.1. Important information.....	3
2. Security fixes	4
2.1. Add-In.....	4
2.2. Updated components.....	4

1. Before upgrading WEBCON BPS

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON BPS licenses have been updated – check the availability of **WEBCON BPS Server 2026.1** licenses in the license report available in **WEBCON BPS Designer Studio** › system menu in the upper left corner of the application › Licenses. If necessary, download the updated licenses.
- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. Add-In

- Updated the **node-forge: 1.3.2** and **min-document: 2.19.1** components used by the Word plugin due to vulnerability patches:

<https://security.snyk.io/vuln/SNYK-JS-NODEFORGE-14114940>

and

<https://security.snyk.io/vuln/SNYK-JS-MINDOCUMENT-13045385>

2.2. Updated components

- The following components have been updated:
 - glob to 10.5.0,
 - js-yaml to 3.14.2,
 due to the vulnerability patches:
 - <https://security.snyk.io/vuln/SNYK-JS-GLOB-14040952>,
 - <https://security.snyk.io/vuln/SNYK-JS-JSYAML-13961110>.

WEBCON **BPS 2026 R1**

history of changes for version 2026.1.1.45

Table of Contents

1. Before upgrading WEBCON BPS.....	4
1.1. Important information	4
2. Security fixes.....	6
2.1. General	6
2.2. Portal	6
2.3. Updated components.....	6
3. Information.....	7
3.1. Important information	7
3.2. General	7
3.3. Portal	7
3.4. Mobile app	7
3.5. API & SDK	7
4. Changes to existing features	9
4.1. Important information	9
4.2. Changes in OpenTelemetry configuration.....	10
4.3. General	11
4.4. Portal	11
4.5. Form.....	13
4.6. Designer Studio.....	14
4.7. Actions	15
4.8. Rules	16
4.9. Data sources.....	16
4.10. Mobile app	16
4.11. Service	18
4.12. Designer Desk.....	18
4.13. API & SDK	19
5. New features.....	20
5.1. AI Agents – digital workers in BPS processes	20
5.2. AI Concierge	22
5.3. AI Process builder – File support	25
5.4. AI Proxy – local Installation at the Client Site.....	27
5.5. Related instances in Info panel.....	28
5.6. Editing Dashboard widgets in WYSIWYG mode	30
5.7. Color theme configuration	31
5.8. New Service Architecture.....	33
5.9. Telemetry expansion.....	36
5.10. Change in image storage mechanism on dashboards	36
5.11. General	36
5.12. Portal	37
5.13. Form.....	38

5.14. Designer Studio.....	40
5.15. Mobile app	40
5.16. API & SDK	40
6. Bug fixes	42
6.1. General	42
6.2. Portal	43
6.3. Form.....	52
6.4. Designer Studio.....	57
6.5. Actions	61
6.6. Rules	64
6.7. Data sources.....	65
6.8. Add-In	66
6.9. Mobile app	67
6.10. Service	67
6.11. Designer Desk.....	68
6.12. API & SDK	69

1. Before upgrading WEBCON BPS

1.1. Important information

- To upgrade to **2026 R1**, you need to have active **Software Assurance** for perpetual licenses or an **active subscription license**. After the upgrade, you should update your license package to avoid system interruptions. To do this, make sure that your WEBCON BPS licenses have been updated – check the availability of **WEBCON BPS Server 2026.1** licenses in the license report available in **WEBCON BPS Designer Studio** → system menu in the upper left corner of the application → **Licenses**. If necessary, download the updated licenses.
- It is not possible to update to the newest version from a version older than **2019 R1** or any system that has been installed using the **WEBCON BPS SharePoint Classic** mode. Please contact our support team to discuss the optimal strategy for updating your environments to the newest version. Information about possible scenarios can be found on our community site at <https://community.webcon.com>.
- The currently required SQL Server version is SQL Server 2019 with Cumulative Update 29 (CU29) installed. Compliance with this requirement is verified during the platform installation process, and the installation cannot continue if this condition is not met. Additionally, a mechanism has been introduced to validate the minimum compatibility level—**Compatibility Level 150**—across all databases.
- WEBCON BPS was updated to a **.NET 9** environment. The installer will check if **.NET 9** and **ASP.NET Core 9 Hosting bundle** are installed in the system verification step.
- Updating the WEBCON BPS platform to version 2026 R1 resets the Portal address in Designer Studio. As a result, the user is required to manually enter the Portal address when first accessing Designer Studio after the update. Additionally, when updating, the system requires the **Service** user's login and password.
- After updating the WEBCON BPS platform from version 2025 R2 to 2026 R1, the system automatically queues content reindexing in SOLR. Attachments added to workflow instances are not included in this process.
- The WEBCON BPS 2026 R1 version does not support **WEBCON BPS SharePoint Modern** installations. For this type of installation, please contact the WEBCON Support Department.

- If the changelog contains a section titled "Changes to existing features", please verify whether the changes will impact your implemented system in any way.

2. Security fixes

2.1. General

- Improved cache handling for some endpoints.

2.2. Portal

- An issue with report editing access has been fixed. Previously, a user with limited permissions for a given application could modify its reports if they had administrative privileges for another application. The system now correctly limits report editing access based on the permissions assigned to a specific application.
- A security measure has been implemented in the **Search Everywhere** search results by replacing HTML characters with safe equivalents in comment text. The exceptions are tags used to format results, such as bolding and highlighting search terms. This change prevents the injection of unauthorized HTML code into the user interface.

2.3. Updated components

- The following components have been updated:
 - react-redux-toastr to version 8.0.0
 - redux to version 5.0.1
 due to the vulnerability patches:
 SNYK-JS-BABELRUNTIME-10044504 – <https://security.snyk.io/vuln/SNYK-JS-BABELRUNTIME-10044504>
- Improved security by eliminating a text spoofing vulnerability identified in an external audit, which allowed crafted text to be displayed in certain system views. The **parameterName** and **userLogin** URL parameters are no longer accepted.
- The following components have been updated:
 - react-native-firebase/app to 21.14.0
 - react-native-firebase/messaging to 21.14.0
 due to the vulnerability patch:
 - <https://security.snyk.io/vuln/SNYK-JS-UNDICI-8641354>
- The component expr-eval has been replaced with the expr-eval-fork component due to the vulnerability patch: CVE-2025-12735, CWE-1321, CWE-94 - <https://security.snyk.io/vuln/SNYK-JS-EXPREVAL-13833679>.
- The SkiaSharp component has been updated to version 3.119.1 due to the vulnerability patches: CVE-2023-5129, CVE-2023-4863, CWE-122 – <https://security.snyk.io/vuln/SNYK-DOTNET-SKIASHARP-5922114>.

3. Information

3.1. Important information

- Changes introduced in this version will break the compatibility of the Export-Import mechanism. Exported process packages created in versions 2025 R2 and older cannot be imported to the newest system version. In order for an import to be possible, update the environment to the newest version and export the processes again.
- Starting with version 2026 R1, the **appsettings.user.json** configuration file is replaced by **appsettings.production.json**. The previous file will remain available for reference under the name **appsettings.user.old.json**. This change is aligned with Microsoft's standards for configuration file structure and naming.

3.2. General

- Updated React from version 18.3.1 to 19.1.
- Improved the appearance of the **Accessibility settings** window, enhancing visual clarity and consistency.
- The appearance of the **Edit profile** window for users has been improved. The overall look has been refined to be more readable.

3.3. Portal

- Changed the name of the Portal launching process. The previous name, **WebCon.BPSCloud.Portal.exe**, has been replaced with **WebCon.WorkFlow.Bootstrapper.exe**. As a result, the process is now displayed under the new name in the Windows Task Manager.
- Improved error message clarity in the Portal when testing email connections (SMTP/Graph) and performing other administrative operations. Instead of generic error codes (e.g., 400/404), users now receive detailed descriptions of the issue, like in Designer Studio.

3.4. Mobile app

- The older version of the mobile app – WEBCON BPS 2022 – will be removed from the store. It will be available for downloading only until the end of 2025.

3.5. API & SDK

- The UDA configuration has been relocated from the **Instance Data** tab to the **Access to workflow instance** tab. Backward compatibility has been

maintained, with the previous functionality remaining as an available option within the new tab.

4. Changes to existing features

4.1. Important information

- The error logging method has been changed from **text-based logs (NLog)** to **structured logs (Serilog)**.

Main assumptions

- The general goal of switching to structured logging is to modernize the logging technology.
- The parameter previously called **ErrorGuid** is now named **CorrelationID**.
- Configuration is located in the appsettings.json file in the installation folder for the Portal and Service, respectively.
- Serilog supports the **OpenTelemetry** standard, which allows logs to be transmitted and processed through various standardized tools in a unified manner.
- Available OpenTelemetry-compatible tools can be configured under the **Exporters** section of the appsettings.json file.
- Thanks to the OpenTelemetry standard, logs can be linked with traces and metrics.
- Appropriate tools can process and display selected data.
- The database structure has been updated to store log objects, but the overall logging behavior remains unchanged.
- Since logs are no longer based on a fixed text formula, their content is now standardized.

What are the logging levels?

- **Verbose** – the most detailed and least frequently used level. Useful for debugging and tracing complex scenarios.
- **Debug** – detailed information helpful for troubleshooting in test environments.
- **Information** – general information and events in the system that help trace execution flow, key actions, and states (e.g., form validation).
- **Warning** – unexpected events that do not interrupt execution. Useful for identifying potential issues (e.g., failed login attempt, blocked path transition).

This is the default level for the **MinimumLevel** node in Appsettings.json.

- **Error** – errors that interrupt the execution of the current operation, but do not disrupt the operation of the entire application.
- **Fatal** – the highest level, critical errors affecting the entire system or preventing the application from running (e.g., the Portal fails to start after an update).

Where are logs stored?

Configuration is defined under the **WriteTo** node in Appsettings.json.

- Fatal-level logs (e.g., those preventing the system from starting) are written to a file in the "logs" folder according to the Appsettings.json.
- Logs of level Warning and above are written to an MSSQL database configured in the MSSqlServer node (by default, this is the **Infrastructure.Logs** table in the WEBCON BPS Configuration Database). **Note:** For large environments, it is recommended to create a dedicated MSSQL database for logs, or use specialized logging tools (Sinks).
- All logs from the IIS console are sent to a file in the appropriate inetpub folder.
- EventLog will receive Errors and above.

Components not affected by this change

Some loggers will continue writing to their respective tables as before. They will be replaced with Serilog-based logging in future versions. Information about these updates will be included in the version roadmap. Components that remain unchanged in this version:

- Debug mode in Designer Studio
- AdminWfEventLogs
- logging by the Service
- Diagnostic sessions
- logs for REST API and UDA

4.2. Changes in OpenTelemetry configuration

Due to changes in the architecture of the WEBCON BPS platform, the method of configuring the OpenTelemetry tool has been modified.

Currently, the entire configuration of this tool is performed in the **appsettings.json** file, available in the installation folder of both Portal and Service. This file now contains a new **OpenTelemetry** section with the following nodes: **Metrics**, **Tracing**, and **Logs**.

In the Metrics node, the option to enable individual instrumentations separately has been removed — now, activating the node launches all instrumentations (except for **EventCountersInstrumentation** which is no longer supported). Within this node, a separate subnode has been added, allowing configuration of the Prometheus tool. Additionally, it is now possible to define custom OTLP-compliant metric data exporters.

For Portal, logs generated by the application using the **Serilog** tool can now be exported to exporters defined in the Logs node via the OTLP protocol.

Furthermore, configurations of several collectors have been modified:

- **Jaeger** – new endpoint address: `http://[host]:4318/v1/traces`, and the protocol has been changed to "http";
- **Prometheus** – new BPS Portal address (`bpsportal`): "[host]:48439", and BPS Service address (`bpservice`): "[host]:9464", and a new – optional – scheme (`scheme`): "https";
- **Azure Application Insights** – configuration is now outside the **OpenTelemetry** node, in the **ApplicationInsights** node, allowing transmission of traces, metrics, and logs, regardless of OpenTelemetry settings;
- **AWS** – the separate configuration node has been removed; traces and metrics are now sent to the collector via the standard OTLP exporter whenever the respective **Traces** or **Metrics** node is activated;
- **Google** – in accordance with Google's recommendations, the separate configuration node has been discontinued in favor of using the standard OTLP exporter which sends data to the Google collector, e.g. <https://cloud.google.com/stackdriver/docs/solutions/agents/ops-agent/otlp>.

4.3. General

- Updated currency exchange rate retrieval from the Narodowy Bank Polski (National Bank of Poland) API. Currently, currency rate requests are transmitted via HTTPS instead of HTTP protocol.
- Changed the default log table from **AdminWfEventLogs** to **Infrastructure.Logs** in the configuration database. This table is optional, and users now have full control over the logging setup in the **appsettings.json** file, including the option to configure logging without using the mentioned table.
- The actions **Start a subworkflow** and **Start a subworkflow (SQL)** have been renamed to **Start workflow** and **Start workflow (SQL)**, respectively. The configuration and operation of the actions remain unchanged.

4.4. Portal

- Disabled the ability to change the **Application type** from the **Admin panel** for an API application that has already been saved.
- Updated the appearance of file-type icons in the attachments panel. The new icons align with the Microsoft Fluent UI system.
- Removed the ability to pin the instance preview sidebar when displaying a dashboard report in full-screen mode.
- Updated the colors of **ghost**, **subtle**, and **transparent** button styles (buttons with minimal or transparent backgrounds) to improve contrast and consistency with the interface theme.

- Improved the performance of fetching the subordinate structure for dashboard **Reports** and **Report** type form fields by reducing the number of requests. Now, if multiple Reports are present on a dashboard or form, only a single request for the subordinate structure is sent.
- Changed the approach to copying privileges when adding an existing application report to a Dashboard using the **Add existing report or file** button. Previously, when a report was cloned to the Dashboard, user privileges were copied from the original report—now, default privileges will be applied instead.
- Added the ability to sort applications and processes by name in the application permission (scopes) editing window (**Admin panel** → **Integrations** → **API**).
- Improved the visual presentation of the **Camera** and **Voice memo** windows. Among other updates, these changes include a revised view of camera access permissions and replacing old buttons with new ones in the Camera window, as well as adding a new microphone icon, and updating the font and button layout in the Voice memo window.
- Adjusted the size of the application supervisor's photo to match the widget dimensions. The photo (or placeholder) now dynamically fills the available space, making better use of free space in multi-column layouts (> 3 columns).
- Standardized the search behavior for the **Assigned to** field with the **Multiple lines of text** form field in **Reports** based on SearchIndex SOLR sources. In **Starts** mode, the search is now case-insensitive, while in **Contains** mode, case sensitivity is still applied.
- Modified tile icons for **Image in the center** and **Image filled** to reflect the actual appearance of the **Description panel** widget.
- Updated the warning icon color on data source columns in the Portal. This change applies to warnings related to both visibility restrictions and authorization requirements.
- Removed **Searching structures** from the Portal (from the application navigation and the home page) and replaced them with a new default Searching structures report, which is automatically added to the application. The new report will be added only if Searching structures were previously visible. If they were hidden, the report will not be created. Searching structures in the Outlook Classic add-in remain unchanged.
- Optimized performance of task and activity retrieval, as well as search result loading in Portal when using on-behalf substitution mode.

- Updated the system behavior when changing the source in the configuration of a **Report** added to the **Dashboard**. The default view is now maintained in such cases.
- Modified character limit in search bars within the **Report** toolbar and the top menu, plus the search results page on **Portal**. Currently, the character limit is 255 characters with spaces.
- Improved the application HealthCheck mechanism – it now reports the actual status of the application itself, rather than related processes. In the Portal, checks for connections to SOLR and the Service were removed, as they do not affect the Portal's health. New HealthChecks were added, and the Service HealthCheck was enhanced to monitor the status of running modules.

4.5. Form


- Added a frame to the button that hides objects requiring authorization in the **WEBCON Contrast Black Yellow** theme.
- Improved the display of long text in the **Single line of text** form field. The previous HTML *input* control has been replaced with *textarea*, enabling full content visibility without scrolling.
- Removed the minimum height of the text field in the **Choice list** form field. The field height now depends solely on the number of rows defined in the form field's **Advanced configuration**.
- Improved **Tab** display behavior within the **Tab panel**. Tabs are now always displayed horizontally, regardless of window resolution. Users can access hidden tabs by horizontally scrolling them or clicking the ellipsis button on the right side of the tab panel. Additionally, long tab names now wrap to a new line, and are not truncated.
- Changed the behavior of the system step **Waiting for sub-workflows**. The path transition in the parent workflow, after all sub-workflows are completed, is now executed asynchronously by the system account (using a mechanism analogous to a Timer) on the Service account with a retry mechanism (5 attempts). It is no longer performed by the user completing the sub-workflow. As a result, no license check is carried out, and the modifying user is recorded as the system account. This eliminates the issue of blocked transitions when the user who moved the parent workflow into the waiting step does not have a license or sufficient permissions. The parent workflow path transition by the user completing sub-workflows can alternatively be reproduced using the workflow move action. Additionally, the license error message has been extended to include the user's login, making error diagnosis easier.

- Aligned the behavior of the **Choice field** across the **Autocomplete** and **Popup search window** modes when inserting values from outside the data source. Currently, attempting to copy a value from a parent form field into a dependent field (where a value from the data source was previously inserted) results in the value being cleared and the message "No exact match was found for: ..." being displayed.
- Changed how form fields requiring **Access authorization** impact the form set to open in **Dynamic mode**. From now on, if a field requiring authorization, which is configured as visible on the specific step within the **Field Matrix**, the form will invariably open in **View (Read-Only)** mode. Previously, a form with a task assigned to the user would open in edit mode, which, if fields requiring authorization were present, immediately triggered an authorization pop-up. Currently, a user can consciously switch to edit mode and initiate authorization at a chosen time.

4.6. Designer Studio

- Improved **Mass notification** mechanism, preventing email delivery to users without directly assigned tasks when notifications are narrowed to specific processes.
- It is now possible to overwrite attachments in workflows where the **Attachments security level** is set to **High**. In such cases, users can overwrite an attachment as long as the form settings have the **Edit file** and **Add and delete** options enabled.
- Modified behavior of automatic task delegation mode for the **Task remains accessible to substitute after substitution ends** label. After the delegation ends or is removed, if the option is enabled, the substitute retains read-only access to the item; if disabled, the substitute loses access entirely. In both cases, assigned tasks are removed.
- Changed the behavior where, if the user's email address was missing in Active Directory, the **E-mail** form field on the form returned the value **{USERMAIL}** instead of an empty value.
- Removed the **Endpoints omitted from anti CSRF checking** section in the **Security** node (**System settings** → **Global parameters**). The modification follows Microsoft's recommendations.
- Updated the message displayed when selecting the **Single Solution license** checkbox (in the **Licensing** section) in the configuration window of a process that contains more than two workflows. Currently, in such cases, the message states that the user cannot add more than two workflows to processes licensed under the Single Solution license.

- Modified behavior in the application export mechanism. The system now indicates invalid child instances of the system dashboard (**Application home**) with a red "X" icon displayed directly at the application node level.
- Modified button colors, available in the default **Mass notification** template. These colors now match the selected color theme.



4.7. Actions

- Improved response header mapping in the **Invoke REST Web service** action. Previously, when headers occurred multiple times, only the first value was retrieved. Now, all header values are returned concatenated with a comma.
- Added input parameter mapping to requests sent through the **Invoke REST Web service** action with **Body type** set to **JSON**. Users can now select input parameters in the **Values mapping** field (the **Response** tab).
- Fixed an issue where the **End** block in automations did not stop their execution. After the fix, the End block correctly terminates the automation without an error. To maintain backward compatibility, all existing instances of the End block were removed from automation definitions during the update. To take advantage of the corrected behavior, the End block must be re-added in the automation editor.
- Changed the behavior of the **Invoke REST Web service** action with a FORM – url-encoded request payload so that variable tags `{{...}}` are correctly

applied in the mapping of both field names and their values. Previously, tags in field names were not properly resolved.

- Modified the logic of the **Start editing a file using OneDrive** action. Permissions are now granted optimistically – users who can be identified receive access, while the rest are logged as warnings. Additionally, users are now grouped by provider (BPS, AD, AAD, LDAP), and the issue of assigning permissions twice (for users selected both on the form and on the path transition) has been resolved.

4.8. Rules

- Modified the column sorting mechanism behavior of the **Item list** after invoking a rule on a callback. Previously, when a callback only changed the requiredness of a form field, user-defined sorting was overridden by ID sorting. Furthermore, the user-defined sorting arrow was still displayed in the column header, even though the sorting was no longer applied. Now, the user sorting is not reset after a callback rule invocation, ensuring the view accurately reflects the current list state.
- Updated the context variable **Is admin mode active?** Previously, this variable returned text values ("True"/"False"). Now, it returns logic values (0 or 1). Consequently, to ensure that rules used in filters will work correctly, it will be necessary to use "TRUE"/"FALSE" or "0"/"1". The previous use of "True"/"False" will no longer work.
- Improved handling of parameters passed from **Form rules** to **Business rules**. Values entered on the form are now interpreted according to the parameter type defined in the business rule. For example, text that looks like a date will no longer be automatically converted to a date if the parameter type is set to Text.
- Updated button descriptions for the **Confirm** function in the tooltip. Button names are now correctly specified as **Yes** and **No**, in accordance with the actual notification displayed on the form. The change applies to the Polish, English, and German language version.

4.9. Data sources


- The **MSSQL database** type **Connection** has had its timeout changed from 120 to 30 seconds. Newly created connections will utilize the 30-second timeout; existing connections will be updated.

4.10. Mobile app


- Improved how **Item list** rows are edited on mobile devices. Previously, the edit mode behavior (single-row pop-up or on the form) depended on screen

size. Now, it solely depends on the **Behavior** settings in the Item list configuration.

- Changed the minimum required screen width for mobile devices from 425 px to 768 px, at which point the preview of certain elements (such as Reports and search results) will be displayed in the sidebar. For narrower screens, users will be redirected to a new window instead.
- Moved standard **Portal** elements, such as **Favorites**, **Frequently used applications**, **Starts**, and **Suggested dashboards and reports**, to the expandable "Bottom sheet."



- Moved navigation to the expandable "Bottom sheet".
- Moved the application selection menu to the expandable "Bottom sheet".
- Moved the user menu to the expandable "Bottom sheet".



4.11. Service

- Removed the mechanism that logged all **Timer** events when the next execution was scheduled in less than 55 seconds. The behavior of the **Log all events** option was also changed; from now on, Timer warnings and errors are always logged regardless of this setting, while enabling the option only affects logging of successful Timer executions.
- Updated the non-configurable server response timeout for **REST** actions/sources executed from the **Service** level. The timeout is now set to 100s, matching the timeout used for REST actions/sources executed from the Portal process. The other limits remain unchanged.

4.12. Designer Desk

- Added a tooltip for application files in **Designer Desk** that displays the name and description of the application prototype. The tooltip appears only when the name or description text is too long and is truncated with an ellipsis.
- Improved the layout of the Designer Desk home and project pages. Consequently, repositioned the **WEBCON BPS** text, increased spacing between elements, and enhanced the appearance of tiles containing tutorial links. The changes have improved readability and visual appeal on both desktop and mobile devices.

- Removed the **HTML template**, **Word template**, and **Word template printout** options previously accessible after activating the administration mode (the **Admin** button) from the form.

4.13. API & SDK

- Introduced access restrictions in the **User Defined API (UDA)** functionality. In the **Get data from an element instance** mode, it is now no longer possible to modify hidden form fields. In the **Actions on a workflow instance** mode, modifying both hidden and read-only fields has been blocked.

5. New features


5.1. AI Agents – digital workers in BPS processes

Introduced a new capability in WEBCON BPS: AI Agents. These are intelligent digital workers whose purpose is to execute instructions described in natural language at the workflow step to which they are assigned.

AI Agents can be added to a start, intermediate, system, or finish step. For every instance that enters that step, a new job will be added to the Jobs Queue. Jobs are then processed by the WEBCON Workflow Service.

The AI Agent understands the context of the form and the process it operates within. It can use both process metadata and attachments (however, it only works with values stored in the database, ignoring dynamic fields). Based on this information, it autonomously makes decisions and performs various actions, such as saving an instance, editing form field values, working with attachments, or following workflow paths. At the same time, the Agent respects the settings defined in the field matrix and may leave a required field empty if it is uncertain how to fill it in.

In **Designer Studio**, AI Agents are configured at the step level in the workflow editor. They can also be added and configured directly from the Workflow Designer. Simply click the AI Agent icon located in the bottom-left corner of the step to open the configuration with the AI Agent tab active. If an AI Agent has already been added, the icon will be colored.




In the current release, AI Agents support:

- reading and writing form fields (including Item list),
- saving workflow instances,
- transitioning workflow paths,
- reading attachments,
- using knowledge from the internet (*Grounding*),

An agent continuously monitors the **job** queue, analyzes jobs, and executes them according to the instruction in the language in which the job was defined. To do this, it selects appropriate **tools** (e.g., for editing form fields or working with attachments). If the instance is currently being edited by a user, the job is deferred. If the workflow has already left the step to which the job was assigned, the AI Agent removes the job from the queue. If an error occurs while saving the instance or following a path, it will be logged, and the AI Agent will not retry executing the job.


A report called **AI Agent Jobs Queue** has been added, showing both completed jobs and those waiting in the queue (available under **Reports** → **Basic reports**). Changes made by an agent are recorded in the instance History as actions performed by the Service account.



Statistics are also collected regarding the number of configured agents and successfully completed jobs. Agents are exported with the process package, included in the documentation, and can be deactivated at any time.

- **Designer Desk**

Agents can also be added in Designer Desk already at the prototyping stage (in this case, their configuration must be completed in Designer Studio after the prototype is published). Clicking the agent icon lets you create a new agent or—if one already exists—opens a side panel for editing.



5.2. AI Concierge

Extended the Portal's functionality with an AI Concierge assistant that can be launched on a form within the WEBCON BPS Portal to assist business users and automate selected operations.

Via the chat interface, users can ask questions about workflow instances and receive suggestions for performing specific actions — such as filling in a form or modifying instances.

The screenshot displays the WEBCON BPS user interface. At the top, there's a navigation bar with 'Choose application' and a search bar. Below this, a header indicates 'You act on behalf of: Alice'. The main content area is titled 'New Business trip' and shows an instance in process for 'Agents fantasyland'. The form is divided into several sections: 'Employee' (Alice), 'Settlement date' (23/10/2025), 'Business trip purpose' (What was that about?), 'Destination' (From: Kraków, To: Where did you go?), 'Dates' (Date from, Date to), 'Means of transport', 'Expenses', and 'Available paths'. A progress bar at the top of the form indicates three steps: Start, Execution, and Finish. To the right of the form, there's a 'Task details' section with the instruction 'Start of the process Enter business trips details.' and a 'Comments' section. On the far right, an 'AI Concierge' chat window is open, displaying a message: 'Good day! I'm AI Concierge, a WEBCON BPS assistant – I help with filling out forms. What can I do for you?'. The chat window has a text input field and a send button.

The following AI Concierge functions are available:

- Filling in a form**—The AI Concierge can suggest or automatically fill in form field values. The assistant may populate only form fields that are visible and editable and that can be modified using the form rules SET and SET ROW VALUE. It has no access to system or technical form fields. In the case of Item lists, it may add new rows, update existing rows, or replace them. Fields completed by the AI Concierge are marked with an icon, and by following the path, the user confirms the entered data.

Business trip purpose *

AI conference

Destination

From *

Kraków

To *

Paris

Dates

Date from *

07/10/2025 00:00

Date to *

13/10/2025 00:00

Agents fantasyland

Search everywhere...

You act on behalf of Alice

N/2025/10/00001

Instance in process: CRM | Application: Agents fantasyland

Cancel editing

Return

New

Save *

Delete

Refresh

Create summaries

Attachments

All attachments

Meeting transcription.txt

Modified 24/10/2025 10:24 by Alice, version 1

Add attachment

Internal summary *

Internal summary:

- Discussed topics: Status of Webcon system implementation, MPP form tests, data export to Excel function.
- Decisions made: It was decided to deliver the corrected version of the form by the end of the week, another meeting was scheduled.
- Tasks to be performed: Deliver the corrected version of the form (by the end of the week), assign the task of analyzing the export to Excel to Dawid Porowski (no deadline).
- Final conclusions: The meeting went well, the client is satisfied with the progress.

Client's email *

recipient@company.eu

Summary for Client *

Dear Mr. Samuel Picard,

Thank you for today's meeting and the time you have dedicated. We were pleased to discuss the progress of implementing the Webcon system for your operational team.

Summary of the arrangements:

- * The test environment is stable, the MPP form tests have been completed.
- * By the end of the week, we will deliver a corrected version of the form, including the addition of the "Estimated Cost" field and a change in the validation logic.
- * An export function to Excel will be prepared. This task has been assigned to Dawid Porowski.

Next steps:

- * By September 23, we will prepare a demo version with new features.
- * The next meeting will take place on September 23 at 3:00 PM local time.

Available paths

Finish

AI Concierge

Good day! I'm AI Concierge, a WEBCON BPS assistant - I help with filling out forms. What can I do for you?

Update and translate meeting summaries to English

Uzupelnilem pola formularza. Czy chcesz przejść superowaną ścieżką?

Type a message...

0/1

- **Reading data from attachments**—With the user's consent, the AI Concierge may utilize data from attachments (both those attached to the form and those uploaded from disk) to provide responses or to fill in form fields. Some files may be hidden due to their format. AI Concierge supports the following file formats: PDF, DOCX, DOC, RTF, TXT, XML, BPMN2.0, MSG, HTML, CSV, MD, WEBP, JPG, PNG, BMP, TIFF, and SVG.
- **Modifying an instance**—During the conversation, the AI Concierge may propose ready-made action buttons that allow execution of operations such as transitioning a path, invoking actions from a menu, or saving an instance.

All changes proposed by the AI Concierge require user approval and are recorded in the instance's history as actions performed by the user.


The AI Concierge communicates in the language in which the user submits their query. Its display name can be freely changed (after connecting Designer Studio to the default content database), and the feature can be completely disabled in **System settings (Global parameters section)**. The AI Concierge is also available on mobile devices.

5.3. AI Process builder – File support

The Designer Desk AI Process builder has been enhanced with functionality that allows users to upload files as data sources. These files can then be used when generating AI prompts to create application or process prototypes. Both text and image files can be uploaded—individually or together in one prompt. This update significantly reduces the time needed to prepare application prototypes and enables automation of transforming source documentation into a WEBCON BPS solution concept.


File upload

On the Designer Desk homepage, clicking the **Start with AI** button opens a text field for interacting with the AI assistant. A new **Upload file** button has been added in the bottom-left corner of this field, allowing users to add files from disk.



The screenshot shows a light gray rectangular interface for the AI assistant. At the top, a placeholder text reads: "AI will help you turn ideas into working solutions. Describe what kind of application you want to create." Below this is a large white text input area. In the bottom-left corner of the input area, there is a button with a paperclip icon and the text "Upload file". Below the input area, on the left, is a "Collapse" button. On the right, there are two buttons: "Clear" and "Generate". A small star icon is visible in the top-right corner of the interface.

The file upload option is also available while editing a prototype, in the sidebar where the conversation with the AI assistant takes place. Users can attach files at any point during the conversation with the AI assistant.



Note: Supported text file formats include: .pdf, .docx, .doc, .rtf, .txt, .xml (.bpmn 2.0)—all of which are converted to PDF. Supported image formats include: .tiff, .jpg, .png, .bmp, and .svg. Depending on the AI model, other file types such as .webp, .json, or .vsdx may also be accepted.

A single file upload is limited to 20 MB. Users can attach up to 5 files per prompt—once this limit is reached, the Add File button will be disabled.

An attachment is valid only for a single prompt—after each message is sent, the file must be attached again. Files added to the window remain valid for one hour. If no prompt is sent to the AI within that hour, the files will need to be uploaded again.


File interpretation

The AI assistant analyzes the uploaded files along with any descriptions provided, which may include references to the files themselves. For example, if the uploaded files contain a process diagram, the assistant will take it into account when generating its own version. However, the resulting layout and assigned users may differ from the original.


5.4. AI Proxy – local Installation at the Client Site

Added the support for the new **WEBCON BPS AI Proxy Self-hosted** license, which will, in the future, enable the use of a locally hosted AI Proxy based on the client's own AI infrastructure.

When the self-hosted option is selected, the interface for providing the AI Proxy network address and certificate becomes available. The system verifies the provided certificate before establishing a connection to the AI Proxy. Currently, three providers are available: Google Vertex, Azure Foundry, and OpenAI.



The licensing service now supports the activation and retrieval of license packages containing this new license type and reports the number of purchased and used licenses. In Studio, under **System settings** → **Global parameters**, a new AI Engine Choice field has been introduced with three available options:



- **AI blocked in the entire system** — any attempt to use AI-based functionality will result in a license error, even if the license package contains AI Token or AI Proxy Self-hosted license.
- **WEBCON AI Proxy** — enables the use of all AI-based functionalities in the system using AI Token license and the AI engine hosted within WEBCON infrastructure. All data storage and processing take place within the EEA, and the data is not used for training WEBCON's third-party AI models.
- **Self-hosted AI** — will enable the use of AI through the client's own infrastructure. This option requires the installation and configuration of the WEBCON AI Proxy application, as well as the presence of an AI Proxy Self-hosted license within the license package.

5.5. Related instances in Info panel

Added a feature to the Portal that displays relationships between the current instance and other related instances in the **Info panel** — both within the same process and across dependent or business-related processes (including dictionary processes and document templates).

Related instances can be connected in a parent–child relationship (created, for example, by **Start workflow** or **Change value of single field** actions) or be linked indirectly through **Choice field** form fields used in BPS data sources, including Choice field columns in the **Item list** form fields.

Note: Relationship searches in Choice fields will work only when the Choice field's ID column matches the source instance's ID column or its GUID.

This feature allows users to track relationships between instances in one place and conveniently manage them. Users can review the statuses of related instances, check what they refer to, and see when they were registered. Related instances are visible to all users regardless of their permissions; however, the system verifies permissions before displaying an instance's details in a tooltip or opening the instance.

The Info panel includes the **Show related instances** button that opens a map of related instances presented on a timeline.

Details

Author

WL DEMO

Creation date

7/9/2025

Modified by

WL DEMO

Modification date

9/8/2025

Version

8

Show related instances

Generate QR code for an instance

All instances are presented in a single view regardless of relationship type or hierarchy level. When a large number of results exist, up to 2,000 of the most recently modified instances are displayed.

Related instances: ZAM/2025/10/00001

Go back to instance Refresh Active Final (positive) step Final (negative) step Days Months Years

	May 2025	June 2025	July 2025	August 2025	September 2025	October 2025
Orders	ZAM/2025/10/00001					
Complaints						REC/202...
Invoices		FA/2025/10/0...		FA/2025/10/000...	FA/2025/10/00004	

75% +

Note: this functionality requires no configuration. For new processes, the **Show related instances** button is displayed by default in the Info panel, but it can be hidden by clearing the **Related instances** checkbox for specific steps in the **Standard areas** tab of the field matrix in Studio. For existing processes, after migration, the button will be visible in processes where the Parent instance and Subworkflows checkboxes (now **Parent instance** and **Subworkflow instances**) were previously selected.

Key features available for related instances:

- **Timeline** – instances ordered by creation date and last modification. Users can change the time range (Days / Months / Years). On the first opening, the system automatically selects the Years range.
- **Process grouping** – the diagram is grouped by process.
- **Status coloring** – quick identification of active, successfully completed, and failed instances (positive and negative steps), with the ability to filter by instance status. The currently selected item is displayed in the brand color.
- **Application-scoped filtering** – when invoked from the application hub, the view is automatically scoped to instances from a single application.
- **Navigation** – ability to open a related instance while preserving permissions (the **Go to workflow instance** option) or preview it in the side panel (the **Show preview** option). These actions are available on hover and via the context menu.
- **Tooltips** – when hovering over a related instance, users with the appropriate permissions can view its details, such as its instance number, creation and modification date, as well as the form fields defined as distinguishers for the given process.
- **Zoom** – allows changing the timeline range (from years down to hours within a specific day).
- **On-demand loading** – by default, only directly related instances are displayed, with an option to load further related instances (the option is available in the context menu).
- **Data refresh** – manual refresh of the view without reloading the entire form.
- **Embedded view** – the related instance diagram can be embedded (for example, on a Dashboard or in the Outlook or Teams add-in) while retaining full functionality.

5.6. Editing Dashboard widgets in WYSIWYG mode

It is now possible to edit the text of certain widgets directly within the tile (inline editing). As a result, the dashboard designer can now edit text exactly where it is displayed on the widget and preview the changes in real time (without the need to save the dashboard and exit edit mode). Text editing in this way is available for the header of the **Start group** widget and the titles of widgets belonging to the **Reports** group [in each of these cases, the user can also provide a translation by clicking the translation icon (A^T) displayed below the edited text].

Additionally, the **Navigation grid** widget has been enhanced with the ability to arrange the widget's internal tiles using drag and drop. Changes made to the tile layout in this way are reflected in the widget configuration side panel.

5.7. Color theme configuration


Redesigned the Color theme configuration in the Portal (**Administration** → **Color themes**), providing a simplified and more intuitive interface for creating and editing themes without requiring detailed knowledge of styles or color definitions. The new color configurator is based on modifying a set of base colors (including **Brand color**, **Text color on brand**, **Background color**, **Text color**). These values are used to automatically generate a full palette of color variables applied across all areas of the Portal. Enabling the **Define custom palette** option in the brand color settings allows further fine-tuning of shades assigned to individual UI elements.

The screenshot displays the 'Theme configuration' form. It includes a 'Theme name' field with the value 'WBC Pink', a 'Theme description' field with the value 'Theme created for a new brand', and a 'Theme type' section with three tabs: 'Light', 'Dark', and 'Contrast'. Below these are three checkboxes: 'Is active', 'Is default', and 'Is embed default'. The 'Brand color' section shows a color picker with the value '#e50aa4' and a 'Define custom palette' toggle. The 'Text color on brand' field has the value '#ffffff'. The 'Background color' field has the value '#232323'. The 'Text color' field has the value '#ffffff'.

The theme editing page has been extended with additional configuration options, including the ability to define:

- **Background counter color** (new tasks, active tasks, overdue tasks),
- **Status indicator color** (success, warning, error).

Theme preview has been added, providing a live view that enables immediate verification of the applied changes. The preview is not visible on narrow screens.




This functionality does not support the creation of rigidly predefined brand color themes — i.e., themes with fixed color values tied to a specific corporate identity. If such a theme is required, individual colors can still be customized via a custom CSS configuration.

NOTE: The previous color theme configuration has been removed, which may affect themes used previously. All areas of the Portal now use new variables and tokens aligned with the refreshed user interface. A large number of statically defined colors, previously independent of theme configuration and tokens, have also been removed.

In the theme configuration, only colors in the HEX format (e.g., #33ff11) are allowed. Additional validation mechanisms have also been introduced — the system no longer allows creating two themes with the same name. If a duplicate name is detected, a suffix such as (2) will be automatically added to the new theme.

As part of these changes, the colors in the default mass notification template have also been updated. The migration to the new design will affect users who rely on the default mass notification settings.



5.8. New Service Architecture

The architecture of the WEBCON BPS Service has been rebuilt. It now has a modular structure consisting of three separate processes, which means that in the event of a failure, the system automatically restarts only the malfunctioning module. The new Service architecture has been adapted to work with SDK add-ons based on .NET 9 technology which are triggered on transition paths by **Run an SDK action** (this does not apply to add-ons triggered on transition paths in dictionary and document template processes [importing such processes is not possible]).

Information about the Service configuration is now stored in the **appsettings.production.json** file (updated accordingly for this purpose), which is located in the WEBCON BPS WorkFlow Service directory. Additionally, the configuration method for the Prometheus metrics data exporter has been changed — the "URI" property has been moved from the Service's **otlpsettings.user.json** file to the **modulesettings.service.json** file located in the **OldService** directory. The default roles assigned to the Service during the platform's first launch have also been modified. Currently, unless they were previously defined by the user in the installer window, these roles are **Basic features** and **License service**.

As part of the project, logging of information has also been improved. For the module responsible for operations executed on a path transition and for saving a workflow instance, all information is now recorded in a single configuration database table, i.e., by default, **Infrastructure.Logs**. For module handling other

operations, the logs regarding its start are still stored — as before — in a date-stamped file located in the **ServiceLogs** directory.

The paths of temporary folders for **HotFolders**, **HotMailBoxes**, and **Archiving** functionalities have been shortened by replacing the full database name with its acronym. Additionally, the HotMailBoxes folder name has been shortened to **HMB**. The rules for processing (executing and saving) workflow instances by the HotFolders and HotMailBoxes modules have also been modified. Now, if the values inserted into form fields through HotFolders or HotMailBoxes do not pass validation, the system prevents the workflow instance from transiting a path. In such a case, the email or document sent via HotFolders is moved to the **Error** folder for incorrectly processed files.

The operation of the **Log all events** checkbox (Service configuration window → **Configuration** tab) has changed for actions executed based on **Timers**. Now, when this option is checked, the system logs information about successfully executed actions (information about warnings and errors is always logged regardless of this setting).

The system's behavior regarding values mapped to **Archival fields** has also been standardized. When the mapping is performed as a result of actions by the HotFolders, HotMailBoxes, or OCR modules, such values are no longer saved in the content database by the Service.

NOTE: due to the new modular Service structure, the way it is started has changed. Now, the process **WebCon.WorkFlow.Bootstrapper.exe** is initiated first, which then launches the remaining Service modules. This means that starting the Bootstrapper process does not necessarily mean the full Service is already running — the Service is considered fully started only when all modules have been activated.

- **Changes in the OpenTelemetry configuration**

Due to changes in the service structure and the extraction of three separate processes, the method of configuring the OpenTelemetry tool has been modified. As a result, the previous configuration from the file **otlpsettings.user.json** has been moved to **appsettings.production.json**.

For each of the three service processes, metric data (Metrics) is made available through a separate port or address.

- For the **Webcon.WorkFlow.Bootstrapper** process, the port is not defined by default. However, it can be configured by adding a **Kestrel** node in the previously mentioned appsettings.production.json file.

Example:

```
"Kestrel": {
  "Endpoints": {
    "Http": {
      "Url": "http://*:48448"
    }
  }
}
```

- For the **Webcon.WorkFlow.Module.ServiceModuleRunner** process, the default port is **48450**, defined in the **modulesettings.modulesOrchestration.json** file. This port can be changed by overriding the **serviceModuleRunnerPort** node in the **modulesettings.modulesOrchestration.Production.json** file.
- The **Webcon.WorkFlow.Service** process does not have its own port. In this case, metric data is sent through the default address: `http://localhost:9464`. Changing this address is possible using the file **modulesettings.service.Production.json**, which is located in the **OldService** directory.

NOTE: when changing the default address `http://localhost:9464` to another one, remember that the target address must be registered for the account under which the service is running.

Example:

```
{
  "service": {
    "Otlp": {
      "Prometheus": {
        "Uri": "http://localhost:9464"
      }
    }
  }
}
```

5.9. Telemetry expansion

The scope of traces collected from Portal and Service has been extended by including the database identifier tag "db.id". [This identifier corresponds to the database used in routing (Portal) or in the task context (Service), which means that, for example, in the case of an SQL query, such an identifier may differ from the identifier of the database in which the query is executed.] This new functionality now allows filtering data by a specific database directly in a visualization tool report, e.g., Grafana.

Additionally, the HealthCheck mechanism has been expanded and now contains information about the connection status to the SOLR database, the WCFLicenceService, and the WCFService. Due to this expansion, the structure of the **/health** endpoint data has changed. The previous node name **results** has been renamed to **entries**.

5.10. Change in image storage mechanism on dashboards

Introduced a new mechanism for storing images used on dashboards (in navigation widgets: **Description panel** and **Navigation grid**). Images previously uploaded from a device or computer are no longer stored directly in widget configurations but are now saved in a dedicated content database table (**AppPresentationImages**). A migration process has been implemented for existing dashboards to move images from widget configurations to the content database table. It is still possible to save links to images available online. To support a new architecture, image data handling and retrieval mechanisms have been optimized, resulting in better system performance and simplified management.


5.11. General

- Added support for communication with Google via Vertex AI API instead of the previous Gemini API. Introduced the ability to configure the Google Cloud region and project ID, with their values stored and retrieved directly from Azure Key Vault. Existing API keys for the models remain unchanged.
- Added support for logging in to Designer Studio in environments where the Portal is published via Azure AD Application Proxy with pre-authentication enabled. Login works for Studio installed through the installer and when logging in via WebView2.
- Updated the appearance and functionality of the **Tab list** control used in the Portal and Designer Desk.
- Extended LDAP synchronization configuration to include the ability to map group memberships. Added a new property, **memberOfMappedTo**, specifying where the group identifier corresponding to the user's **memberOf**


value is stored, enabling correct mapping of group memberships. Additionally, minor configuration changes were introduced – the number of required properties for mapping was increased and divided into two sections: for users and for groups.

5.12. Portal

- Adjusted and standardized the appearance of dialog boxes across Portal. Pop-up windows that appear while interacting with the form or elements of Portal have been improved in terms of height, width, and button placement.
- On small screens, activating the **Search everywhere** search bar will display it anchored to the very top of the browser window, with the Cancel button right next to it. Moreover, on mobile devices, the ability to scan and search values from a QR code has been added.



- The application selection menu now allows simultaneous searching by text and navigation through the application list via arrow keys. Previously, when the cursor was focused in the "Search applications..." search field, the Tab key was required to enable arrow key navigation; now, simultaneous typing and arrow key navigation are possible.
- For the **Access authorization** feature, it is now possible to add table **Reports** that contain columns requiring authorization to **Dashboards**. To facilitate this, columns requiring authorization can also be added to **Datasets** on Dashboards. Once added, the column's name will display an icon with a tooltip, indicating its special status.



Columns requiring authorization cannot be used by the **Filter** widget, and they remain unseen in the **Filter panel** configuration on Dashboards.

- Enabled row coloring based on a calculated column of the type **Indicator** in **Report configuration**.
- During an active **Access authorization** session, any filtering, grouping, and sorting applied to authorized columns is remembered. Returning to the report during an active session should restore these settings. Upon the expiration of authorization, filtering, grouping, and sorting settings applied to columns requiring authorization will be cleared.
- Added report access authorization session continuity. Upon returning to a previously authorized report, the authorization session timer continues from the initial authorization time.
- Refreshed the appearance of toast notifications sent by Portal (i.e., the green/red/yellow notifications in the upper right-hand corner).
- Several minor visual enhancements have been implemented in the Portal's appearance. This includes a refresh of the icons in the WEBCON BPS Admin Access login window and other locations in Portal, an improved look for the side panels in the Portal and the Designer Desk opened on the right, and a redesigned radio button icon. Furthermore, skeleton screens for various Portal components have been updated.
- Improved the visual design of the **Analytics** node's user interface, aligning it with the system's general design. This encompassed, e.g., changes to the header section in three reports (**Overview**, **Heatmap**, and **Performance Indicator**), updated appearance of the **Per process** and **In time** tabs (within the **Overview** report), and modification of individual components' appearance. Furthermore, a refreshed look was applied to the **Performance indicators** widget, available in the Performance Indicators report (the Analytics node), as well as from the **Info panel** or **Dashboard**.


5.13. Form

- New JavaScript API methods have been added to WEBCON BPS forms, enabling full attachment support for Form Field Extensions. Previously, it was only possible to check whether attachments existed. The API now also

allows adding, modifying, overwriting, and deleting attachments, retrieving the full list of files, and dynamically showing or hiding the attachment section on the form.

- For the **Custom control (External)** form field, a new mode has been added that allows hosting the control locally within Portal. This serves as an alternative to the original behavior, where the control was hosted externally and displayed the content of a provided URL inside an iframe element.

The purpose of this form field is to enable the storage of data from external controls in the BPS database — and now, hosting of the control itself can also be performed within BPS.



The content must be uploaded as a .zip file, with a single entry point file named **index.html**.

Files can be placed in subfolders, and the link to the associated file should be in the following format: "folder_name/file_name" or "./folder_name/file_name".

The following file types are not allowed: .bat, .com, .dll, .exe, .msc, .msi, .msp, .mst, .ps1, .reg, .regs. Additionally, to enable integration with **User Defined API (API Definitions)**, an **API** tab has been added to the field's configuration. This allows the control to communicate with endpoints defined in the API Definition through JS API. The list of available API definitions is limited to those that are active, have OAuth authentication enabled, and those that have been explicitly selected beforehand.

5.14. Designer Studio

- Improved **ProcessBuilder** architecture, now acting as an **AI Agent**, selecting specialized tools (DesignWorkflowTool, DesignDataModelTool) for task execution. Introduced two operation modes: **General**, for creative solutions, and **Specific**, for precise operations. Enhanced tool specialization, thereby improving the accuracy of generated commands.
- Added the ability to change icons for form menu buttons and groups of buttons (action configuration window → **Actions list** → **Menu button**).
- A new **API definitions** node has been added to the **System settings** tab. This new node provides **System administrators** with a view of all registered **UDA** endpoints.
- Added the ability to share a complete history of selected processes with designated users. A **Full history access** checkbox has been added to the process' **Permissions** tab. To view the complete history, users granted such permissions must also possess administrative privileges or access to process instances.

5.15. Mobile app

- The dialog window for sound file recording/playback in the mobile app is now unified with the browser's window.
- Updated mobile interface appearance, reflecting modern mobile app capabilities. Replaced the top menu with a sliding bottom sheet menu and gestures.
Scrolling upward refreshes the app, replacing refresh button functionality; similarly, returning to the previous screen can be activated via a left-to-right swipe, replacing the **Back** button.
The **Connections** menu has been relocated into the user menu; most expanding menus are now displayed via upwards-sliding bottom sheet.
- The dialog window for the camera and QR code scanning in the mobile app will now be unified with the browser's window.

5.16. API & SDK

- Improved the OpenAPI documentation generation for the **API Definitions** (UDA) module by adding parameter descriptions, streamlining the system integration process.
- Added URL API AI Proxy versioning.
- The **User Defined API** (UDA) mechanism has been expanded to include a new **Running mode: Actions on a workflow instance**, which can be used to

start and save a workflow instance, and to move it to the next step using a path.



After selecting the Actions on a workflow instance mode, the configuration and mapping are available in the **Access to workflow instances** tab. This tab now allows configuring both retrieval (subtab **Instance data**) and sending (**Request data**) of data and attachments. Furthermore, support for the new field type **[System] Comment** has been added.

The image shows the 'Access to workflow instances' configuration tab. It has subtabs for 'General' and 'Request data'. The 'Request data' subtab is active, showing several checkboxes: 'Get element instance data', 'Save element instance', and 'Start new workflow'. Below these are dropdown menus for 'Workflow:' (set to 'Acceptance Workflow'), 'Form type:' (set to 'Request Form'), 'Starting path:' (set to 'Default path'), and 'Business entity:' (set to 'Firma'). There is a checked checkbox for 'Move to next step'. At the bottom, there is a table with columns 'Url suffix', 'Step', and 'Transition path'. The table is currently empty. A blue information icon is on the right side of the table.

6. Bug fixes

6.1. General

- Added the ability for users with **Read-only** privileges to download the **Access activation code** on the client card in the license activation service. Previously, only users with administrative privileges were able to download the code.
- Improved installer service activation functionality. Previously, the installer prevented **Single-Use Access** license activation without an internet connection. Now, the installer correctly saves the necessary information, enabling offline license activation.
- Fixed an issue on the user synchronization configuration screen in the WEBCON BPS installer. In environments without a connected database, the **Save** button is blocked, and after providing a correct database configuration, it is enabled and the synchronization source view is refreshed.
- Improved the display of maintenance mode message during database updates. Previously, the **Maintenance mode** message wasn't visible when updating WEBCON BPS, leading to HTTP 500.30 errors.
- Improved application stability by eliminating memory leaks in several key components, including document objects (Aspose.PDF and Aspose.Cells), Bitmap/Image, MemoryStream, HttpClient, email messages, and Microsoft Graph interfaces.
- Implemented **Rate limiting** mechanism for OpenAI and Gemini LLM method invocations.
- Fixed a bug that prevented enabling maintenance mode when updating the content database from the 2022 version and earlier ones.
- Improved the operation of recalculating privileges and tasks after the end of a substitution. In the case of an expired or deleted substitution, when the option **Leave automatically delegated tasks after substitution expires** is disabled, the tasks are deleted and the user loses privileges in the workflow instances for which they were a substitute. However, if this option is enabled, the task remains assigned, but the substitute retains only read privileges. Additionally, the administrative view of the form privileges has been updated with information that a given privilege comes from a substitution, which allows for unambiguous determination of its source.
- Improved event log entries regarding document indexing errors in SOLR. Previously, when an attachment required for indexing was unavailable in the

database, the system logged an error as **SOLR indexing failed**. Now, the entry has been altered to **SOLR indexing skipped due to missing attachment**, providing a more specific description of the situation.

- Fixed a migration script that caused an error during software update. The problem was that the script incorrectly handled multiple translations of the same item for different languages. The fix resolved the issue, ensuring that the script would work correctly for all languages, eliminating any potential duplication of translations.
- Fixed the **Import-Export** mechanism bug, which caused incorrect values for archive and attachment databases to be inserted when importing applications via **API**.
- Fixed an issue in the application import mechanism by securing the log list against multi-threaded access. A lock was added to prevent concurrent read and write operations, and an additional safeguard was introduced to ensure that, in case of a problem, the import process switches to the standard error handling path.
- Fixed an issue with the configuration of **Reports** created via both the Portal and Studio. Restored correct functionality of the **Close** button for table reports, dictionary reports, and document templates. Enabled selection of the **Form type** in dictionary reports and document templates without the need to save the report first.
- Improved portal certificate generation for Portal-Service communication. Previously, a problem existed where, despite full certificate creation in memory, it might not have been correctly utilized.
- Improved installer logging during attachment database creation.
- Fixed incorrect behavior of the BPS group member management mechanism. In the event of a user, part of a BPS group and having a BPS ID with mixed-case characters, such as user.test@SPOT.LOC, being added to another group, this resulted in the removal of some users from the target group.
- Enhanced database diagnostic tool, allowing better detection of irregular prefixes in configuration database table columns.

6.2. Portal

- Fixed a bug that occurred when searching in an SQL report. The issue appeared when a user initiated a search from the **[System] Assigned to** column, which—although included in the **Search panel**—was hidden in the report **View** configuration.

- Fixed a bug that caused incorrect button name truncation within the **Edit user** and **Edit group** sidebars (**Admin panel**).
- Fixed an issue where, after changing and entering a new phrase in the search box on the search results page, the suggestion window remained visible and the scrollbar was not reset to the top.
- Fixed a bug where the dropdown list in the **Substitute** form field (part of the **Substitutions** functionality) did not display any items. The issue was caused by incorrect data loading from the **Custom business structure** data source, which occurred when the data source used the **<Current BPS database>** connection.
- Fixed an issue with SOLR search not handling the "-" character correctly when searching for instance numbers.
- Changed the background blurring behind pop-up windows that appear during **Dashboards** configuration to reduce resource consumption.
- Fixed an issue with saving the view of the **Report** after returning back to the view from the instance form.
- Fixed a bug where the screen informing about missing privileges for a given application did not display the data of the user attempting to log in. The issue occurred when the user was not listed in the WEBCON BPS platform.
- Restored the ability to use calculated columns as a filter in the **Data source** URL parameter within **Report** configuration. Previously, a bug caused calculated columns to be unavailable in the Report configuration, even though filtering worked correctly when the parameter was manually provided in the URL.
- Fixed a bug where the SQL report exported to Excel contained extra information (**Name and surname, Date and hour**) in the **[System] Last comment** column. This occurred even though the column was configured to show only **Comment content** in the **View** tab.
- Improved the barcode printing functionality in the **CLOUD** installation (Webcon Apps). The system now ignores inactive Portal replicas, allowing labels to be printed even when one of the replicas is unavailable.
- Fixed the behavior of the filter based on the system column **Created date** (dashboard → **Filter panel**). When filtering the dashboard by a date scope, the results now also include the last day of the selected interval.
- Fixed a bug where the exported Excel file did not include the report sorting defined by the user.

- Improved the filter behavior in the SearchIndex-based report for **Choice field** columns. Searching in the **Starts with** mode now returns correct results as soon as the first characters of the phrase are entered.
- Fixed a bug that caused incorrect display of **Item list** column names in search results when using the **Search everywhere...** field. Instead of showing the column display name, the system showed the database column name.
- Fixed a bug that occurred when displaying a report of the **Dictionaries** or **Document templates** type. The issue appeared when a **Row color** had been configured for a hidden calculated column.
- Fixed incorrect **Step** name display in the **Info panel**. As a result, Step names were truncated using an ellipsis, when names did not fit within a single line. Now, the Step name is presented in two lines under such conditions. (If the name still exceeds two lines, an ellipsis is added at the end of the second line).
- Fixed bug which occurred when launching the full-screen mode for the **Vacation schedule Widget** embedded on the dashboard.
- Fixed report visibility on dashboards. Reports created from existing reports or migrated could be invisible on dashboards when their source report had custom permissions. Reports embedded in dashboards now inherit visibility from the application, so they are visible to any user with access to that dashboard. Permissions for instances remain unchanged.
- Fixed a bug that caused the email delivery action date in the instance **History** to be displayed in an incorrect format (MM.DD.YYYY) when the configuration database language differed from the content database language.
- Fixed the behavior of the **Absence chart** based on a custom organizational structure. Users outside this structure who have the appropriate permissions can view absence data in the chart in the **Report**. Visibility now depends solely on permissions, not on membership in the structure.
- Fixed a bug occurring when clicking the **New** button within the **Dictionaries** report context. The bug appeared when the report configuration lacked required parameters. Currently, previous system behavior was restored. As a result, it is no longer required to specify individual elements, such as **Process**, **Form type**, or **Workflow**, in the **Instance start buttons** section (the **View** tab of the report configuration window). Now, when such an element is missing in the configuration, a window is displayed on clicking the New button which allows users to select it.

- Fixed grouping bug in tabular reports based on the **SearchIndex** source. The bug appeared if the report columns contained values with leading or trailing spaces. In such cases the number of rows indicated in grouping results did not match the actual number of rows displayed after selecting a given result.
- Reduced the size of telemetry traces to prevent exceeding the default 5 MB limit in Grafana Tempo, eliminating the "TRACE_TOO_LARGE" error. The fix includes removing redundant data from traces, such as detailed cache refresh information.
- Fixed a display issue with **Report tiles** on dashboards. Zooming the view beyond 150% resulted in incorrect dashboard layout, even after resetting the zoom to its original setting (100%).
- Fixed the selection area in the calendar that opens after choosing the **Custom** filter in the **Heatmap** window. The bug involved incorrect display of the underline when selecting a day, as well as misaligned digits when selecting a date range.
- Fixed an issue where the clickable area of the **Start** button extended below the button itself. As a result, clicking below the button would start the workflow instance but would not close the **Start instance** window containing the button.
- Added a margin and standardized the shadow for **Access authorization** buttons.
- Fixed a bug causing incorrect display of previous form versions. The bug resulted in displaying form fields visible in the current step, instead of the fields configured as visible in the selected step, when navigating to the **History** of an instance and opening a form version from a specific step.
- Fixed the Portal telemetry malfunction, which was incorrectly logging individual request processing stages. Improved tracking mechanism now provides a complete and consistent record of the process, enabling better problem diagnosis.
- Improved the **Application supervisor** widget behavior. Now, the user's profile photo within the widget dynamically resizes with the widget's width changes.
- Fixed a bug that occurred when opening **Reports** and entering "###" or a phrase containing "###" into the **Search everywhere...** field.
- Fixed the issue preventing the update of the parent workflow after a task completion in a related subworkflow by a user with a **Single-Solution Access License**. This occurred if the user lacked permissions to the parent workflow located in a different application than the subworkflow.

- Fixed a bug that resulted in the first path transition date in the **History** of an instance being set for both the first and second transition. The bug occurred after archiving the instance and resulted in shifting the path transition dates throughout the History, making the actual last path transition date completely invisible.
- Fixed a bug that occurred when attempting to group a Report by the **[System] Workflow** column. The issue arose when the data source included a filter containing a **Choice field** and **Person or group** form fields belonging to different workflows.
- Fixed the display of tooltips in the dashboard data source configuration window. Due to a bug, tooltips in the configuration window of a newly created data source for a report were shifted to the left, making them difficult to read.
- Fixed an issue with NULL values in report data grouping during application import. The issue occurred when a private view utilized a column removed during import.
- Resolved a display issue with a **Vacation schedule** added to the **Dashboard** using the **Add existing report or report file** button. Due to the bug, the schedule would not appear after exiting edit mode.
- Fixed an issue with displaying reports on dashboards. Previously, switching between dashboards from different content databases resulted in errors.
- Fixed incorrect system behavior when saving custom folder visibility settings. Due to a bug, newly granted folder access permissions were removed after clicking the **Save** button. These permissions were then restored after adding and saving permissions for other users or groups.
- Fixed the behavior of the report filters. Previously, switching between the **Starts** and **Contains** filtering modes did not refresh the search results. After the fix, changing the mode now refreshes the result list.
- Fixed a bug where the **Add to favorites** button was not displayed when a large number of items had been added to the **Favorites** list.
- Fixed a bug encountered when displaying the task counter in an embedded element. Previously, attempting to open a link within this element returned a 404 error.
- Fixed the search issue in the **Search Everywhere...** feature, which occurred when a special character was present in the search query.
- Fixed an issue where hovering over the action name in the **Instance history** did not highlight the action in blue and underline it.

- Fixed an issue where the bottom of the calendar report in **Month** view was cut off on smaller screens - added a vertical scroll so that all calendar content is now accessible. Additionally, in **Week** and **Work Week** views, improved handling of parallel events - a maximum of two are displayed, and the rest are accessible via the **Show more** button.
- Fixed an issue that prevented the default dashboard of an application from being refreshed. This error occurred when switching to an application in a different database, whose default dashboard had the same ID.
- Improved the loading performance of the **My tasks** tab after applying the **New** filter on the BPS Portal.
- Fixed an issue that occurred when switching to a different **Report** view and rapidly clicking the target view's name multiple times before it finished loading. As a result, the opened view would display without any data.
- Improved the focus mechanism in the **Report** table on Portal. Previously, after removing a column from the report, the user was redirected to the first column. With this update, the user will now be redirected to the column preceding the one that was removed (or to the next column if the first column is removed).
- Fixed the "Cannot read properties of undefined (reading 'original')" error that occurred after deleting the last button in the **Description panel** widget on the application dashboard.
- Improved filter list behavior in the report. After selecting and applying a filter, the list of values no longer automatically scrolls to the top. Upon reopening the dropdown, filters appear in the list at their original positions.
- Fixed an issue where changes to an application's icon and color were not immediately reflected in the tiles of its items in **Reports**.
- Fixed an issue where the **Quick path** icon was not displayed on the toolbar in the **Report** view to the right of the feature name.
- Fixed JSON field scaling issues in full-screen mode when configuring column coloring on a report.
- Fixed incorrect attribution of editing time in analytical reports. The update resolves an issue where the time spent editing a form was being assigned to users from the previous step instead of those currently assigned to the task. Now, the times are correctly attributed to the users involved in the given step.
- Fixed an issue with chart display for pie and donut charts when data is missing. Previously, missing data caused display errors, such as "e.data.datasets[0] is undefined" or "Cannot read properties of undefined".

(reading 'backgroundColor')". Now, charts are correctly displayed as empty without errors when data is absent.

- Fixed the flickering issue affecting the **Filter** widget embedded on the dashboard. This issue occurred when using custom zoom levels (Firefox 80% and Chrome 75%) in the browser.
- Removed UseWindowsAuthentication and ForceHttpsOnProxy flags from Portal configuration.
- Unified validation of choice fields on the form. Inconsistencies between how the Service and Portal handled unvalidated values potentially led to errors. Now, the service prevents the saving of unvalidated values.
- Improved filtering performance based on the **Value filter** in **Report** columns containing multilingual **Choice fields** by optimizing the SQL query, what prevents timeout errors during search.
- Fixed a bug where setting the **Active tasks** option in the **Assignment filter** field caused additional instances with historical tasks – not located in the final workflow step – to be incorrectly displayed on reports. The bug occurred only in reports based on the **SearchIndex source**.
- Restored the addition of the **returnUrl** parameter to the instance address when launching a new workflow instance via a fully defined **Start** button (with a specified process and workflow) from the navigation menu. As a result, users are now returned to the previously opened view when clicking the **Back** button on the form.
- Restored the ability to switch to private views in **Reports** embedded in **Dashboards** via the **HTML code** widget. To enable view switching for users, the option **Allow changing view** must be selected (**Settings** → **Embed**).
- Improved handling of substitutions in the **Working on behalf of substituted person with full access** mode. It will not be possible to create a substitution for a user whose account is not synchronized with the system. A corresponding message now appears when selecting this mode – the system requires that the user exist and be active.
- Improved the execution time logging within the diagnostic session. Previously, incorrect textual values were displayed instead of the correct time values.
- Fixed the bug encountered when attempting to input text in the **Report** column's **Value filter**. The bug occurred when a user entered text while the system was loading available filter values.

- Improved Gantt chart display for leave Reports. Previously, applying a filter to individual users on the "Whole Company" view and switching to the "Me and my subordinates" view resulted in displaying leave data for filtered individuals that should not have been visible.
- Fixed searching by identifier (GUID) in **Choice fields** using BPS sources containing **Item list** columns from other processes.
- Fixed the issue preventing the export of process packages containing translations. This problem occurred when a dashboard-embedded **Report tile** lacked a configured header or footer.
- Fixed a bug that occurred when attempting to save the changes history for the **Item list** form field. The issue appeared when the user's Portal language was set to Swedish.
- Fixed incorrect support for user dates and time zones in Portal. Previously, there were issues with date display and conversions, particularly for dates before 1970 and between 1940 and 1942, due to incorrect accounting for historical daylight saving time changes. Switching to the IANA standard resolved these issues, ensuring correct date display and conversion across all time zones.
- Fixed an issue that caused the navigation panel in Portal to disappear after importing applications containing configured **Start** buttons.
- Improved performance of the **All Active** report in the substitution configuration. Optimized database queries, eliminating the possibility of timeouts and fixing a bug.
- Fixed incorrect message display (in the upper right corner) when searching for an instance. Previously, the error message displayed an incorrect ID.
- Fixed incorrect display of all-day events in the "Week" view for **Calendar** reports. Previously, these events weren't displayed. Furthermore, the header of all-day events has been modified to maximize calendar space.
- Fixed incorrect calendar agenda view date and time display. Full-day events now show date ranges, and times are displayed as tooltips when hovering over the date. Single-day events remain in the previous format. These changes apply only to the agenda view, due to space limitations.
- Fixed incorrect display of multi-day events in **Calendar** reports. Previously, events starting or ending mid-day incorrectly displayed the **All day** row in **Day** or **Work week** views, showing the event as all-day even though it was shorter.

- Fixed incorrect display of the application **Creation date** in the filter under **Analysis** → **Suggested** on the Portal. In certain time zones, the date was shifted one year back.
- Fixed a bug where, despite selecting the **Dynamic** option (**Rows per page**) in the dashboard **Report** configuration, the number of rows wasn't adjusting to the current report window size. The issue occurred if the report was initially displayed within a dashboard window and then opened in a separate window.
- Fixed incorrect task filtering in the **Active** list under the **My tasks** view. Removed an unnecessary filter that previously limited the view to tasks assigned directly to the user. Tasks assigned to user groups are now also displayed correctly, in line with the task counter.
- Improved remembering access authorization on reports. Authorization remains valid after navigating to a different element and returning to the report.
- Improved dashboard configuration support. This fix allows the dashboard to display correctly even when some configuration fields are empty. Previously, if the data saved in the configuration was incomplete, the dashboard might not display the content correctly.
- Fixed a bug issue causing extra, unselected (or unavailable) options to appear in the **Search panel** when using a **SearchIndex**-based report configuration. The problem appeared when an **SQL** data source was previously saved for the report, and then changed to SearchIndex.
- Fixed incorrect display of the search page when selecting a filter with a **Global field**. Previously, selecting such a filter would cause an error and the page would crash. Now, the page works correctly, and the selected filter is correctly reflected.
- Fixed an issue where it was possible to assign **Substitutions** using the standard registration form, regardless of whether the Substitutions functionality was turned off or managed through a dedicated application.
- Improved **Report** filter functionality. Now, changing the filter immediately cancels the previous filtering query, smoothing out how the Report works.
- Fixed incorrect display of values in multilingual **Global fields** of the **choice field** type on a SOLR report covering multiple processes. The issue was caused by inconsistent field configuration, which prevented correct rendering of values in columns and grouping.

6.3. Form

- Changed the behavior where, if the user did not have a manager, the form field returned the value **{USERMANAGERFULL}** instead of an empty string.
- Restored visibility of the percent sign (%) in the **Gauge** and **Circular progress bar** widgets when the **Show as % of expected value** option is selected.
- Fixed an issue that prevented setting an empty value for the **Choice tree** form field both in **Form rules** executed by value changes and in the JavaScript API.
- Fixed an issue where the focus was automatically put on the **Attach existing** button in **Local attachments** column of the **Item list** form field after the column editability changed. This caused the form to scroll unexpectedly to that column.
- Improved the visual appearance of section separators in the user interface.
- Fixed incorrect display of column translations in the **Data table** form field. This fix resolves an issue where the original column name was displayed instead of the translation when the user interface language was different from the database translation language. The correct translation is now displayed regardless of the language setting.
- Fixed a bug affecting the **Choice list** field when the **Show field to type answer** option was enabled and the field was set as required in **Field matrix**. This allowed end-users to select a custom answer option and move along a transition path without providing the required answer.
- Fixed link behavior in form field description tooltips. Previously, the **target="_blank"** HTML form field was automatically removed, preventing links from opening in a new tab. It is now allowed in tooltips for form field descriptions, ensuring consistent behavior.
- Fixed incorrect display of views in the **Report** form field. Previously, the displayed views could originate from another report in the application. These changes ensure that the list of views is now correctly retrieved according to the configuration of the given form field.
- Fixed the bug where the sum from the **Item list** column was copied to the form field, despite that column or the entire Item list field being set as not visible in the **Field matrix**.
- Fixed the bug in importing data from Excel file into **Choice field (picker)** and **Autocomplete** columns. Due to the bug, despite the validation error displayed during the import, the values, which were not matched with the

values existing in the data source, were inserted in the aforementioned columns.

- Fixed the bug preventing retrieval of values from the **Item list** column that was hidden (on the **Field matrix** or through visibility restrictions) and inserting them into a different target list column. This issue occurred when attempting to retrieve such a value using the **Change value of single field** action.
- Fixed a bug that occurred when deleting an instance using the **Delete** button (form menu). Due to this bug, the **Recent activities** report displayed the user who last performed a path transition as the person who deleted the instance, instead of the actual user who performed the deletion.
- Modified the focus behavior when deleting rows in the **Item list** form field. Now, deleting a row sets the focus to the **Add** button. If the Add button is not visible, the focus shifts to the last row in the Item list; if the list is empty, the focus is set to the entire list.
- Fixed the bug where clicking the **Sign out** button, available in the **OAuth2 Authentication** form field, did not log the user out. This problem occurred with large (> 4096 bytes) cookie files containing the authentication token.
- Fixed an issue with returning **Item list** rows when the list was hidden on the form in the first step of a path. Previously, the List was not read in the first step and rows became available only after reprocessing. The system now correctly returns the Item list on the first execution.
- Fixed a bug where clicking anywhere in an **Item list** row opened the edit window. The issue occurred when the **Single row editing** checkbox was selected.
- Fixed an issue with the chart loading icon. When reloading a chart, an incorrect icon was shown instead of the loading animation.
- Fixed incorrect handling of **OAuth2 Authentication** type form fields when the form contained multiple OAuth2 fields linked to the same source. Now, all fields using the same source are refreshed regardless of the scopes.
- Fixed an issue where attachments from signed email messages were corrupted after being added to a form via the HotMailBox functionality.
- Fixed a bug affecting the function that inserted the sum from an **Item list** column into a specified form field. Due to the bug, the digit 0 was not inserted into the form field when the Item list had no rows.
- Resolved an issue preventing loading the **History** of archived instances. Improved data validation by adding NULL handling to translated Item list column values.

- Fixed alignment and text color in the **Multiple lines of text** form field in read-only mode. Ensured proper inheritance of styles, including coloring rules.
- Fixed a bug that caused the message "Not found" to be displayed after expanding the value filter from the column context menu on the **Report** form field.
- Fixed a bug that prevented width constraints defined in the **Width** field (in the column configuration window) from being respected for **Item list** columns. This issue affected **Single line of text** and **Calculated text value** columns, causing them to expand when non-breaking character strings were inserted.
- Fixed an issue where information about privileges to an instance was missing when assigning substitutions. The "SEC_UpdatedBy", "SEC_CreatedBy", and "TSK_UpdatedBy" columns are now filled correctly.
- Fixed a bug where the item list on the form could be initialized multiple times instead of just once for a given workflow instance. This resulted in unpredictable behavior of the list, e.g., no data when opening the form. After the fix, the lists work stably and are displayed according to the configuration.
- Fixed a bug causing images to display incorrectly in the **History**. An error occurred when adding an image to a **Multiple lines of text** form field running in **Rich** mode. Currently, images added to this field are scaled to the column width in the Instance history.
- Added a scrollbar to the tooltip displaying information about actions performed in the instance **History**. Previously, the missing scrollbar made it impossible for users to view the full history when the list of actions was long.
- Expanded the time display format in tooltips for instance **History**. As a result, seconds are now shown in addition to hours and minutes.
- Optimized the behavior of the horizontal scrollbar across the entire BPS Portal for Chromium-based browsers. Its visibility and width have been increased to improve navigation in tables with a large number of columns.
- Fixed incorrect display of values in the **Autocomplete** column. A redundant new row was being added when a long value was entered into the column.
- Fixed the bug causing the form page to continuously load after selecting the next step transition path. This issue occurred when a **Form rule** checking data validity in a text form field was invoked after changing its value, and the user subsequently attempted to proceed along the path after correcting the data.
- Fixed styling of tooltips in the **Info panel** that display HTML from the **Description** field in step configuration. Ensured consistent font size (14 px) and proper line

spacing, resolving the issue of overlapping text when large font sizes were used.

- Fixed an issue that caused incorrect behavior of the tooltip defined for a **Widget** type form field. Due to the error, the tooltip was not displayed when hovering over the **(i)** icon next to the form field, but instead appeared when hovering over the area to its right.
- Fixed an issue occurring in the Safari browser where, on the form for adding voice memos, users with defined attachment categories would see an unnecessary horizontal scrollbar when selecting a category with a long name.
- Fixed the filtering bug in the **Report** displayed on the form via the **Report** form field. The bug prevented the Report filtering by the **[System] Step** column from narrowing down displayed items, even when a specific step was selected. This occurred if the **All** option was selected in the **Process** field (**Source** tab) of the data source configuration.
- Fixed an "Unhandled exception" error that occurred when expanding the instance's **History** when there was a missing parent instance. A safeguard was added to prevent such errors.
- Fixed an issue where the attachment date in the **Email conversations** tab was not displayed on small screens (< 14"). As a result, if the date does not fit on the screen, it will now be displayed below the email address.
- Fixed a bug that caused text to be selected and deselected when resizing columns in the form fields: **Item list** and **Data table** within forms displayed in Safari.
- Fixed a bug where the **Export** button was not displayed in the upper bar of the **Item list** form field, even when the **Allow Excel export** checkbox was selected in the form field configuration. The issue occurred when the Item list was displayed in the read-only mode.
- Fixed a bug in **Form** initialization that occurred when **Business rules** referenced non-existent elements (e.g., other Business rules). Due to the bug, no form fields were visible on the form.
- Fixed a bug in the **Item list** that prevented users from switching from one **Floating-point number** column—when it was used as a variable in a **Calculated floating-point value** column formula—to another Floating point number column using the tab key.
- Enabled the option to add multiple attachments at once to the **Local attachments** column on the **Item list** by holding CTRL and selecting files. The

option is available when the **Allow adding more than one attachment** checkbox is selected in the **Advanced configuration** of Local attachments.

- Improved loading performance for the **Item list** form field. Previously, enabling the **Single row editing** mode and importing a large number of rows (> 500) resulted in slow form field loading.
- Changed the behavior of the **AddNewElementLink** in **Choice field** columns in **Item lists** so that values from list columns are correctly mapped when opening the form for adding a new instance. Improved handling of variable tags ({{...}}) ensures that data passed to the form is now correctly resolved.
- Fixed an issue with styling form field groups on the form. Group names are now correctly displayed in bold.
- Fixed incorrect display of the **Data Row** column on the **Item list**. Previously, the text in this column was displayed incorrectly, occupying only a portion of the available space.
- Fixed an issue that caused a form deadlock when adding rows to an **Item list** using a form rule invoked after callback.
- Fixed an issue with delays during **Item list** initialization. Previously, coloring rows of the Item list caused a significant delay, noticeable when retrieving data from data sources. Enhanced logging was added, enabling tracking of query and internal operation execution times.
- Fixed a bug that occurred when attempting to set 2:00 AM on October 26, 2026 (during the transition from daylight saving time to standard time in the relevant time zones) in the **Date and time** form field.
- Fixed a bug that occurred when attempting to change the value of a **Choice field** operating in **Dropdown** mode within an instance belonging to a parent workflow using the **Change value of single field** action. The bug occurred only when the action was triggered by a **Timer**.
- Fixed an issue that prevented the default value of the **Yes/No choice** column on the **Item list** from being set when it was hidden in the previous step. The column now correctly accepts the default value, and a hidden column is no longer overwritten when passing through the workflow path.
- Fixed incorrect display of the **Menu button** in the form's top menu when no actions were defined for it.
- Restored the ability to change the size of the **Multiple lines of text** form field in read-only mode.

- Fixed a bug where links to subworkflows with long instance numbers were not fully displayed in the **Info panel**. Such links are now properly wrapped. Additionally, spacing between multiple subworkflow links has been improved.
- Fixed an issue that prevented the deletion of selected values in a **Choice field** in **Popup search window** mode with the **Allow multiple values** option enabled.
- Fixed a bug that occurred in the **OCR verification** step when attempting to save or proceed to the next step. The bug appeared when the respective process was modified and saved while working on the form. Currently, a standard notification regarding process configuration changes is displayed in such scenarios.

6.4. Designer Studio

- Fixed a bug concerning incorrect value substitution for a variable in a **Single line of text** form field within a Word template. This bug occurred when the form field's name translation exceeded 234 characters.
- Fixed a bug that occurred when importing translations from an Excel file. The issue appeared if the target environment contained empty **Business rules**.
- Fixed a bug that caused incorrect assignment of tasks to BPS group members when the system referred to user information stored in multiple databases.
- Fixed a behavior that resulted in the **Null reference** error when reconnecting the beginning of a path in the **Workflow designer**. This issue affected paths where an automation containing the **For each** operator was defined.
- Fixed a bug that caused application export reports to incorrectly indicate the export of the **Presentation** layer, even when both the **Presentation** node and its master application node (the **Exported applications and processes** field) were unselected. Additionally, fixed an issue where the application import mechanism selected presentation layer elements for removal, even if they had been unselected during export. Furthermore, improved the behavior of the export mechanism when exporting reports contained on the **Application home** page.
- Fixed a bug that prevented the delivery of mass notifications when the notification configuration used the **SQL COMMAND** function to exclude specified users from the recipients.
- Fixed an issue preventing access to **Item list** column variables within the **Expression editor** variable library. The problem occurred when opening the

editor from the **Acceptance** tab (configuration window for the step → **Forms** → **Main Form** → **Item list** button in form view).

- Fixed a bug causing incorrect logging of errors that occurred when executing **Business rules** utilized in mass notifications. This issue was triggered when a defined rule included curly braces "{" and "}".
- Fixed the import mechanism for the application's home page. Due to the bug, modifications in the home page structure, such as the layout of **Start** buttons, were not imported correctly.
- Fixed the application import bug. Deselecting and then reselecting the **Application home** node during import previously triggered an error. This occurred if the imported application lacked any items, such as reports, dashboards, **Start** buttons, under the **Configuration** node.
- Fixed the import of e-mail templates. The error caused the template translations to not be removed correctly.
- Fixed a bug that caused excessive saving time for application configuration changes. This issue occurred only during the first save after opening Designer Studio.
- Fixed a bug that appeared on SOLR reports. Previously, importing a **Document templates process** with the **Replace all instances** option enabled resulted in the report displaying both the replacing and replaced elements.
- Fixed the bug causing incorrect sorting of values in the **Choice field** operating in the **Dropdown** mode. Previously, values in this form field were not sorted alphabetically, despite the **Sort by Display Field** option being selected.
- Improved validation of the user-defined **Alternative application address** to ensure they differ from the current Portal address (preventing their configuration otherwise).
- Fixed a bug that caused incorrect filtering of the user and group synchronization history. The bug prevented filtering by the **Status** column.
- Modified the title and content of the final item in the **Comprehensive training program (Additional courses)** section on the Designer Studio homepage. The item is now titled **Expert courses** and includes details about specialized trainings.
- Removed an incorrect translation of the German version of the user interface for Microsoft Entra ID authentication providers. Previously, the fields "Application ID" and "Tenant ID" were incorrectly translated as "Kunden ID" and "Client Secret," respectively. They will now use the original English proper names consistent with Microsoft Graph – "Application ID" and "Tenant ID".

- Improved the log creation process for import/export of translations. Import/export of translations in Designer Studio will no longer generate entries in Event Viewer.
- Fixed a bug related to adding privileges to **Form types**. Due to the bug, when privileges were added to a specific individual or group and privileges for another individual or group were removed, the added privileges were not saved.
- Improved user and BPS group creation handling. Previously, attempting to add a user or group with an existing BPSID failed. Now, the action succeeds, and the system indicates that the provided BPSID is already in use. Furthermore, during synchronization, if an existing user from the data source had the same BPSID as a newly created group, the user from the source now takes precedence.
- Fixed a bug that allowed the **COS_ID** column to be selected in the configuration window of the **Choice field** filter, even though it had not been added in the configuration of the data source feeding that form field. The issue occurred when the form field was linked to a **Users and groups** type data source.
- The **Applications import report** has been improved. Previously, when importing an application that included changes to the names of workflows, paths, or processes, the import report either lacked the relevant information or contained incorrect details.
- Fixed a bug affecting the editability of the filter button in **Choice fields** within standard processes. The button became inactive when users navigated to the configuration window of such a form field directly from the configuration window of an **Absence type** system form field in an absence process.
- Fixed an issue preventing application removal. Occasionally, the system displayed messages that the removed application was still in use, despite that not being the case.
- Fixed an issue related to decrypting license information. Due to incorrect decryption, incomplete data was being saved in the database.
- Fixed subordinate structure synchronization mechanism. Previously, synchronization issues occurred when a user had inactive direct subordinates, leading to errors or incorrect subordinate structure display. Now, the synchronization correctly ignores inactive users and does not attempt to create entries with empty data, ensuring consistent and accurate data.

- A BPS application administrator can now generate OpenAPI documentation for the **Actions on a workflow instance** mode including the **[System] Comment** and **[System] Attachments** fields.
- Fixed a bug that allowed unauthorized changes to the data source type in the **Report** form field. This resulted in an error when attempting to navigate to the **Advanced configuration** window for the form field after changing the source type.
- Fixed a bug encountered when selecting **Select all / Deselect all** (column header **Import** → right-click) during the process selection phase in the application import window. The bug occurred if a system dashboard with invalid process instances references was included in the imported package.
- Fixed a bug preventing Designer Studio launch after importing an application package from the test environment (**TEST**) to production (**PROD**). The issue stemmed from differing application home page GUID identifiers. The fix implements a mechanism harmonizing GUID identifiers between PROD and TEST environments.
- Improved the **HotMailBoxes**' ability to find attachments based on RegEx. The fix now makes regular expression attachment searches case-insensitive. Information about this was added to the context info.
- Fixed an issue that caused the error **An item with the same key has already been added** to appear when importing application packages via the import/export mechanism. The problem occurred when only selected configuration elements were imported, leading to a database ID collision between imported and existing records during the cleanup of unused elements.
- Fixed a bug where a checkbox configured within a **Data row** form field was not visible. This occurred when an **SQL query** returning static HTML checkbox was defined within the form field, and the **Encode dangerous HTML tags** checkbox was unchecked in the configuration.
- Fixed an issue with exporting a translation package from a specific process when any action was incorrectly configured.
- Fixed an issue with converting .tif files to .pdf that occurred when executing the action to add a barcode to .tif files. As a result, a .pdf file was generated with the barcode added but without the original content.
- Fixed an issue with importing and exporting process packages that occurred when privileges were being transferred during this operation while deployment mode was enabled.

- Fixed an issue that caused form fields to be omitted from the e-mail notification body. The problem occurred when configuring multiple e-mail sending actions to be executed concurrently across different paths (for instance, inbound and outbound paths to/from a workflow control step). Form field visibility in all notifications was incorrectly based on the settings of a single step, instead of the appropriate step settings that were the destination of the relevant paths.
- Restored correct display of button icons in the application **Compact view** in Designer Studio.
- Fixed a bug encountered during the import of a package containing a process utilizing a **Global field** with a populated **Default value** field. The bug occurred if the target environment already contained the said process with the aforementioned form field, but this field lacked a defined Default value.

6.5. Actions

- Fixed a bug where sorting configuration for the **Item list** form field was not included in the generated PDF containing such a field. This issue occurred after cloning an Item list record and initiating the **Generate a PDF file** action based on the template.
- Added Polish translation for the configuration error message in the **Move workflow (SQL)** action, which appears when the **Finish tasks in admin mode** checkbox is selected, but the user holds no administrator privileges.
- Fixed an issue with setting a dynamic attachment category in the **Add attachment to other workflow instance** action configuration. Previously, even when a dynamic category was selected, an error message would appear indicating no category was specified.
- Corrected the issue where ongoing cyclical actions were interrupted when the cycle configuration was changed. The fix ensures that saving changes no longer affects enqueued statuses in the database.
- Fixed a bug where generated Word files did not include values from the **Data row** column of the **Item list** form field.
- Fixed a bug encountered when loading attachment categories in the **Add attachment** action configuration. The problem appeared when the source file was selected based on an SQL query containing context variables.
- Fixed a bug where a parameter-setting action returned a parameter with an incorrect empty value. This occurred if any internal automation was inserted before the aforementioned action within an automation embedded on a transition path.

- Improved the handling of actions within the **Exchange** group. Previously, passing control characters within a text field caused an error. Now, these characters are ignored.
- Corrected the error encountered when modifying attachments using the DOCX file modification action configured in a **For Each** operator based on an **Item list**. Previously, the modification action incorrectly used data from the wrong Item list.
- Improved the **Clear Item list** action import. Previously, the functionality failed to operate correctly after transfer to a different environment, due to a missing **Item list** mapping.
- Fixed a bug in the **Invoke SOAP Web service** action that returned the phrase "System.Byte[]" instead of Base64 format values when mapping values returned by the Web service to **Item list** columns. The values mapped from the form fields to the **byte[]** request field as a result of the action are now also in Base64 format.
- Fixed a bug that caused incorrect passing of output parameter values in nested automations. In some scenarios, especially when using the **Start subworkflow** action and deep nesting of cycles, parameter values were lost or set to null. The parameter handling mechanism was rewritten so that passing and setting them now works correctly in all cases.
- Fixed an issue preventing the addition of a BPS user with a profile picture in an attachment using a cyclical **Add BPS User** action.
- Fixed the saving of changes made in the configuration of the **Add substitution** action. The issue was that modifications made in the SQL query editor (accessible by clicking the ellipsis button) were not saved.
- Fixed an error that occurred when closing the filter editor in the configuration of the **For each** operator in automations. After the fix, closing an empty filter editor no longer causes a `NullReferenceException`.
- Fixed a bug that occurred when using a **SharePoint list** data source in **Timer** or **On start (cyclical)** actions.
- Fixed the mechanism for generating Word documents using the **Generate/Update a Word file** action when they contain **Handwritten signature** or **Image** form fields. Previously, if these fields were empty, the Word document displayed a yellow area with the form field name. Now, empty fields display a blank image instead.
- Improved the connection type selection issue in the **Invoke REST Web service** action configuration. Previously, a user configuring the action could not

change authentication methods (e.g., from OAuth) even when an alternative option was available in the configuration.

- Fixed the mechanism for transferring values between the **Choice list** form fields. Previously, when using the **Change value of single field** action to transfer responses from one form field to another, values for the **ID + Name** tag were transferred incorrectly. Now, values are transferred correctly regardless of how the data is entered.
- Improved the attachment sorting within PDF/DOCX files merged using the **Merge attachments into Word/PDF file** action. Previously, attachments were sorted disregarding the database order and not aligning with the **Merge order: according to SQL** configuration option. Now, attachments are sorted according to the chosen configuration.
- Improved the **Archive workflow instances**. Previously, the action was retrieving incorrect instance IDs for archiving. The fix restored proper data retrieval within the transaction and the addition of items to the archiving queue.
- Fixed a bug in the automatic task delegation mechanism. The bug resulted in assigning the substituting person higher privileges — specifically editing rights — to an instance that the substituted person could only access in read-only mode. This problem occurred when the substituted person received a CC task and the substituting person had not previously had access to the respective instance.
- Fixed an issue, where the value in **Choice field** was not matched to the business entity defined in another form field, despite respective configuration. This problem occurred upon starting a subworkflow instance via the **Start workflow (SQL)** action.
- Fixed the behavior of the **Remove attachment** action in the **Remove only history of binary data** mode, which incorrectly removed the attachment from the SOLR index. After the fix, the action removes only historical data, leaving the current version correctly indexed.
- Restored the missing dependency for the library responsible for detecting signatures in PDF files, ensuring that the **Skip PDF files** with signature option in the **Add a text layer** action works correctly and signed files are properly skipped.
- Fixed an issue preventing the transfer of values from particular **Data rows** to a MS Word file generated by the **Generate/Update a Word file** action based on an attached **Word template** (created via **Admin actions**). The problem occurred when a Data row column name contained Polish diacritical characters.

6.6. Rules

- Fixed an issue that prevented **AI PROMPT** rules from being pasted due to a missing decorator responsible for object deserialization in the operating system. Additionally, a safeguard has been added for AI rules with a single parameter to prevent errors when pasting rules with an empty parameter.
- Fixed a bug that caused the system to return different results for the **ALL TRUE** and **ANY TRUE** operators depending on the order in which a parameter with the **NOT** operator was entered in them. The sequence of parameters with the NOT operator no longer affects the rule results.
- Improved handling of translations for **Business rules** cloned in the editor using copy/paste. Copying inline rules (e.g., **SQL COMMAND**) could generate incorrect translation entries without a process reference, which caused issues with application export and left orphaned translations in the database.
- Fixed a bug where deleting a **Business rule** did not trigger the removal of the translation of its parameter name from the content database. As a result, it was not possible to delete or import a process that had previously contained such a rule.
- Fixed a bug encountered during an attempt to save the configuration of the **GET ATTACHMENTS** function added to the **Business rule** defined for a **Mass notification**.
- Fixed a bug in the migration script's algorithm for converting rule configurations from XML to JSON. The bug caused a timeout for the script when the database contained more than 20,000 **Business rule** definitions.
- Fixed a bug where the value displayed in a **Widget** form field was not recalculated after a change in a related form field. This issue occurred when a business rule configured in the Widget field included an **SQL COMMAND** function referencing a form field value.
- Fixed an issue with loading the creation date of a workflow instance in the **Business Rules** editor. Previously, the variable returned the current date; now, it correctly returns the instance creation date.
- Fixed an issue with saving the data source **MSSQL Database** that used a global **Business rule** containing the **SQL COMMAND** function.
- Fixed an issue with displaying the parameter value in **Business rules**. The fix ensures that the parameter value is correctly substituted in the SQL command when the rule is tested. Previously, the value "{brp:id}" was returned instead of the expected value.

- Fixed an issue with passing automation parameters after using the **For each** operator. Previously, automation variable values were not passed correctly after the **For each** loop ended, causing an attempt to read those variables to return empty values. The issue has been resolved so that parameter passing now works correctly.
- Corrected the issue where warning messages appeared in the system when switching instances in the **My tasks** view. This occurred when a **Form rule** triggered a **Business rule** but lost the form context, resulting in empty values being sent to the **Business rule**.
- Fixed an issue where the **SELECT VALUES** function automatically converted an empty value in the **Item list** column to the default DATE value (0001-01-01T00). This issue occurred only when testing a rule (the **Test** button) containing this function in Designer Studio.
- Fixed a bug where the **Date and time** form field value was not cleared by the **EMPTY** operation used within the **SET** function. This occurred when the field value did not have a valid date format.
- Fixed an issue in the **LikeLogic** algorithm within business rules. The bug occurred in cases where the **LIKE** function with a **%text** value was used, which works similarly to the **String.EndsWith()** function. Previously, the algorithm returned an incorrect result (**FALSE**) in situations where the searched string appeared multiple times in the text (the system checked the first match), despite a correct match at the end, which should have returned **TRUE**.
- Improved the display of OAuth2 tokens in **Form rules** used in the **OAuth2 Authentication** field type. Previously, in some cases, the **Token** variable used in Form rules returned an empty string. Now, the Token format is unavailable in the Form rule editor. The Token format remains available in **Business rules** and JavaScript rules.
- Fixed an issue where the **TO LOWER** function used inside the **CONCAT** function in **Business rules** would automatically become **TO UPPER**.
- Fixed an issue where the **ADD DATE** function in a **Business rule** returned an incorrect date when subtracting business days.

6.7. Data sources

- Fixed a bug encountered during data source **<Users and groups>** testing. As a result, the mechanism for testing business rules containing the **DATA SOURCE VALUE** function with filters was fixed, as well as the mechanism for testing filtered data sources that use business rule parameters.

- Fixed the login issue encountered on the WEBCON BPS platform. The problem occurred when an incorrect filter was configured in the system data source **<Users and groups>**, which prevented login. A revised error message is now displayed.
- Fixed the handling of global constants when testing connections to data sources (REST, MSSQL, Oracle). Global constant values are now correctly retrieved based on the selected test environment. Additionally, a bug causing global constants to be incorrectly interpreted as process constants in REST sources has been fixed.
- Improved the error message displayed when a calculated column is misconfigured in a **SearchIndex**-based report. The updated message is now more user-friendly and clearly informs the user about an issue with the SOLR query.
- Restored default sorting in **SearchIndex**-based reports. If no custom sorting is configured and the report results do not include the WFD_ID column, the data is once again sorted by default in descending order by WFD_ID, as it was previously.
- Improved SQL query generation in the **Data table** form field when using an advanced filter based on **Data source columns**. Previously, identical conditions applied in the basic and advanced filters resulted in different numbers of apostrophes being generated in the ISNULL function.
- Fixed a bug in the configuration of the **BPS internal view** data source that caused the settings defined in the **Selected workflows and steps** field to disappear. The issue occurred when switching to a different BPS internal view data source. Additionally, these settings were not replicated in the cloned data source.
- Fixed an issue with updating data source columns in the **WFDataSourceColumns** table. After saving changes to a data source using the **Save all** button, entries in the table are now generated and refreshed immediately, ensuring that columns are displayed correctly in Designer Studio.
- Fixed a bug that occurred when the data source filter included the **[System] Step** column that belonged to the same data source.

6.8. Add-In

- Fixed missing translations in the **Word Modern** plugin installer.
- Improved how data is loaded in the **WEBCON BPS Word Add-In**, including the loading of the value selection tree in the editor.

- Fixed field generation for **Data row** field columns in document templates created via the **WEBCON BPS Word Add-In**. Previously, fields were generated with an incorrect prefix (ID instead of GUID), leading to data replacement issues in documents.

6.9. Mobile app

- Resolved the issue preventing data source configuration saving on landscape-oriented tablets. Scrolling to the bottom of the window and saving will work correctly.
- Fixed a bug that caused **Push notifications** and emails to display dates in inconsistent formats. The date format is now determined based on the language of the end user who receives the notification.
- Improved screen reader behavior for application elements on mobile devices running iOS and Android. Previously, there were issues with starting the instance and reading certain elements, such as the calendar.
- Improved **User Defined API** (UDA) handling in the mobile application. The issue was an "Invalid authentication type" error when attempting to retrieve data from a dictionary process.
- Adjusted the mobile form path panel appearance.
- Fixed navigation "Floating Button" behavior, the button dropped in a disallowed area should snap into the closest allowable zone.

6.10. Service

- Fixed licensing functionality in the cloud installation (**WEBCONAPPS-SaaS**). If the number of assigned **Power User** (Designer Studio) licenses exceeds the number available, users can still access the Portal, but Designer Studio access requires removal of the surplus assigned licenses via the **Admin panel**.
- Fixed an issue with exporting **SearchIndex** (**SOLR**) reports to Excel that occurred when the **All** option was selected in the **Process** field (**Source** section) of the report data source configuration window.
- Fixed an issue that prevented the Service from following a path containing the action to end instance sharing after the specified time elapsed.
- Fixed handling of special characters in passwords during data import from SOLR. Previously, incorrect passwords caused errors; now, the application supports all characters, including diacritics. Furthermore, a full JSON response from SOLR is now displayed on deserialization errors, which should aid in problem diagnosis.

- Improved SOLR report search via the main search panel. Previously, when the **Show option search everywhere** checkbox (the report configuration window → the **Views** tab) was unchecked, global search only worked after entering the expanded search panel.
- Improved attachment indexing handling. Previously, attachment indexing in SOLR encountered "System.InvalidOperationException: Invalid SOF marker received" errors once the timeout had been exceeded. Attachment indexing will now be more efficient, without blocking the indexing queue.
- Fixed an issue that caused inconsistent search results in reports based on the SearchIndex (Solr) data source. The error occurred when searching the report using text fields (**Search panel** → **Search options** → **Text field**) and the query included a space character.
- Fixed an issue preventing proper SOLR update. This addresses a bug that, during update, caused the installation of a new Windows Defender version to block the **WEBCON BPS Search Service**.
- Fixed an error that caused empty **Mass notifications** to be sent. Empty messages were sent to users who had only CC tasks assigned.
- Improved handling of throttling of sending administrative notifications by **WEBCON WorkFlow Service**. A default limit of one email per minute within a given notification category has been introduced. The limit applies per service instance.
- Fixed an issue that prevented indexing attachments with a size of 0 bytes in the SOLR search engine. Improved handling of the **CancellationToken** to allow proper interruption of the indexation process when required.
- Expanded OCR AI learning progress logging. The service now generates a comprehensive log, detailing the current teaching stage.

6.11. Designer Desk

- Enhanced handling of adding, updating, and deleting **Process phases**, steps, and paths when using the assistant (AI).
- Fixed intermittent bug encountered when users performed two consecutive form field configuration saves. This resulted in errors appearing after navigating to the **Field matrix** page and during documentation generation.
- Fixed a bug that occurred when editing and saving HTML in the **Designer Desk** form editor. The fix prevents the loss of changes during undo/redo operations, and restores unsaved changes.

- Fixed an issue that prevented launching an application prototype created using the **Start with AI** feature and generating its documentation. The error occurred when the generated prototype included a **Users and groups** form field. In such cases, the AI module incorrectly created a **Fixed values list** data source for that form field.
- Fixed the bug that displayed values in incorrect columns in the **Data table** form field. This issue occurred after modifying values in an existing Data table, saving the new configuration, and launching the prototype form.

6.12. API & SDK

- Fixed UDA endpoint parallel invocation handling. Enhanced the functionality of actions that malfunctioned under concurrent requests from external systems. Previously, faulty parallel invocation handling resulted in issues with signing documents.
- Blocked validation of API applications (created in **Integrations** → **API**) as valid users when adding members to groups in the **Admin panel**. Previously, API applications appeared in the user search, but saving a group including them resulted in an error.
- Fixed an issue where a null value was returned in the user API after changing the mapping from an **Item list** column to a **Single line of text** form field. The problem was caused by the field type (**FieldTypeID**) not being updated in the database, which prevented correct data retrieval at runtime.
- Fixed a bug that prevented REST from connecting correctly to the SDK authentication in BPS Studio. Previously, the URL passed wasn't interpreted correctly, resulting in the error "System.InvalidOperationException: An invalid request URI was provided. Either the request URI must be an absolute URI or the BaseAddress must be set." This fix ensures that the URL is passed correctly, allowing for a smooth connection.
- Fixed an issue with the attachment signing SDK add-on after updating to version 2023. The error was caused by SSL certificate validation issues during communication with the signing service hosted on IIS.
- Fixed an issue with missing permissions for downloading temporary files generated by the SDK. This fix resolves an issue with an extra apostrophe in the security token that caused a 404 error. The permission checker has also been improved to properly account for access to temporary files.
- Resolved an issue that occurred when calling the "SqlExecutionHelper.ExecSqlCommandNonQueryOutsideTransactionAsync" SDK method within the BPS transaction.

- Improved the error message displayed during data source filter configuration. The previous message presented the content in reverse order.
- Fixed a bug in an SDK data source with filtering configured on the add-in side. The issue occurred when such a data source was used in an action without passing any filters.
- Improved application import package validation. The mechanism now displays an error message when the package lacks an SDK add-on required by a REST-type connection.
- Fixed handling of **Business rules** in **API Definitions** in instance operation mode. Rules referring to **Item list** values and attachment collections now work correctly.
- Fixed a bug that occurred when attempting to change the **Instance number** of an existing workflow instance using **Run an SDK action**.